

PROFI COOK®

Supreme quality meets innovative design



Product catalogue 2016



Where quality meets innovative design

Do you know why you start to have fun in your kitchen with ProfiCook?

Because from the very beginning you can rely on everything that has to do with technology, functionality and quality. Here a timeless stainless steel look is combined with robust workmanship and elegant design.

With ProfiCook your kitchen becomes a room in which you not only work effectively, but also with a great deal of pleasure. A room in which you will still enjoy the functional equipment and durable quality even after many years.

You adore the extraordinary



ProfiCook – For sophistication at breakfast

There is something in the air. Start your day with Mediterranean flair – caffè crema or would you prefer latte macchiato from the espresso machine with freshly frothed milk from the ProfiCook milk frother? Together with freshly baked, crispy, fragrant rolls or today preferably original American toast? And then a fresh vitamin cocktail from the ProfiCook citrus juicer and the day can hardly get any better!





PC-ES 1109	Espresso machine
Espresso and cappuccino pump machine	
Stainless steel housing	
Cup warming function	



- > Espresso and cappuccino pump machine
- > Stainless steel housing
- > Original italian professional espresso pump
- > Constant pump pressure (15 bar)
- > Height adjustable stainless steel steam nozzle with foaming and hot water function
- > Steam nozzle tip removable for easy cleaning
- > Cup warming function
- > 1.5 litre water tank (removable)
- > External water level indicator
- > Collection cup (removable)
- > 2 indicator lights
- > Ready status indicator
- > Accessories: 2 filter holders (1 and 2 cups), coffee measure, tamper
- > 230 V, 50 Hz, 1050 W



Cup warming function



Height adjustable stainless steel steam nozzle with foaming and hot water function

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ES 1109	501 109	900 / 1800 / 2000
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 098	200 x 290 x 295 mm; 4.6 kg
PU:	Export carton:	Packaging (W x H x D):
2	4 006 160 012 545	330 x 246 x 330 mm




PC-MS 1042 Milk frother

- Stainless steel housing
- Incl. stainless steel stand
- LED indicator light (blue illuminated)

- > Creates foamed milk in seconds
- > Easy handling due to cordless technology
- > Stainless steel housing
- > Stainless steel frothing whisk
- > Incl. stainless steel stand and closure cap for practical and hygienic storage
- > LED indicator light (blue illuminated)
- > Removable stainless steel cap (lockable)
- > Battery operation: 2x 1.5 V (AA) (batteries not included)


Incl. stainless steel stand
*LED indicator light
(blue illuminated)*

*Mixing vessel and lid
removable for easy
cleaning*

PC-MS 1032 Milk frother

- Stainless steel housing and stainless steel mixing vessel
- 6 functions
- Hot and cold function

- > No preheating of the milk thanks to the integrated heating function
- > Creates foamed milk in seconds
- > Also suitable for hot and cold chocolate
- > Easy handling through cordless technology and 360° rotatable plug connection
- > Concealed heating element
- > 3 illuminated function switches:
 - Frothing the milk warm
 - Frothing the milk cold – ideal for iced coffee
 - Heating the milk
- > Automatic switch-off function
- > Stainless steel mixing vessel (900 ml max.)
- > Amount of milk foam: approx. 450 ml
- > 6 functions:
 - cold / warm / hot foaming
 - cold / warm / hot mixing
- > Incl. lid with splash guard function and extra whisk/mixing attachment integrated in the housing
- > Mixing vessel and lid removable for easy cleaning (dishwasher-safe)
- > 230 V, 50 Hz, 600 W

3 illuminated function switches


Product:	Art. no:	20" / 40" / HQ-Container:
PC-MS 1042	501 042	18000 / 37590 / 43110
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 864	Länge: 230 mm; Ø 32 mm
PU:	Export carton EAN:	Packaging (W x H x D):
10	4 006 160 036 312	102 x 255 x 45 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-MS 1032	501 033	4268 / 8800 / 9600
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 678 635	170 x 130 x 150 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 035 018	205 x 190 x 142 mm



4 006 160 102 864



4 006 160 678 635



2ⁱⁿ
1**PC-KSW 1093** **Electric coffee mill**


Stainless steel housing
Stainless steel lid with viewing window
160 Watt

- > Stainless steel housing
- > Capacity for up to 60 g coffee beans
- > 2-fold stainless steel beater blade for coffee beans
- > Stainless steel bean container (hygienic and with aroma protection)
- > Safety circuit – operation only possible with attached lid
- > Stainless steel lid with viewing window
- > On/Off switch (safety button also for pulse mode)
- > Grinding degree can be selected by the length of operation
- > 230 V, 50 Hz, 160 W

PC-KSW 1021 **Electric coffee mill**

Coffee mill and chopper
2 extra large stainless steel container
200 Watt

- > 2 in 1 – coffee mill and chopper
- > Stainless steel housing
- > 2 extra large stainless steel container
- > Capacity for up to 85 g coffee beans
- > 2-fold stainless steel beater blade for coffee beans and 4-fold stainless steel chopping knife e.g. for condiment, nuts or herbs
- > Transparent lid
- > Powerful 200 Watt motor
- > Safety circuit – operation only possible with attached lid
- > Safety button also for pulse function
- > Grinding degree can be selected by the length of operation
- > Cord storage
- > 230 V, 50 Hz, 200 W



Stainless steel lid with viewing window

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KSW 1093	501 093	10488 / 21744 / 27936
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 930	H: 180 mm; Ø 100 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 589 696	107 x 188 x 107 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KSW 1021	501 021	4064 / 8416 / 9868
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 123	H: 200 mm; Ø 115 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 589 832	220 x 210 x 120 mm



4 006160 010930



4 006160 102123



The perfect start
to the day



**PC-WKS 1106 Jug kettle**

- | |
|--|
| Stainless steel housing |
| 360° rotatable plug connection |
| Stainless steel base station with cord storage |

- > Stainless steel housing
- > Stainless steel base station with cord storage
- > Up to 1.0 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (blue illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50 Hz, 1850–2200 W max.

PC-WKS 1083 Jug kettle

- | |
|---|
| Stainless steel housing |
| 360° rotatable plug connection |
| Base station with cord storage (stainless steel sheathed) |

- > Stainless steel housing
- > Base station with cord storage (stainless steel sheathed)
- > Up to 1.7 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (blue illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > Large, external water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50 Hz, 1850–2200 W max.



Large, external water level indicator

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1106	501 106	3840 / 8160 / 9580
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 067	180 x 195 x 140 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 227 482	192 x 205 x 150 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1083	501 083	2700 / 5400 / 6000
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 323	215 x 250 x 160 mm; 1.1 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 227 284	212 x 250 x 203 mm



4 006160 011067



4 006160 108323




PC-WKS 1108 **Jug kettle**

- Stainless steel housing
- 360° rotatable plug connection
- Stainless steel base station with cord storage

- > Stainless steel housing
- > Stainless steel base station with cord storage
- > Up to 1.5 litre capacity
- > Temperature can be set electronically between 70°C and 100°C or quick start function without preset temperature (100°C)
- > Heat-retaining function (temperature can be set between 70°C and 90°C in 10°C steps)
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (blue illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50 Hz, 3000 W max.


External water level indicator

Electronic temperature setting
PC-WKS 1107 G **Glass kettle**

- Glass/stainless steel housing
- 360° rotatable plug connection
- Stainless steel base station with cord storage

- > Glass/stainless steel housing
- > Stainless steel base station with cord storage
- > Up to 1.5 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > External water level indicator
- > Water container made of heat resistant safety glass
- > Evaporation/overheating protection
- > 220–240 V, 50 Hz, 1850–2200 W max.


Water container made of heat resistant safety glass

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1108	501 108	2548 / 5280 / 6192
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 081	210 x 220 x 175 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 227 413	220 x 230 x 185 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1107 G	501 107	3840 / 8160 / 9580
Colour: Glass /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 074	190 x 200 x 150 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 227 154	205 x 210 x 160 mm



4 006160 011081



4 006160 011074



**2ⁱⁿ
1****PC-WKS 1020 G Glass tea kettle**

- 2 in 1 – tea and water heater
- Incl. raised and lowered stainless steel tea filter
- Electronic temperature setting (selectable)

- > Incl. raised and lowered stainless steel tea filter
- > Up to 1.7 litre capacity
- > Temperature can be set electronically between 70°C and 100°C or quick start function without preset temperature (100°C)
- > Heat-retaining function (temperature can be set between 70°C and 90°C in 10° steps)
- > Signal when reaching the preselected temperature
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Safety lid, opens at the push of a button
- > Concealed stainless steel heating element
- > Non-slip rubberized handle
- > Glass/stainless steel housing, stainless steel base station with cord storage
- > Water container made of heat resistant glass
- > Evaporation/overheating protection
- > 220–240 V, 50 Hz, 3000 W max.



Incl. raised and lowered stainless steel tea filter

Electronic temperature setting

**3ⁱⁿ
1****PC-TKS 1056 Tea/Coffee station**

- 3 in 1 – Glass kettle, tea and coffee maker
- Stainless steel housing
- Scratch-resistant glass plate

Jug kettle:

- > Up to 1.7 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid
- > Glass water kettle with integrated heating element and lime filter
- > Automatic and manual switch-off, external water level indicator
- > Evaporation/overheating protection, On/off switch

Glass jug:

- > For tea and coffee making (up to 1.2 litre capacity)
- > Heat-resistant glass, removable stainless steel tea filter

Base:

- > Electronic keep warm function (250 Watt)
- > Heating plate (non-stick coated), scratch-resistant glass plate
- > Electronic sensor touch control panel with display for comfortable operation
- > Automatic and manual temperature setting (automatic setting for coffee mode: 85°C, automatic setting tea mode: 80°C, manual setting adjustable in 1°C steps from 70–90°C)
- > Heat insulated handles, non-slip stand
- > 220–240 V, 50 Hz, 2000–2250 W max.

Electronic sensor touch control panel with display



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1020 G	501 020	2338 / 4810 / 5516
Colour: Glass /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 017	210 x 230 mm, Ø 140 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 227 833	230 x 235 x 187 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-TKS 1056	501 056	752 / 1564 / 1758
Colour: Glass /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 105 698	385 x 265 x 220 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 708	480 x 280 x 280 mm



4 006 160 102 017



4 006 160 105 698



**PC-ZP 1018****Citrus juicer**

Stainless steel housing

Long-life professional motor

Incl. stainless steel sieve

- > Citrus juicer in high quality stainless steel housing
- > High performance, long-life professional motor (100 Watt max.)
- > Automatic start/stop function by pressing the juicing cone
- > Open stainless steel juice spout
- > Drip stop function (no splashing and no wiping)
- > Stainless steel sieve
- > Can be fully disassembled for quick and easy cleaning (dishwasher-safe)
- > High stability due to suction feet
- > 220–240 V, 50/60 Hz, 100 W max.



Drip stop function

Stainless
steel sieve**PC-ST 1092****Sandwich toaster**

Extra large sandwich plates for american XXL toast slices


Suitable for toast slices of approx. 9 to 14.5 cm

Stainless steel insert

- > Stainless steel insert
- > Extra large sandwich plates for american XXL toast slices (approx. 14.5 x 14.5 cm)
- > Suitable for toast slices of approx. 9 to 14.5 cm
- > Non-stick coating
- > Heat insulated handle
- > Automatic temperature controller
- > 2 indicator lights for power and heating (baking lights)
- > High stability due to rubberized feet
- > Locking system
- > Overheating protection
- > Cord storage
- > 220–240 V, 50/60 Hz, 900 W



Triangle XXL sandwich plates

Suitable for toast slices of
approx. 9 (standard) to 14.5 cm (XXL)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ZP 1018	501 018	1632 / 3340 / 3780
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 101 812	215 x 260 x 215 mm; 1.9 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 012 743	235 x 285 x 235 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-ST 1092	501 092	2360 / 4900 / 5760
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 923	300 x 105 x 245 mm; 1.6 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 683 196	314 x 265 x 122 mm



4 006160 101812



4 006160 010923



**PC-TAZ 1110 Toaster with sandwich tongs**

Stainless steel housing
„Wide slot“ – extra wide toast slots (40 mm)
2 stainless steel tongs for removing the slices of toast

- > Compact 2-slice toaster with sandwich tongs
- > Stainless steel housing
- > „Wide slot“ – extra wide toast slots (40 mm)
- > 2 stainless steel tongs for removing the slices of toast
- > Cool touch housing/tong handles
- > Bun warmer (integrated)
- > Defrost/reheat/quick-stop function (blue illuminated)
- > Continuously adjustable thermostat
- > Centring function
- > Automatic and manual switch-off
- > Crumb drawer
- > Cord storage
- > 230 V, 50 Hz, 860–1050 W

PC-TA 1082 Toaster

Stainless steel housing
„Wide slot“ – extra wide toast slots (40 mm)
Centring function

- > 2-slice toaster
- > Stainless steel housing
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Bun warmer (removable)
- > Defrost/reheat/quick-stop function (blue illuminated)
- > Continuously adjustable thermostat
- > Centring function
- > Automatic and manual switch-off
- > Crumb drawer
- > Cord storage
- > 230 V, 50 Hz, 800 W



2 stainless steel tongs – „Cool touch“



Incl. bun warmer (integrated)



Can also be used as a conventional toaster



„Wide slot“ – extra wide toast slots (40 mm)



Defrost/reheat/quick-stop function

Product:	Art. no:	20" / 40" / HQ-Container:
PC-TAZ 1110	501 110	1440 / 2952 / 3384
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 026	275 x 185 x 155 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 224 412	320 x 185 x 300 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-TA 1082	501 082	1896 / 3908 / 4440
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 217	282 x 182 x 162 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 224 481	308 x 233 x 190 mm



4 006 160 111 026



4 006 160 108 217




PC-TA 1073 Toaster

- | |
|--|
| Stainless steel housing |
| „Wide slot“ – extra wide toast slots (40 mm) |
| 2x bun warmer (removable) |

- > 4 slice toaster with stainless steel housing
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Automatic and manual switch-off
- > 2 continuously adjustable toasting controllers
- > 2x centring function for even browning
- > 2x defrosting function (blue illuminated)
- > 2x reheating function (blue illuminated)
- > 2x quick stop function (blue illuminated)
- > 2x bun warmer (removable)
- > 2x crumb drawer (removable)
- > Cord storage
- > 220–240 V, 50/60 Hz, 1260–1500 W max.

PC-EK 1084 Egg boiler

- | |
|------------------------------|
| Stainless steel housing |
| Electronic hardness adjuster |
| Omelette-/poaching function |

- > Preparation of up to 8 eggs
- > Omelette-/poaching function (2 removable trays)
- > Stainless steel housing
- > Electronic hardness adjuster
- > On/off switch
- > Indicator light (blue illuminated)
- > Acoustic signal (buzzer)
- > Egg holder (removable)
- > Measuring beaker with egg pricker
- > Stainless steel hotplate
- > Cord storage
- > 230 V, 50 Hz, 400 W



2x bun warmer
(removable)



„Wide slot“ – extra wide
toast slots (40 mm)



Omelette-/poaching function

Product:	Art. no:	20" / 40" / HQ-Container:
PC-TA 1073	501 073	1130 / 2268 / 2520
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 107 302	285 x 185 x 285 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 224 160	308 x 233 x 308 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-EK 1084	501 084	2480 / 5180 / 5700
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 848	180 x 160 x 190 mm; 0.86 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 555 424	220 x 207 x 220 mm





Today the chef recommends:

Kebbe or cocktail – ProfiCook
for every culinary taste




4ⁱⁿ
1**PC-KM 1004 Meat mincing machine**

- Massive aluminum die-cast body
- Long-life professional motor (1400 Watt max.)
- Kneading/stirring machine, mixing equipment and pasta maker

- > Solid multi-food-processor with aluminum die-cast body and special solid gear machine
- > Powerful long-life professional motor (1400 Watt max.)
- > Constant performance through load-dependent electronic rotation speed control
- > 4 electronic speed programs
- > Continuous speed control
- > Soft start for slow mixing
- > Extra large 6 litre stainless steel bowl with grip for max. 3 kg mixture preparation
- > Swiveling multifunction arm with unlocking mechanism



Glass mixing jug with scale
(1.5 litre)



Mincer with stainless steel cutter
and 3 steel mincing disks

- > Splash guard cover with refill opening
- > Safety circuit – machine stops when lifting the arm
- > Easy to operate and to clean
- > High stability due to suction feet
- > Incl. 13 professional accessories
- > 220–240 V, 50/60 Hz, 1400 W max.

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1004	501 004	310 / 640 / 720
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 100 433	420 x 400 x 240 mm; 11.0 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 534 603	615 x 530 x 265 mm; 13.0 kg



XXXL-Bowl

10 litre capacity for dough preparation up to 7.5 kg



Special double kneading hook



Aluminum die-cast stirring hook



Stainless steel whisk



PC-KM 1096 Kneading machine

- Massive aluminum die-cast housing
- Long-life professional motor (1500 Watt)
- Powerful and robust metal gears



LCD display

- > Robust multi-purpose food processor with aluminium die-cast housing
- > Powerful long-life professional motor (1500 Watt)
- > Powerful and robust metal gears
- > Electronic timer function
- > LCD display
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse)
- > Soft start for slow mixing
- > Extra-large 10 litre stainless steel bowl with 2 handles for dough preparation up to 7.5 kg
- > Swivelling multi-purpose arm with unlocking mechanism

- > Splash guard lid with replenishing aperture
- > Safety circuit – machine stops when lifting the arm
- > Special double kneading hooks for heavy dough like yeast dough, bread dough or pasta dough
- > Aluminum die-cast stirring hook for light dough like short pastry dough, crumble dough or sponge mixture
- > Stainless steel whisk with splash guard for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean
- > High stability due to suction feet
- > 220–240 V, 50/60 Hz, 1500 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1096	501 096	310 / 640 / 750
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 961	437 x 420 x 167 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 659 221	475 x 515 x 340 mm



3ⁱⁿ
1**PC-KM 1063** **Compact food processor**

Food processor, mixer and citrus juicer

Powerful 1200 Watt max.

Continuously speed control

- > High-performance food processor with max. 1200 Watt
- > Stainless steel housing
- > Continuously speed control
- > Turbo function
- > Safety circuit
- > Work bowl: 1.2 litre capacity with scale and refill opening
- > Mixing bowl: 1.75 litre capacity with scale and refill opening
- > Cover for refill used as a measuring cup (3 cl)
- > High quality, changeable stainless steel inserts and discs



1.75 litre mixing bowl



Citrus juicer application

- > 11 accessories: citrus juicer application, 2x grating and cutting discs (fine & coarse), potato grating disc, chipping/julienne disc, stainless steel beater blade, special kneading/stirring attachment, stainless steel metal whisk, dough scraper
- > High stability due to suction feet
- > 220–240 V, 50/60 Hz, 1200 W max.

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1063	501 063	596 / 1226 / 1436
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 312	250 x 370 x 230 mm; 4.1 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 784	460 x 365 x 250 mm



4 006 160 106 312





PC-FW 1003 Professional mincer

- Long-life professional motor (1500 Watt max.)
- Robust professional gear
- Forward and reverse function


PC-FW 1060 Professional mincer

- Stainless steel housing
- Forward and reverse function
- 1000 Watt max.

- > Stainless steel housing
- > Powerful long-life professional motor (1500 Watt max.)
- > Robust professional gear
- > Forward and reverse function
- > Aluminum die-cast accessories: neck, screw, screw housing and cap
- > Stainless steel filling tray (rotatable)
- > 4-bladed stainless steel knife
- > 3 stainless steel mincing disks
- > Stainless steel shortbread attachment with 4 moulds
- > Sausage filler accessory
- > Kebbe maker for the oriental cuisine
- > Quick and simple attachment change through extra large lock ring
- > 30 minutes continuous load
- > On/off switch
- > High stability due to suction feet
- > 220–240 V, 50/60 Hz, 1500 W max.

- > Stainless steel housing
- > Forward and reverse function
- > Stainless steel refill tray
- > Metal neck
- > Metal snail
- > 3 steel mincing disks
- > Stainless steel blade
- > Kebbe maker for the oriental cuisine
- > Biscuit/cookies attachment
- > Sausage filler accessory
- > On/off switch
- > High stability due to suction feet
- > 220–240 V, 50 Hz, 1000 W max.

ETM TESTMAGAZIN • URTEIL	
Profi Cook PC-FW 1060	
GUT	88,8 %
Im Test: 13 Fleischwölfe Testurteile: 1x sehr gut, 12x gut www.etm-testmagazin.de	
Heft 11/2015	



Incl. sausage filler accessory



3 stainless steel mincing disks



Incl. cookies attachment



Incl. cookies attachment



Incl. kebbe maker

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FW 1003	501 003	1110 / 2230 / 2540
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 100 358	160 x 220 x 320 mm; 4.9 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 534 634	370 x 295 x 200 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-FW 1060	501 060	1038 / 2230 / 2516
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 015	340 x 315 x 160 mm; 2.55 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 777	435 x 265 x 205 mm



4 006 160 100 358



4 006 160 106 015




Room for creativity





3 in
1




Variable speed control



PC-SM 1094 Hand blender

- Stainless steel housing and 4-fold stainless steel blade
- Long-life professional motor (1000 Watt)
- Extra-long stainless steel mixing rod (approx. 27 cm)

- > Stainless steel housing with ergonomic soft-touch handle
- > Powerful long-life professional motor (1000 Watt)
- > 4-fold stainless steel blade for easy, quick mixing, mincing and pureeing
- > Extra-long stainless steel mixing rod, for high and narrow mixing vessels (approx. 27 cm)
- > Extra-wide mixing head for safe mincing without splashing
- > Variable speed control
- > Push-button switch (blue illuminated)
- > Also usable in a hot pot
- > Extra-long coiled cable (space-saving)
- > Removable stainless steel mixing rod (easy to clean)
- > 220–240 V, 50/60 Hz, 1000 W



Extra-long stainless steel mixing rod (approx. 27 cm)



4-fold stainless steel blade



Incl. extra-long coiled cable (space-saving)

PC-SMS 1095 Hand blender set

- Stainless steel housing
- High-quality stainless steel 4-blade system (removable)
- Long-life professional motor (600 Watt)

- > Stainless steel housing with ergonomic soft-touch recessed grip
- > Powerful long-life professional motor (600 Watt)
- > Variable speed control (blue illuminated)
- > Incl. mixing bowl with scale (0.7 litre)
- > High-quality stainless-steel 4-blade system (removable)
- > Incl. stainless steel whisk
- > Turbo stage
- > Soft-touch key switch
- > Also usable in a hot pot
- > Removable stainless steel mixing rod (easy to clean)
- > Hanging loop
- > 220–240 V, 50/60 Hz, 600 W



Mixing bowl with scale (0.7 litre)



Stainless steel whisk



Removable stainless steel mixing rod

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SM 1094	501 094	6000 / 12800 / 14800
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 947	63 x 465 x 63 mm; 1.01 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 659 238	140 x 370 x 70 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SMS 1095	501 095	3520 / 7300 / 8120
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 954	132 x 375 x 132 mm; 1.25 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 659 245	195 x 225 x 150 mm



2ⁱⁿ₁**PC-HM 1026 Hand mixer**

2 in 1 – Hand mixer and hand blender


Stainless steel housing

300 Watt

- > Stainless steel hand mixer
- > Long-life professional motor (300 Watt)
- > 5 speed levels
- > Turbo setting
- > Eject button
- > Soft touch handle for safe handling
- > Glass application (blue illuminated)
- > Stainless steel beaters and dough hooks suitable for dishwasher
- > Accessory: 2 stainless steel beaters, 2 stainless steel dough hooks, 1 stainless steel quick blender
- > 230 V, 50 Hz, 300 W



Incl. stainless steel quick blender



Incl. stainless steel dough hooks and beaters



Glass application (blue illuminated)

3ⁱⁿ₁**PC-MZ 1027 Multi chopper**

3 in 1 – Multi chopper, ice crusher and stirrer

Stainless steel housing

Combination knife for 2 or 4 blade operation


- > Mixing bowl made of glass (1 litre)
- > 2 removable stainless steel blades (rustproof)
- > Combination knife for 2 or 4 blade operation
- > 1 speed level
- > Incl. ice crush function
- > Mixing bowl also suitable for microwave oven
- > Easy to clean
- > High stability
- > Accessories: stainless steel combination knife, stirring disc, stirrer
- > 220–240 V, 50 Hz, 500 W



Stirring tool e.g. for milk shakes



Stirring disc e.g. for salad dressing



Combination knife for 2 or 4 blade operation

Product:	Art. no:	20" / 40" / HQ-Container:
PC-HM 1026	501 026	4040 / 8360 / 9200
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 611	211 x 161 x 100 mm; 1.6 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 036 206	240 x 200 x 125 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-MZ 1027	501 027	3252 / 6504 / 7896
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 710	190 x 245 x 170 mm; 1.8 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 036 190	175 x 250 x 175 mm



4 006 160 102 611



4 006 160 102 710






PC-AE 1069 Automatic juicer

Long-life professional motor (800 Watt)

18.000 rpm max.

Stainless steel housing

- > Professional automatic juicer with high quality stainless steel housing
- > Fruit and vegetable juices freshly prepared in seconds. Rich in minerals vital to well-being, health and fitness
- > Juice whole apples, carrots and other fruit in seconds without chopping
- > Powerful long-life professional motor
- > Extra large filler spout (75 mm Ø)
- > High volume pulp container (approx. 1.6 litre)
- > Open spout
- > 4 step switch (0-1-2 + puls/turbo function) can be selected for hard and soft fruits for optimum juicing
- > Stainless steel strainer/centrifuge for very high quality juice
- > Can be fully disassembled, quick and easy cleaning
- > Selector knob (blue illuminated)
- > Lock with safety switch
- > High stability
- > 220–240 V, 50/60 Hz, 800 W; 18.000 rpm max.



Selector knob
(blue illuminated)

Extra large
filler spout
(75 mm Ø)



PC-AE 1070 Automatic juicer

Long-life professional motor (800 Watt)

18.000 rpm max.

Stainless steel housing

- > Professional automatic juicer with high quality stainless steel housing
- > Fruit and vegetable juices freshly prepared in seconds. Rich in minerals vital to well-being, health and fitness
- > Juice whole apples, carrots and other fruit in seconds without chopping
- > Powerful long-life professional motor
- > Extra large filler spout (75 mm Ø)
- > Juice container (approx. 1 litre) with foam remover, pour opening, measuring scale, handle and lid
- > Open spout
- > High volume pulp container (approx. 1,6 litre)
- > 5 step, electronic speed control can be selected for hard and soft fruits for optimum juicing
- > Incl. turbo function
- > LED Multifunction display (blue illuminated)
- > Stainless steel strainer/centrifuge for very high quality juice
- > Can be fully disassembled, quick and easy cleaning
- > Lock with safety switch
- > High stability
- > 220–240 V, 50/60 Hz, 800 W; 18.000 rpm max.



ELECTRONIC – LED
Multifunction display
(blue illuminated)

Extra large
filler spout
(75 mm Ø)



Product:	Art. no:	20" / 40" / HQ-Container:
PC-AE 1069	501 069	660 / 1320 / 1570
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 947	340 x 390 x 230 mm; 4.06 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 033 557	375 x 430 x 270 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-AE 1070	501 070	660 / 1320 / 1570
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 107 043	340 x 390 x 230 mm; 4.3 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 033 564	375 x 430 x 270 mm



4 006160 106947



4 006160 107043





Incl. 2 removable mixing cups
à 600 ml

PC-SM 1078**Smoothie maker**

Ideal for pureeing, beating, chopping up, shaking and mixing

Stainless steel blade

Incl. 2 removable mixing cups (600 ml)

- > Smoothie maker for pureeing, beating, chopping up, shaking and mixing, consisting of base, mixing cup and lid with drinking aperture
- > „Mix & Go“ – Mix your favorite shake in a few minutes. With the practical drinking aperture, you can take your freshly prepared shake with you to work, school or sports
- > Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- > Incl. recipe suggestions
- > Mixing cup also suitable as drinking cup
- > Incl. lid with drinking aperture
- > Ideal for kitchen, bar and on the road
- > Powerful 250 Watt motor
- > 1 speed level (pulse)
- > 2 removable mixing cups (600 ml)
- > Stainless steel blade (rustproof)
- > Safety circuit – operation only possible with attached vessel
- > All accessories dishwasher safe
- > High stability due to rubberized suction feet
- > 220–240 V, 50/60 Hz, 250 W



Mixing cup also suitable as
drinking cup

ETM TESTMAGAZIN • URTEIL	
ProfCook PC-SM 1078 Smoothie Maker	
GUT	86,5 %
Im Test: 16 Smoothie-Maker Testurteile: 2x sehr gut, 10x gut, 3x befriedigend, 1x ausreichend www.etm-testmagazin.de	Heft 08/2015

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SM 1078	501 078	1968 / 4128 / 4680
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 107 821	114 x 368 x 116 mm; 1.4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
6	4 006 160 558 722	165 x 445 x 165 mm



4 006160 107821



**2ⁱⁿ
1**

Mix
& Go



Smoothie cup (0,5 l)



4-fold stainless steel blade
with „piranha“ cut (rustproof)



Smoothie cup (0,5 l)
also suitable as drinking cup



PC-UMS 1085 Universal mixer set

2 in 1 – Universal mixer and smoothie maker

4-fold stainless steel blade with „piranha“ cut (rustproof)

4 speed levels (0-1-2 + pulse/turbo function)

- > Universal mixer with smoothie maker
- > Smoothie maker for pureeing, beating, chopping up, shaking and mixing, consisting of base, mixing cup and lid with drinking aperture
- > „Mix & Go“ – Mix your favorite shake in a few minutes. With the practical drinking aperture, you can take your freshly prepared shake with you to work, school or sports
- > Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- > Incl. recipe suggestions
- > Smoothie cup also suitable as drinking cup
- > Incl. lid with drinking aperture
- > Universal mixer function
- > Lid with filler opening (Universal mixer)
- > Ideal for kitchen, bar and on the road
- > 4 speed levels (0-1-2 + pulse/turbo function)



- > Smoothie cup (0,5 litre)
- > Mixing cup (1 litre)
- > 4-fold stainless steel blade with „piranha“ cut (rustproof)
- > Safety circuit – operation only possible with attached vessel
- > High stability due to rubberized feet
- > Base station with cord storage
- > 220–240 V, 50/60 Hz, 350 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-UMS 1085	501 085	2346 / 4860 / 5697
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 538	125 x 395 x 135 mm; 1.7 kg
PU:	Export carton EAN:	Packaging (W x H x D):
3	4 006 160 555 417	165 x 395 x 165 mm



4 006160 108538




PC-UM 1086 Universal mixer

- Long-life professional motor (1250 Watt)
- 6-fold stainless steel blade with „piranha“ cut (rustproof)
- Stainless steel housing

- > Robust universal mixer with stainless steel housing for pureeing, beating, chopping, shaking, mixing
- > Powerful long-life professional motor (1250 Watt)
- > Ice crush- and turbo function
- > 4 speed levels (0-1-2 + pulse/turbo function)
- > Removable solid glass mixing jug with scale (1.5 litre)
- > Lid with refill opening (approx. 50 mm Ø)
- > Cover for refill opening can be used as a measuring cup (6 cl)
- > 6-fold stainless steel blade with „piranha“ cut for easy mixing, removable for easy cleaning (rustproof)
- > Stainless steel rotary switch (blue illuminated)
- > Safety circuit – operation only possible with attached container
- > Cord storage
- > High stability due to rubberized feet
- > 220–240 V, 50/60 Hz, 1250 W, 21.000 rpm max.



6-fold stainless steel blade with „piranha“ cut (rustproof)


PC-UM 1006 Universal mixer

- Long-life professional motor (1200 Watt max.)
- 6-fold stainless steel blade with „piranha“ cut (rustproof)
- Stainless steel housing

- > Robust universal mixer with stainless steel housing for pureeing, beating, chopping, shaking, mixing
- > Powerful long-life professional motor (1200 Watt max.)
- > 5 electronic speed levels plus ice crusher and turbo function
- > Removable solid glass mixing jug with scale (1.8 litre)
- > Lid with refill opening (approx. 50 mm Ø)
- > Cover for refill opening can be used as a measuring cup (2 cl)
- > 6-fold stainless steel blade with „piranha“ cut for easy mixing, removable for easy cleaning (rustproof)
- > LCD display (blue illuminated)
- > Easy-to-clean soft-touch panel
- > Safety circuit – operation only possible with attached vessel
- > Acoustic finish signal
- > Base station with cord storage
- > High stability due to rubberized feet
- > 220–240 V, 50/60 Hz, 1200 W max., 20.000 rpm max.



6-fold stainless steel blade with „piranha“ cut (rustproof)

Electronic




Product:	Art. no:	20" / 40" / HQ-Container:
PC-UM 1086	501 086	1150 / 2300 / 2750
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 637	198 x 425 x 172 mm; 3.79 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 555 431	230 x 450 x 215 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-UM 1006	501 006	1008 / 2100 / 2340
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 100 655	210 x 400 x 200 mm; 4.4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 534 658	245 x 485 x 215 mm



XL mixing bowl



6-fold stainless steel cross knife



Electronic power adjustment + 3 program buttons (illuminated)



XL mixing bowl – 2,0 litre capacity (BPA free)



PC-SM 1103

Profi mixer / Smoothie maker

Long-life professional motor (2000 Watt)

Stepless speed control for perfect smoothies

Stainless steel housing

- > Robust professional mixer/smoothie-maker with stainless steel housing for pureeing, beating, chopping up, shaking, mixing
- > Fruit and especially green vegetable juices prepared quickly and freshly. Rich in essential minerals for well-being, fitness and health
- > Mix and puree fruits and vegetables in seconds without crushing, also well suited for soups
- > Ideal for the preparation of vegan recipes – quick and fine shredding of the mixture like leaf green for healthy, easily digested and wholesome food
- > Powerful long-life professional motor (2000 Watt) for high speeds and a flexible speed range (max. 4.000–32.000 rpm)
- > 3 program buttons (illuminated) for: pulse function, ice crushing function, mixing function
- > Stepless speed control for perfect smoothies
- > Removable XL mixing bowl (BPA free) with scale (2.0 litre)
- > Lid with filler opening (approx. 50 mm Ø)
- > The filler opening cover can be used as a measuring cup (6.5 cl)
- > Soft touch handle on the mixing bowl
- > Robust, specially ground 6-fold stainless steel cross knife for mixing/pureeing without problems
- > Incl. professional tamper (25 cm) for optimal filling of the mixing bowl
- > High stability due to suction feet
- > Accessories: Tamper, recipe suggestions
- > 220–240 V, 50/60 Hz, 2000 W; 32,000 rpm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SM 1103	501 103	900 / 1868 / 2278
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 036	186 x 520 x 195 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 659 504	223 x 548 x 223 mm



4 006160 011036



10 in 1

Incl. recipe book


TESTMAGAZIN - URTEIL

Profi Cook PC-MKM 1074

GUT

84,0 %

 Im Test: 11 Kochsysteme
 Testurteile: 4x sehr gut, 7x gut
www.etm-testmagazin.de

Heft 12/2015




Product video


PC-MKM 1074 Multi cooking mixer

9 speed levels + turbo function

Ice crush function

4-fold stainless steel blade (removable)



High-quality LCD display



Steaming top



Cooking basket

- > Multi-function kitchen machine with a large selection of functions like:
 - Cooking of pasta, rice, soups/sauces
 - Steam-cooking of fresh vegetables and fish
 - Preparing of sandwich spreads, dips, jam
 - Pureeing of baby food
 - Chopping of vegetables and fruits
 - Kneading and stirring of dough
 - Mixing of smoothies and cocktails
 - Ice crush function
 - Grinding of nuts
 - Emulsifying of mayonnaise
- > 9 speed levels + turbo function
- > 90 minute timer
- > Stainless steel bowl incl. lid with filler opening (2.5 litre), dishwasher-safe
- > The lid with filler opening can be used as a measuring cup (100 ml)

- > Temperature setting (30°C–120°C)
- > 3 automatic programs (soup, jam, sauce)
- > Electronic thermostat
- > High-quality LCD display with display of temperature, speed and time (blue illuminated)
- > User-friendly and easy to clean
- > 4-fold stainless steel blade (removable)
- > Safety circuit – operation is possible only with attached lid
- > Acoustic signal at the end of the cooking process
- > High stability due to suction feet
- > Cord storage
- > Accessories: 3-piece steaming top, stainless steel bowl, cooking basket, stirring tool, blade protection, heat-resistant spatula, including recipe book
- > 220–240 V, 50/60 Hz, 600 W motor, 1300 W heater

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MKM 1074	501 074	368 / 758 / 898
Colour:	Art. EAN:	Device (W x H x D):
Silver	4 006 160 107 432	350 x 320 x 300 mm; 6.0 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 224 177	548 x 379 x 320 mm



4 006160 107432



10ⁱⁿ₁


Incl. recipe book

PC-MKM 1104 Multi cooking mixer

9 speed levels + turbo function

Ice crush function

4-fold stainless steel blade (removable)



High-quality LCD display



Steaming top



Cooking basket

- > Multi-function kitchen machine with a large selection of functions like:
 - Cooking of pasta, rice, soups/sauces
 - Steam-cooking of fresh vegetables and fish
 - Preparing of sandwich spreads, dips, jam
 - Pureeing of baby food
 - Chopping of vegetables and fruits
 - Kneading and stirring of dough
 - Mixing of smoothies and cocktails
 - Ice crush function
 - Grinding of nuts
 - Emulsifying of mayonnaise
- > 9 speed levels + turbo function
- > 90 minute timer
- > Stainless steel bowl incl. lid with filler opening (2.5 litre), dishwasher-safe
- > The lid with filler opening can be used as a measuring cup (100 ml)

- > Temperature setting (30°C–120°C)
- > 3 automatic programs (soup, jam, sauce)
- > Electronic thermostat
- > High-quality LCD display with display of temperature, speed and time (black/white)
- > User-friendly and easy to clean
- > 4-fold stainless steel blade (removable)
- > Safety circuit – operation is possible only with attached lid
- > Acoustic signal at the end of the cooking process
- > High stability due to suction feet
- > Cord storage
- > Accessories: 3-piece steaming top, stainless steel bowl, cooking basket, stirring tool, blade protection, heat-resistant spatula, including recipe book
- > 220–240 V, 50/60 Hz, 600 W motor, 1300 W heater

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MKM 1104	501 104	368 / 758 / 898
Colour:	Art. EAN:	Device (W x H x D):
Silver	4 006 160 011 043	350 x 320 x 300 mm; 6.0 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 659 542	548 x 379 x 320 mm



10ⁱⁿ₁


Incl. recipe book

PC-MKM 1104 W Multi cooking mixer

9 speed levels + turbo function

Ice crush function

4-fold stainless steel blade (removable)



High-quality LCD display



Steaming top



Cooking basket

- > Multi-function kitchen machine with a large selection of functions like:
 - Cooking of pasta, rice, soups/sauces
 - Steam-cooking of fresh vegetables and fish
 - Preparing of sandwich spreads, dips, jam
 - Pureeing of baby food
 - Chopping of vegetables and fruits
 - Kneading and stirring of dough
 - Mixing of smoothies and cocktails
 - Ice crush function
 - Grinding of nuts
 - Emulsifying of mayonnaise
- > 9 speed levels + turbo function
- > 90 minute timer
- > Stainless steel bowl incl. lid with filler opening (2.5 litre), dishwasher-safe
- > The lid with filler opening can be used as a measuring cup (100 ml)

- > Temperature setting (30 °C–120 °C)
- > 3 automatic programs (soup, jam, sauce)
- > Electronic thermostat
- > High-quality LCD display with display of temperature, speed and time (blue illuminated)
- > User-friendly and easy to clean
- > 4-fold stainless steel blade (removable)
- > Safety circuit – operation is possible only with attached lid
- > Acoustic signal at the end of the cooking process
- > High stability due to suction feet
- > Cord storage
- > Accessories: 3-piece steaming top, stainless steel bowl, cooking basket, stirring tool, blade protection, heat-resistant spatula, including recipe book
- > 220–240 V, 50/60 Hz, 600 W motor, 1300 W heater

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MKM 1104 W	511 104	368 / 758 / 898
Colour:	Art. EAN:	Device (W x H x D):
White	4 006 160 111 040	350 x 320 x 300 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 659 610	548 x 379 x 320 mm



4 006160 111040



XXL steaming top
(4,2 litre)

11ⁱⁿ₁

PC-MKM 1105 Multi cooking mixer

9 speed levels + turbo function

Extra large stainless steel bowl (3 litre)

Stainless steel housing / Incl. stainless steel kitchen scale

Incl. recipe book
Multi cooking mixer:

- > Multi-function kitchen machine with a large selection of functions like:
 - Cooking of pasta, rice, soups/sauces
 - Steam-cooking of fresh vegetables and fish
 - Preparing of sandwich spreads, dips, jam
 - Pureeing of baby food
 - Chopping of vegetables and fruits
 - Kneading and stirring of dough
 - Mixing of smoothies and cocktails
 - Ice crush function
 - Grinding of nuts
 - Emulsifying of mayonnaise
- > 9 speed levels + turbo function
- > 90 minute timer
- > Stainless steel bowl incl. lid with filler opening (3 litre), dishwasher-safe
- > The lid with filler opening can be used as a measuring cup (100 ml)
- > XXL steamer top (4.2 litre)
- > Temperature setting (30°C–120°C)
- > 3 automatic programs (soup, jam, sauce, kneading, steaming)
- > Electronic thermostat
- > High-quality XXL LED display with display of temperature, speed and time (black/white)
- > User-friendly and easy to clean

- > 4-fold stainless steel blade (removable)
- > Incl. large 2-colour display for cooking operation (red = heating/operation; green = completion)
- > Safety circuit – operation is possible only with attached lid
- > Acoustic signal at the end of the cooking process
- > High stability due to suction feet + Cord storage
- > Accessories: 3-piece steaming top, stainless steel bowl, cooking basket, stirring tool, blade protection, heat-resistant spatula, incl. recipe book
- > 220–240 V, 50/60 Hz, 600 W motor, 1300 W heater

Digital kitchen scale:

- > Extra-flat digital kitchen scale
- > Weighing surface made of stainless steel
- > Extra large LCD display (black/white)
- > Measuring scale up to 5000 g (in 1 g steps)
- > Adjustable measuring units: kg, g, lb, oz
- > Dimensions: approx. 165 x 15 x 220 mm (W x H x D)
- > Automatic switch-off
- > On/off switch
- > Tare function (additive weighed function)
- > Low battery indicator
- > Battery operation: 2x CR2032 (batteries included)

XXL multifunction display

Extra large stainless steel bowl (3 litre)

XXL steaming top (4.2 litre)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MKM 1105	501 105	315 / 640 / 640
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 050	350 x 330 x 260 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 659 559	450 x 430 x 430 mm



4 006160 011050




PC-BBA 1077 Automatic bread baking machine

13 baking programs / 43 possible combinations

Stainless steel housing and handle

13 hour timer

- > Stainless steel housing and handle
- > Fully automatic dough and bread preparation (kneading, rising, baking)
- > Nonstick coated baking form (removable)
- > 2 litre capacity (corresponds to about 1000 g bread)
- > 13 baking programs / 43 possible combinations
- > Programs: basic, fast bake, french, ultra fast bake, wholemeal, cake, dough, baking, sandwich, jam, mixing, gluten-free, home made
- > Warming function
- > After baking function
- > Memory function for 10 minutes during power failure
- > Electronic control panel with LCD display and audible signal (blue illuminated)
- > 13 hour timer
- > Variably settable dough quantity



Electronic control panel with LCD display (blue illuminated)



Ingredient dispenser is adding nuts, corns a.s.o. at the right time

- > Ingredient dispenser is adding nuts, corns a.s.o. at the right time
- > Variable crust browning control (light, medium, dark)
- > Lid with viewing window
- > Accessories: measuring cup, measuring spoon, kneading hook, hook spit
- > 220–240 V, 50 Hz, 550 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-BBA 1077	501 077	510 / 1050 / 1185
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 777	360 x 313 x 290 mm; 6.4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 224 214	430 x 388 x 430 mm; 7.8 kg





PC-KW 1040 Digital kitchen scale

Stainless steel housing
Measuring range up to 5000 g (in 1 g steps)
Tare function (additive weighing function)

- > Stainless steel housing, bowl and weighing area
- > Bowl with ca. 2 litre capacity
- > Easy to read, high-quality multifunction LCD display (5-digit, blue illuminated)
- > Measuring range up to 5000 g (in 1 g steps)
- > Adjustable measuring units: gr, ml, lb.oz, fl.oz
- > Tare function (additive weighing function)
- > Automatic switch-off for weighing function
- > On/off switch
- > High stability
- > Battery operation: 2x 1.5 V (AA) (batteries not included)



Multifunction LCD display
(5-digit, blue illuminated)



PC-KW 1061 Kitchen scale

Weighing surface made of stainless steel
Extra large LCD display (black/white)
On/off switch

- > Extra-flat digital kitchen scale
- > Weighing surface made of stainless steel
- > Extra large LCD display (black/white)
- > Measuring range up to 5000 g (in 1 g steps)
- > Adjustable measuring units: kg, g, lb, oz
- > Automatic switch-off
- > On/off switch
- > Tare function (additive weighed function)
- > Low battery indicator
- > Battery operation: 2x CR2032 (batteries included)



Extra large LCD display
(black/white)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KW 1040	501 040	5200 / 9900 / 11000
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 104 011	205 x 130 x 210 mm; 0.6 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 036 350	210 x 100 x 210 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KW 1061	501 061	21996 / 43992 / 60000
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 114	165 x 15 x 220 mm; 0.39 kg
PU:	Export carton EAN:	Packaging (W x H x D):
6	4 006 160 225 464	168 x 25 x 225 mm



4 006 160 104 011



4 006 160 106 114



PC-DHT 1039 Digital household thermometer

Stainless steel

Temperature range: -45 °C–200 °C

Storage function of the last measured temperature

> Digital household thermometer, ideal for testing cooked foods, such as roasts, meat fish and drinks such as wine, champagne, sparkling wine

> Stainless steel

> Temperature range: -45 °C–200 °C

> Quick reaction and measuring time

> High measurement accuracy

> Temperature can be shown in °C and in °F

> Storage function of the last measured temperature

> LCD display (blue illuminated)

> Incl. silicone protection cover

> Incl. practical hanging loop

> Battery operation: button cell (LR44) (battery included)



Promotional packaging



LCD display (blue illuminated)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-DHT 1039	501 039	40200 / 88800 / 104400
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 103 915	H: 230 mm; Ø 16,5 mm; 51 g
PU:	Export carton EAN:	Packaging (W x H x D):
12	4 006 160 036 343	62 x 250 x 30 mm



4 006160 103915

**PC-MS 1090 Knife grinder**

Stainless steel housing

3 grade knife sharpener

Diamond chip studded grinding stone



> Stainless steel housing

> Optimum grinding angle

> 3 grade knife sharpener

> Diamond chip studded grinding stone

> Separate grinding slots for: pre-grinding (coarse grinder), medium grade grinding and fine grinding

Separate grinding slots for:
pre-grinding (coarse grinder), medium
grade grinding, fine grinding

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MS 1090	501 090	26610 / 53226 / 60900
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 501 094	H: 181 mm; Ø 58 mm; 34 g
PU:	Export carton EAN:	Packaging (W x H x D):
6	4 006 160 225 426	188 x 65 x 58 mm



4 006160 501094

**2ⁱⁿ1****PC-PSM 1031 Electric pepper and salt mill**

High quality precision ceramic grinder

Stainless steel housing

Incl. light for optimum dosing

> High-quality precision ceramic grinder (adjustable from coarse to fine)

> Consistent grinding quality

> Simple refilling

> Single-handed operating

> Stainless steel housing

> Incl. light for optimum dosing of the condiment

> Battery operation: 4x 1.5 V AA/Mignon/LR/AM3 (batteries not included)



Incl. light for optimum dosing

Product:	Art. no:	20" / 40" / HQ-Container:
PC-PSM 1031	501 032	11712 / 24480 / 28860
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 329	H: 310 mm; Ø 53 mm
PU:	Export carton EAN:	Packaging (W x H x D):
6	4 006 160 227 589	110 x 55 x 310 mm



4 006160 010329



Relaxed throughout the day



> Perfect timing, impressive performance

Sometimes things have to happen quickly. Cooking is (often) a case of time management. If you have to reach the finishing line quickly, the hot plates, microwaves and table grills made by ProfiCook are the right sprinters for the starting line-up. With impressive performances which are available to you without any long warming-up period. And if you prefer to precook items or a few portions are left over, the ProfiCook vacuum sealer will help you as well to store your creations quickly and safely.



**2ⁱⁿ
1****PC-EKA 1066 Preserving boiler**

Preserving boiler and hot drinks machine

Stainless steel housing

27 litre tank capacity for up to 14 jars

- > 1800 Watt
- > 27 litre tank capacity for up to 14 jars
- > Stainless steel housing
- > Closed pot bottom, concealed stainless steel heating element
- > Variable, electronic temperature control (30 °C–100 °C)
- > LCD display (blue illuminated)
- > Display the preset timer, set temperature and actual temperature
- > Integrated drain tap for practical filling of mulled wine, punch or other hot drinks, for example
- > Grid insert
- > Plastic handles (heat-insulated)
- > Overheating protection
- > 230 V, 50 Hz, 1800 W



LCD display (blue illuminated)

**PC-HGA 1111 Hot drinks machine**

Hot drinks and mulled wine machine (16 litre)

Stainless steel housing

Solid metal tap, chrome-plated (removable)

- > 1500 Watt
- > 16 litre tank capacity
- > Stainless steel housing
- > Lockable safety stainless steel container
- > Closed pot bottom, concealed stainless steel heating element
- > Variable, electronic temperature control (30 °C–100 °C)
- > Solid metal tap, chrome-plated (removable)
- > External level indicator
- > Tap + level indicator removable for easy cleaning
- > Plastic handles (heat-insulated)
- > Keep warm function
- > 2 indicator lights
- > On/off switch
- > Overheating protection
- > 230 V, 50 Hz, 1500 W



Solid metal tap, chrome-plated (removable)

Level indicator removable for easy cleaning



Product:	Art. no:	20" / 40" / HQ-Container:
PC-EKA 1066	501 066	330 / 725 / 740
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 602	460 x 545 x 380 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 037 951	407 x 455 x 407 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-HGA 1111	501 111	479 / 1120 / 1220
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 125	333 x 470 x 335 mm; 2.7 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 225 570	335 x 515 x 335 mm



Sous Vide

The new trend in five star cuisine – precise vacuum cooking

Gentle method of food preparation for rich flavoured results.

Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.

INCL.

Gentle cooking function

Yogurt maker function

Keep warm function



Incl. stainless steel rack and tong



PC-SV 1112	Sous Vide Cooker
Precise cooking of food	
Stainless steel housing	
8,5 litre capacity	

- > Stainless steel housing
- > Precise cooking of food by electronic temperature control (max. deviation $\pm 0.5^{\circ}\text{C}$)
- > Vitamins, nutrients and flavors are retained
- > Incl. gentle cooking function, yoghurt maker function and keep warm function
- > LCD display (blue illuminated)
- > Temperature setting 45°C – 90°C
- > 72 h timer
- > 8,5 litre capacity
- > Cooking tray (non-stick coated)
- > Large viewing window in the lid
- > Incl. tong and stainless steel rack to insert the food
- > 230 V, 50 Hz, 520 W



LCD display (blue illuminated)



Incl. stainless steel rack to insert the food

Fitting accessories:

**PC-VK 1080
Vacuum
sealer**

(see page 38)



Not included

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SV 1112	501 112	716 / 1472 / 1636
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 224	410 x 210 x 300 mm; 2.85 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 210	452 x 230 x 332 mm



Spare bags PC-VK 1015/1080



- 50 pcs. à 22 x 30 cm
Art. no.: 8910151
Art. EAN: 4 006 160 101 515
- 50 pcs. à 28 x 40 cm
Art. no.: 8910152
Art. EAN: 4 006 160 101 522

Foilrolls PC-VK 1015/1080



- 2 rolls à 28 cm x 6 m
Art. no.: 8910155
Art. EAN: 4 006 160 101 553



4 006160 111224



Sous Vide

The new trend in five star cuisine – vacuum cooking

Gentle method of food preparation for rich flavoured results. Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.



Preservation and freshness
without preservatives



PC-VK 1080	Vacuum sealer
Stainless steel housing	
Suction power: 12 litre / min.	
Vacuum cooking – extremely careful preparation	

Sealing:

- > Shelf life and freshness without preserving agent
- > Space saving storage
- > No freezer burn
- > Rich aroma
- > Vacuum cooking

- > Fully automatic and powerful vacuum sealer with stainless steel housing
- > Ideal for dividing large quantities of food into smaller portions
- > Space saving, safe storage without preservatives
- > When sealed, food remains fresh up to 5 x times longer. Vitamins and nutrients are retained
- > Vacuum guards against freezer burn when deep freezing
- > Perfect also for seasoned and marinated food – vacuum sealing creates a rich aroma
- > Vacuum cooking (Sous Vide) allows food to be preserved in its own juices. No drying out and no loss of nutrients during preparation
- > Extra wide, durable seal for reliable storage
- > Electronic vacuum regulation perfectly suitable for delicate food items
- > Suction power: 12 litre / min.
- > Approx. 90 % vacuum, –0.8 bar
- > Can be used with commercially available structured plastic wrap rolls and structured plastic bags (max. 30 cm wide, length as required)



Accessories:
additional spare bags and
foil roll (see page 63)

- > Includes 18 professional airtight bags with diagonally corrugated structure for optimum sealing results (10 pieces at 22 cm x 30 cm / 8 pieces at 28 cm x 40 cm, also available as accessories)
- > Suitable for cooking and microwaving
- > 6 indicator lights
- > Cord storage
- > Safe base
- > 220–240 V, 50 Hz, 120 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-VK 1080	501 080	3840 / 7800 / 8920
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 800	380 x 63 x 155 mm; 1.55 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 558 357	385 x 210 x 75 mm



4ⁱⁿ₁**PC-DDK 1076 Pressure cooker**

- 5 automatic cooking programs
- Up to 70 % shorter cooking times
- 5 litre capacity

- > 4 in 1 – cooking, roasting, steaming, and keep warm function
- > Electronic steam pressure cooker for healthy and quick preparation of food
- > Additional steaming insert for vitamin-friendly steam cooking
- > Taste, vitamins and mineral nutrients are retained
- > Energy-saving – up to 70 % shorter cooking times
- > Versatile use: steam pressure cooker, cooking, roasting, keep warm
- > 5 automatic cooking programs (rice, meat, vegetables, soup, stew)
- > Non-stick coated inner pot (removable)
- > 5 litre capacity
- > Cool touch housing
- > 5-point safety system
- > 120 minute timer with ready signal
- > Multifunction LED display (blue illuminated)



Non-stick coated inner pot
(removable)



Cooking, baking, steaming,
keep warm



Multifunction LED display
(blue illuminated)

- > Removable power cable
- > Very user-friendly and easy to clean
- > Accessories: spoon, detachable condensate pan, aluminium steaming insert, steaming insert holder, ladle, measuring cup
- > 230 V, 50 Hz, 900 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-DDK 1076	501 076	576 / 1188 / 1386
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 760	315 x 305 x 315 mm; 5.5 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 224 191	320 x 310 x 320 mm



2ⁱⁿ₁

PC-MWG 1044 Microwave with grill

20 litre capacity
1000 Watt grill / 800 Watt microwave
Stainless steel interior

- > Large 20 litre oven capacity
- > 1000 Watt grill power
- > 800 Watt microwave power
- > Stainless steel interior
- > Quick start function
- > 2 combination power levels grill / microwave
- > 5 microwave power settings
- > 1 grill setting
- > 9 automatic programs
- > Defrost program
- > 95 minute timer
- > Turntable plate Ø approx. 24.5 cm
- > Digital clock
- > LED display (black/white)
- > Child lock
- > Oven compartment light
- > 230 V, 50 Hz, 1200 W

 LED display
(black/white)

3ⁱⁿ₁

PC-MWG 1045 H Microwave with grill and convection

23 litre capacity
1950 Watt convection / 1950 Watt grill / 900 Watt microwave
Stainless steel interior

- > Large 23 litre oven capacity
- > 1950 watt convection, 1950 watt grill power, 900 watt microwave power
- > Stainless steel interior
- > Quick start function
- > 11 microwave power settings
- > 10 convection temperature settings
- > 1 grill setting
- > 2 combination power levels grill / microwave
- > 4 combination power levels microwave / convection oven
- > 9 automatic programs incl. defrost program
- > 95 minute timer
- > Turntable plate Ø approx. 24.5 cm
- > Digital clock
- > LED display (black/white)
- > Child lock
- > Oven compartment light
- > 230 V, 50 Hz, 1400 W

 LED display
(black/white)


Product:	Art. no:	20" / 40" / HQ-Container:
PC-MWG 1044	501 044	520 / 1100 / 1240
Colour:	Art. EAN:	Device (W x H x D):
Black	4 006 160 104 417	451 x 262 x 338 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 037 074	498 x 295 x 418 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-MWG 1045 H	501 045	350 / 735 / 838
Colour:	Art. EAN:	Device (W x H x D):
Black	4 006 160 104 516	480 x 280 x 420 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 037 067	538 x 325 x 448 mm



4 006 160 104 417



4 006 160 104 516



**3ⁱⁿ
1**

PC-MWG 1049 H Microwave with grill and convection

25 litre capacity
1950 Watt convection / 1950 Watt grill / 900 Watt microwave
Stainless steel interior

- > Large 25 litre oven capacity
- > 1950 Watt convection, 1950 Watt grill power, 900 Watt microwave power
- > Stainless steel interior
- > Quick start function
- > 11 microwave power settings
- > 10 convection temperature settings
- > 1 grill setting
- > 2 combination power levels grill / microwave
- > 4 combination power levels microwave / convection oven
- > 9 automatic programs incl. defrost program
- > 95 minute timer
- > Turntable plate Ø approx. 27.0 cm
- > Digital clock
- > LED display (black/white)
- > Child lock
- > Oven compartment light
- > 230–240 V, 50 Hz, 1400 W


 LED display
(black/white)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MWG 1049 H	501 049	264 / 576 / 670
Colour:	Art. EAN:	Device (W x H x D):
Black	4 006 160 104 912	480 x 280 x 440 mm; 15.5 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 037 388	538 x 325 x 465 mm



4 006 160 104 912




PC-EKI 1062 **Single induction cooking plate**

- Heating takes only seconds thanks to induction technology
- Eco-friendly glass-ceramic-surface
- 2000 Watt

- > Induction hotplate with high-quality, eco friendly glass-ceramic-surface
- > Scratch-resistant smooth cooking area (very easy to clean)
- > Heating takes only seconds thanks to induction technology
- > ECO-Save – 55 % time savings compared to conventional cooking plates, no preheating phase, energy saving
- > Automatic pot detection – automatic switch-off in the case of non-induction pots
- > 10 power levels and 10 temperature levels with LED indication (60°C–240°C)
- > Electronic sensor touch control panel with display for comfortable operation
- > 3 LED indicator lights
- > 180 minute timer with automatic switch-off and end signal
- > Countdown indication on the LED display
- > Automatic switch-off after 120 min. without operation
- > Automatic switch-off after removal of the pot
- > Child lock
- > High stability due to non-slip feet
- > 220–240 V, 50/60 Hz, 2000 W



Scratch-resistant smooth cooking area (very easy to clean)


PC-DKI 1067 **Double induction cooking plate**

- 2x 6 power levels and 10 temperature levels
- Eco-friendly glass-ceramic-surface
- 3500 Watt max.

- > Induction double hotplate with high-quality, eco-friendly glass-ceramic-surface
- > Scratch-resistant smooth cooking area (very easy to clean)
- > Heating only takes seconds thanks to induction technology
- > ECO-Save – 55 % time savings compared to conventional cooking plates, no preheating phase, energy saving
- > Automatic pot detection – automatic switch-off in the case of non-induction pots
- > LED display
- > Each hob with 16 function levels – 6 power levels and 10 temperature levels (60°C–240°C)
- > Electronic sensor touch control panel with display for comfortable operation
- > 2x 3 LED indicator lights
- > 180 minute timer with automatic switch-off and end signal
- > Countdown indication on the LED display
- > Automatic switch-off after 120 min. without operation
- > Automatic switch-off after removal of the pot
- > High stability due to non-slip feet
- > 220–240 V, 50/60 Hz, 3500 W max.



Scratch-resistant smooth cooking area (very easy to clean)



Product:	Art. no:	20" / 40" / HQ-Container:
PC-EKI 1062	501 062	1900 / 3900 / 4920
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 206	290 x 65 x 370 mm; 2.5 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 087 982	320 x 413 x 90 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-DKI 1067	501 067	1000 / 1900 / 2380
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 701	605 x 65 x 365 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 038 064	615 x 70 x 415 mm



4 006 160 106 206



4 006 160 106 701





PC-TG 1017 Table grill

- Eco-friendly Schott-Ceran-glass-ceramic-surface
- Stainless steel housing
- Continuously adjustable thermostat

- > Table grill with high-quality, eco-friendly Schott-Ceran-glass-ceramic-surface and stainless steel frame
- > Size: 38 cm x 28.5 cm
- > Scratch-resistant smooth surface (very easy to clean)
- > Versatile for frying, cooking and braising of fish, meat and vegetables
- > Perfect taste and clean and odourless cooking without oil
- > Heats up swiftly and provides perfect heat distribution and stable temperature
- > Heat-insulated handles made of stainless steel
- > Continuously adjustable thermostat
- > Removable grease collector made from stainless steel (easy to clean)
- > Indicator light
- > Incl. cleaning scraper
- > High stability due to non-slip feet
- > 220–240 V, 50/60 Hz, 1200 W

PC-KG 1029 Contact grill

- 2000 Watt
- Stainless steel housing
- Continuously adjustable thermostat

- > Contact grill for double-sided, fat-free grilling
- > Barbecue grill – 180° opening enables grilling on a large surface
- > 2000 Watt
- > Stainless steel housing
- > Central fat drainage channel and drip pan (tray removable for easy cleaning)
- > Continuously adjustable thermostat
- > Short cooking times
- > Non-stick grill plates with extra deep grooves for strong grill pattern and optimal fat runoff
- > Grill plates removable for easy cleaning
- > Large, heat-insulated handle with soft touch insert
- > On/off switch
- > 2 indicator lights for power supply and heating
- > Temperature „ready“ display
- > Large grilling surfaces: 23 x 29 cm
- > Versatile, can be used for e.g. panini, steaks, fish, vegetables, eggs or desserts
- > 220–240 V, 50/60 Hz, 2000 W



Continuously adjustable thermostat



Continuously adjustable thermostat

180° opening enables grilling on a large surface



Product:	Art. no:	20" / 40" / HQ-Container:
PC-TG 1017	501 017	800 / 1700 / 2040
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 101 768	640 x 375 x 70 mm; 4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 012 422	690 x 406 x 100 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KG 1029	501 029	916 / 1900 / 2230
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 918	340 x 145 x 320 mm; 3.6 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 227 840	400 x 375 x 176 mm



4 006 160 101 768



4 006 160 102 918





High-quality stainless steel front and hood

PC-GG 1057 Gas grill

- 3x stainless steel burners
- High-quality stainless steel front and hood
- Continuous temperature setting



- > 3x heating zones for separate temperature control
- > Stainless steel control panel and side tray fronts
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > Massive control knobs for continuous temperature setting
- > 54 x 40 cm grill area comprising of two enameled grill racks (dishwasher safe)
- > 54 cm stainless steel warming rack
- > Large, extractable grease collection tray for easy cleaning
- > The operating height of 85 cm allows for easy and ergonomic operation
- > Large cabinet with two doors and magnetic lock (suitable to fit a 5 kg gas cylinder)
- > 3x stainless steel burners
- > Stainless steel burner cover
- > Cabinet and side trays made of powder-coated steel
- > 4x wheels for easy and fast movement
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria

Stainless steel inside tray
+ separated grill area:
2x enameled grill racks



Large storage capacity for storage/
transport of 5 kg gas cylinders



Incl. temperature display

Specifications

Burners: 3 | Main burner: 3 x 12,000 BTU / 3.15 kW; 36,000 BTU / 9.45 kW
Gas consumption: 675 gr/h | Operating pressure: 50 mbar | Ignition: Piezo ignition system
Gas category: I3B/P(50) | Gas type: butane, propane or their mixtures
Target destinations: D, A, CH, CZ | CE certification: ITS institute, certification number: 0359CQ00220

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1057	501 057	120 / 248 / 310
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 105 711	1143 x 1217 x 581 mm; 32 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	760 x 470 x 565 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1057	501 102	120 / 248 / 310
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 029	1143 x 1217 x 581 mm; 32 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	760 x 470 x 565 mm



4 006160 105711



4 006160 011029





High-quality stainless steel front and hood

**PC-GG 1058****Gas grill**

- 3x stainless steel burners + additional cooking area (3+1)
- High-quality stainless steel front and hood
- Large grill area: 64 x 44 cm



- > 3x heating zones for separate temperature control
- > Additional cooking area
- > Stainless steel control panel
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > Stainless steel cabinet door
- > Chrome-plated control knobs for continuous temperature setting
- > 64 x 44 cm grill area comprising of two enameled grill racks (dishwasher safe)
- > 64 cm stainless steel warming rack
- > Large, extractable grease collection tray for easy cleaning
- > The operating height of 90 cm allows for easy and ergonomic operation
- > Large cabinet with door and magnetic lock (suitable to fit 5 kg gas cylinder)
- > Incl. 5 functional stainless steel hooks for grill accessories such as pliers, towels etc.
- > 3x stainless steel burners + additional cooking area (3+1)
- > Stainless steel burner cover
- > 4x wheels for easy and fast movement
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria

Stainless steel inside tray
+ separated grill area:
3x enameled grill racksLarge storage capacity for storage/
transport of 5 kg gas cylinders

Incl. temperature display

Specifications

Burners: 4 | Main burner: 3x 12,000 BTU / 3.5 kW; 36,000 BTU / 10.5 kW
 Main burner: 1x 12,000 BTU / 3.15 kW | Gas consumption: main burner: 993 gr/h, cooking area: 229 gr/h
 Operating pressure: 50 mbar | Ignition: Piezo ignition system | Gas category: I3B/P(50)
 Gas type: butane, propane or their mixtures | Target destinations: D, A, CH, CZ
 CE certification: ITS institute, certification number: 0359CQ00453

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1058	501 058	124 / 256 / 319
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 105 810	1145 x 1335 x 520 mm; 49 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	735 x 515 x 565 mm



4 006 160 105 810



High-quality stainless steel front and hood

PC-GG 1059

Gas grill

4x stainless steel burners + additional cooking area (4+1)

High-quality stainless steel front and hood

Large grill area: 64 x 44 cm

- > 4x heating zones for separate temperature control
- > Additional cooking area
- > Stainless steel control panel
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > Stainless steel cabinet door
- > Chrome-plated control knobs for continuous temperature setting
- > Large grilling surface of 64 x 44 cm, consisting of two enameled grill grates and one turn-over cast plate (dishwasher-proof)
- > Including turn-over cast plate (1x smooth + 1x smooth/ribbed): SMOOTH for example for vegetables, fish, eggs or desserts, and RIBBED for example for Panini or steaks
- > 64 cm stainless steel warming rack
- > Large, extractable grease collection tray for easy cleaning
- > The operating height of 90 cm allows for easy and ergonomic operation
- > Large cabinet with door and magnetic lock (suitable to fit 5 kg gas cylinder)
- > Incl. 5 functional stainless steel hooks for grill accessories such as pliers, towels etc.
- > 4x stainless steel burners + additional cooking area (4+1)
- > Stainless steel burner cover
- > 4x wheels for easy and fast movement
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria

Stainless steel inside tray
+ separated grill area:
3x enameled grill racks,
1x turn-over cast plate



Large storage capacity for storage/
transport of 5 kg gas cylinders



Incl. temperature display

Specifications

Burners: 5 | Main burner: 4x 12,000 BTU / 3.15 kW; 48,000 BTU / 12.6 kW
Main burner: 1x 12,000 BTU / 3.15 kW | Gas consumption: main burner: 1146 gr/h, cooking area: 229 gr/h
Operating pressure: 50 mbar | Ignition: Piezo ignition system | Gas category: I3B/P(50)
Gas type: butane, propane or their mixtures | Target destinations: D, A, CH, CZ
CE certification: ITS institute, certification number: 0359CQ00453

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1059	501 059	124 / 256 / 319
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 593	1145 x 1335 x 520 mm; 50 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	735 x 515 x 565 mm





PC-FR 1038 Double deep fat fryer

Stainless steel housing
5 litre capacity
3000 Watt

- > Professional double deep fat fryer with 2 baskets and one large frying basket for various types of food
- > Housing, lid, heating coil, fat container and panel made of stainless steel
- > Cold zone technology – heating coil directly immersed in the oil for rapid heating and odorless frying
- > Capacity: 5 litre oil/frying fat
- > Continuously adjustable thermostat (130 °C–190 °C)
- > Incl. 30 minute timer
- > Removable stainless steel container for easy cleaning
- > Lid with viewing window
- > Permanent odor and fumes filter
- > 2 indicator lights for power and heating
- > Overheating protection
- > Cable tray
- > 230 V, 50/60 Hz, 3000 W



Incl. large frying basket



Incl. 2 small frying baskets for various types of food

PC-FR 1087 Deep fat fryer

Stainless steel housing
3 litre capacity
6 progr. for frying + var. time program + var. temperature program

- > Stainless steel housing
- > 6 programs for frying + variable time program + variable temperature program
- > High-quality negative LCD display (black/white)
- > Housing, lid, heating coil and fat container made of stainless steel
- > Cold zone technology – heating coil directly immersed in the oil for rapid heating and odorless frying
- > Capacity: 3 litre oil/frying fat
- > Fat container and heating coil (removable)
- > Lid with viewing window
- > Odor and fumes filter
- > Drip tray
- > Carrying handles (heat-insulated)
- > Overheating protection
- > Cord storage
- > 230 V, 50 Hz, 2000 W



High-quality negative LCD display (black/white)



6 programs for frying + variable time program + variable temperature program

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1038	501 038	670 / 1350 / 1568
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 203	350 x 250 x 450 mm; 3.2 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 036 237	377 x 266 x 379 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1087	501 087	950 / 1942 / 2226
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 750	220 x 240 x 390 mm; 2.35 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 558 753	240 x 260 x 415 mm



4 006160 011203



4 006160 108750



**PC-FR 1088****Deep fat fryer**

Stainless steel housing

4 litre capacity

6 progr. for frying + var. time program + var. temperature program

- > Stainless steel housing
- > 6 programs for frying + variable time program + variable temperature program
- > High-quality negative LCD display (black/white)
- > Housing, lid, heating coil and fat container made of stainless steel
- > Cold zone technology – heating coil directly immersed in the oil for rapid heating and odorless frying
- > Capacity: 4 litre oil/frying fat
- > Fat container and heating coil (removable)
- > Lid with viewing window
- > Odor and fumes filter
- > Drip tray
- > Carrying handles (heat-insulated) with stainless steel application
- > Overheating protection
- > Cord storage
- > 230 V, 50 Hz, 2500 W



High-quality negative
LCD display (black/white)



6 programs for frying +
variable time program +
variable temperature program

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1088	501 088	560 / 1150 / 1308
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 866	280 x 265 x 435 mm; 3.15 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 558 777	312 x 320 x 470 mm



4 006160 108866





PC-ICM 1091 Ice cream maker

For up to 1500 ml ice cream


Compressor cooling

Stainless steel housing

- > Ice cream maker for preparation of ice cream, frozen yoghurt and sorbet
- > Stainless steel housing
- > High-quality LCD display (black/white) with temperature display
- > Digital timer
- > Variable time setting (1–60 min.)
- > Preparation time: 20–25 min.
- > Electronic control system (START/STOP)
- > Automatic cooling through integrated compressor
- > Transparent lid with refill opening
- > Incl. recipe suggestions
- > For up to 1500 ml ice cream
- > Removable ice cream maker for easy cleaning (H: 14.5 cm; Ø 13.5 cm)



High-quality LCD display




Transparent lid with refill opening

- > Stirring element with powerful, quiet motor
- > High stability due to rubberized feet
- > Incl. spoon and measuring cup
- > 220–240 V, 50 Hz, 150 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ICM 1091	501 091	495 / 1010 / 1180
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 501 100	275 x 255 x 400 mm; 10.2 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 225 556	334 x 335 x 455 mm





PC-EWB 1007 Ice cube maker

- Multifunction touch panel
- Extremely low noise during operation
- Approx. 10–15 kg ice cubes in 24 h

- > Compact ice cube machine with high quality stainless steel insert
- > Fast and easy preparation of ice cubes with electronic control START / STOP
- > Water tank can be filled with drinking water (1.8 litre) – incl. water refiller
- > Approx. 10–15 kg ice cubes in 24 h (approx. 85–125 g in 12 min. – corresponds to approx. 12 ice cubes)
- > Extremely low noise during operation
- > Acoustic signal when ice cube container is full or water tank is empty
- > Easy handling – drawer for taking out the ice cubes
- > ECO-Save energy saving mode – automatic switch-off after the program has finished
- > High-quality LCD display with clock display
- > Multifunction touch panel
- > Programmable digital 24 hour LCD timer
- > 220–240 V, 50 Hz, 180 W

PC-EWB 1079 Ice cube maker

- Stainless steel housing
- Low noise
- Approx. 10–15 kg ice cubes in 24 h

- > Compact ice cube maker without complicated installation for producing ice cubes quickly and simply at the press of a button
- > Ideal for camping, the office, at home or for small bars
- > No water supply required, just fill the tank with water (1.7 litre water tank)
- > Approx. 10–15 kg of ice cubes in 24 hours (approx. 90 g in 10 min. – corresponding to approx. 9 ice cubes)
- > LED indicator lights and acoustic signal when ice cube container is full or water tank is empty
- > Energy-saving mode – automatic switch-off at the end of the program
- > Electronic control (START/STOP)
- > 3 indicator lights (ice full, water empty, power)
- > Visual check through viewing window in the lid
- > Low noise
- > 220–240 V, 50 Hz, 150 W



Incl. ice scoop



Ice cube drawer



Incl. ice scoop



For approx. 10–15 kg of ice cubes in 24 h

Product:	Art. no:	20" / 40" / HQ-Container:
PC-EWB 1007	501 007	735 / 1519 / 1736
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 100 761	300 x 300 x 360 mm; 10.85 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 584 837	374 x 318 x 315 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-EWB 1079	501 079	690 / 1400 / 1649
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 791	245 x 340 x 350 mm; 9.6 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 224 221	279 x 360 x 390 mm



4 006160 100761



4 006160 110791



A⁺**PC-WC 1046 Wine cooler**

Bottle capacity: 8 à 0,75 litre

Net capacity: 23 litre

Electronical temperature setting and -control

Control panel with LED display
(blue illuminated)**General**

- > Wine storage cabinet
- > Thermoelectric cooling
- > Climate class N (+16°C to +32°C)
- > Low-noise (without vibration)
- > Without compressor

Features

- > Digital temperature settings and display (blue illuminated)
- > Temperature settings from +11°C to +18°C, max. 14°C below ambient temperature
- > LED interior light (separate switchable)
- > 2 removable wooden trays (approx. W 35.0 x D 29.4 cm)
- > Double glass door with stainless steel frame and stainless steel handle
- > Adjustable feet

Consumption data

- > Energy class: A⁺
- > Energy consumption/24 h: 0.284 kWh
- > Energy consumption/year: 104 kWh
- > 230 V, 70 W



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WC 1046	501 046	723
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 104 639	420 x 280 x 480 mm; 8.8 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	477 x 359 x 549 mm; 11.4 kg



4 006 160 104 639





A

PC-WC 1047**Wine cooler**

Bottle capacity: 16 à 0,75 litre

Net capacity: 46 litre


Electronical temperature setting and -control

General

- > Wine storage cabinet
- > Thermoelectric cooling
- > Climate class N (+16 °C to +32 °C)
- > Low-noise (without vibration)
- > Without compressor

Features

- > Digital temperature settings and display (blue illuminated)
- > Temperature settings from +11 °C to +18 °C, max. 14 °C below ambient temperature
- > LED interior light (separate switchable)
- > 3 removable wooden trays (W 35.0 x D 29.4 cm)




Control panel with LED display (blue illuminated)

- > Double glass door with stainless steel frame and stainless steel handle
- > Adjustable feet

Consumption data

- > Energy class: A
- > Energy consumption/24 h: 0.36 kWh
- > Energy consumption/year: 131 kWh
- > 230 V, 70 W



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WC 1047	501 047	450
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 104 721	420 x 520 x 480 mm; 13.8 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	477 x 579 x 549 mm; 16.5 kg



4 006 160 104 721





Double glass door with stainless steel frame and stainless steel handle

C

PC-WC 1064 Wine cooler

Bottle capacity: 71 à 0,75 litre

Net capacity: 195 litre

Electronical temperature setting and -control

General

- > Wine cooling cabinet with compressor technology
- > 2 separate temperature zones (each adjustable)
- > Activated fan per temperature zone for an even temperature distribution
- > Climate class N, SN, ST (+10 °C to +38 °C)
- > Low noise (42 dB), low vibrations


Features

- > Digital temperature adjustment and display
- > Adjustable temperature range:
+5 °C to +18 °C for the upper range,
+10 °C to +18 °C for the lower range
(max. 33 °C below the ambient temperature)
- > LED interior light (separate switchable)


- > 3 ball bearing mounted shelves with wooden base
- > Double glass door with stainless steel frame and stainless steel handle
- > Adjustable feet

Consumption data

- > Energy class: C
- > Energy consumption / 24 h: 0.68 kWh
- > Energy consumption / year: 249 kWh
- > 220–240 V, 50 Hz, 120 W



Shelves with telescopic glide



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WC 1064	501 064	102
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 404	595 x 1047 x 600 mm; 48.0 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	–	650 x 1 125 x 665 mm; 53.0 kg



4 006160 106404





Double glass door with stainless steel frame and stainless steel handle

C


PC-WC 1065

Wine cooler

Bottle capacity: 160 à 0,75 litre

Net capacity: 418 litre

Electronical temperature setting and -control



7 ball bearing mounted shelves with wooden base

General

- > Wine cooling cabinet with compressor technology
- > 2 separate temperature zones (each adjustable)
- > Activated fan per temperature zone for an even temperature distribution
- > Climate class N, SN, ST (+10°C to +38°C)
- > Low noise (42 dB), low vibrations


Features

- > Digital temperature settings and display
- > Adjustable temperature range:
+5°C to +18°C for the upper range,
+10°C to +18°C for the lower range
(max. 33°C below the ambient temperature)

- > LED interior light (separate switchable)
- > 7 ball bearing mounted shelves with wooden base
- > Double glass door with stainless steel frame and stainless steel handle
- > Adjustable feet

Consumption data

- > Energy class: C
- > Energy consumption / 24 h: 0.81 kWh
- > Energy consumption / year: 296 kWh
- > 220–240 V, 50 Hz, 120 W



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WC 1065	501 065	51
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 503	595 x 1747 x 670 mm; 74.0 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	–	660 x 1845 x 735 mm; 79.0 kg





Specialty of the house:

Hot and spicy



Suitable for all stove types

Suitable for all stove types

PC-KTS 1097 6-piece cooking pot-set

High-grade steel 18/10 (rustproof)

Inside high-gloss polished with litre scale

Suitable for all stove types

- > 1 meat pot, 16 cm Ø, 1.5 L
- > 1 meat pot, 20 cm Ø, 3 L
- > 1 vegetable pot, 24 cm Ø, 5 L
- > 1 glass lid, 16 cm Ø
- > 1 glass lid, 20 cm Ø
- > 1 glass lid, 24 cm Ø

- > High-grade steel 18/10 (rustproof)
- > Outside semi-glazed
- > Inside high-gloss polished with litre scale
- > Glass lid with shock-resistant high-grade steel edge, high-grade steel bow handle and steam opening
- > High-grade steel handles
- > Cylindrical shape with wide pouring edge
- > Encapsulated sandwich base
- > Suitable for all stove types (gas, electric, glass ceramic, induction, halogen)
- > Dishwasher-safe
- > Oven-proof up to 250 °C

With litre scale


PC-KTS 1098 7-piece cooking pot-set

High-grade steel 18/10 (rustproof)

Inside high-gloss polished with litre scale

Suitable for all stove types

- > 1 sauce pan, 16 cm Ø, 1 L
- > 1 meat pot, 16 cm Ø, 1.5 L
- > 1 meat pot, 20 cm Ø, 3 L
- > 1 vegetable pot, 24 cm Ø, 5 L
- > 1 glass lid, 16 cm Ø
- > 1 glass lid, 20 cm Ø
- > 1 glass lid, 24 cm Ø

- > High-grade steel 18/10 (rustproof)
- > Outside semi-glazed
- > Inside high-gloss polished with litre scale
- > Glass lid with shock-resistant high-grade steel edge, high-grade steel bow handle and steam opening
- > High-grade steel handles
- > Cylindrical shape with wide pouring edge
- > Encapsulated sandwich base
- > Suitable for all stove types (gas, electric, glass ceramic, induction, halogen)
- > Dishwasher-safe
- > Oven-proof up to 250 °C

With litre scale




Product:	Art. no:	20" / 40" / HQ-Container:
PC-KTS 1097	501 097	1008 / 2016 / 2346
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 109 702	–
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 659 290	475 x 165 x 315 mm




Product:	Art. no:	20" / 40" / HQ-Container:
PC-KTS 1098	501 098	912 / 1824 / 2010
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 109 801	–
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 659 306	475 x 198 x 315 mm



Suitable for all stove types



Suitable for all stove types


**PC-KTS 1099** 8-piece cooking pot-set

High-grade steel 18/10 (rustproof)
 Inside high-gloss polished with litre scale
 Suitable for all stove types

- > 1 sauce pan, 16 cm Ø, 1 L
- > 1 meat pot, 16 cm Ø, 1.5 L
- > 1 sauce pan, 20 cm Ø, 2 L
- > 1 meat pot, 20 cm Ø, 3 L
- > 1 vegetable pot, 24 cm Ø, 5 L
- > 1 glass lid, 16 cm Ø
- > 1 glass lid, 20 cm Ø
- > 1 glass lid, 24 cm Ø

- > High-grade steel 18/10 (rustproof)
- > Matt-glazed surface
- > Inside high-gloss polished with litre scale
- > Glass lid with high-grade steel bow handle and steam opening
- > High-grade steel handles
- > Cylindrical shape with wide pouring edge
- > Encapsulated sandwich base
- > Suitable for all stove types (gas, electric, glass ceramic, induction, halogen)
- > Dishwasher-safe
- > Oven-proof up to 250 °C

With litre scale


**PC-KTS 1100** 10-piece cooking pot-set

High-grade steel 18/10 (rustproof)
 Inside high-gloss polished with litre scale
 Suitable for all stove types

- > 1 sauce pan, 16 cm Ø, 1 L
- > 1 meat pot, 16 cm Ø, 1.5 L
- > 1 sauce pan, 20 cm Ø, 2 L
- > 1 meat pot, 20 cm Ø, 3 L
- > 1 vegetable pot, 24 cm Ø, 5 L
- > 1 soup/vegetable pot, 24 cm Ø, 7 L
- > 1 glass lid, 16 cm Ø
- > 1 glass lid, 20 cm Ø
- > 2 glass lids, 24 cm Ø

- > High-grade steel 18/10 (rustproof)
- > Matt-glazed surface
- > Inside high-gloss polished with litre scale
- > Glass lid with high-grade steel bow handle and steam opening
- > High-grade steel handles
- > Cylindrical shape with wide pouring edge
- > Encapsulated sandwich base
- > Suitable for all stove types (gas, electric, glass ceramic, induction, halogen)
- > Dishwasher-safe
- > Oven-proof up to 250 °C

With litre scale



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KTS 1099	501 099	650 / 1370 / 1570
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 992	–
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 659 313	485 x 250 x 315 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KTS 1100	501 100	530 / 1120 / 1280
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 005	–
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 659 320	525 x 265 x 330 mm



Suitable for all stove types

Induction



Electric



Ceramic



Halogen



Gas

**PC-SKT 1071****Pressure cooker**

Stainless steel 18/10

Variable pressure setting

22 cm Ø, 5 litre

- > Pressure cooker, 22 cm Ø, 5 litre
- > 9 in 1 – cooking, pressurecooking, roasting, braising, steaming, stewing, defrosting, heating or simmering
- > Pressure cooker for healthy and quick preparation of food
- > Energy-saving – up to 70 % shorter cooking times
- > Additional steaming insert for vitamin-saving steam cooking
- > Flavour, vitamins, and mineral nutrients are retained
- > Stainless steel 18/10
- > High-gloss finish (outside and inside)
- > Capacity scale
- > Cylindrical shape with wide pouring rim
- > Encapsulated sandwich base
- > Suitable for all stove types (gas, electric, glass ceramic, induction, halogen)
- > 4-point safety system
- > Variable pressure setting from approx. 0.4 to 1 bar
- > Pressure indicator
- > Accessories: steaming insert, steaming insert holder

9ⁱⁿ₁


4-way safety system

Incl. steaming insert



Suitable for all stove types

Induction



Electric



Ceramic



Halogen



Gas

**PC-SKT 1072****Pressure cooker**

Stainless steel 18/10

Variable pressure setting

22 cm Ø, 6 litre

- > Pressure cooker, 22 cm Ø, 6 litre
- > 9 in 1 – cooking, pressurecooking, roasting, braising, steaming, stewing, defrosting, heating or simmering
- > Pressure cooker for healthy and quick preparation of food
- > Energy-saving – up to 70 % shorter cooking times
- > Additional steaming insert for vitamin-saving steam cooking
- > Flavour, vitamins, and mineral nutrients are retained
- > Stainless steel 18/10
- > High-gloss finish (outside and inside)
- > Capacity scale
- > Cylindrical shape with wide pouring rim
- > Encapsulated sandwich base
- > Suitable for all stove types (gas, electric, glass ceramic, induction, halogen)
- > 4-point safety system
- > Variable pressure setting from approx. 0.4 to 1 bar
- > Pressure indicator
- > Accessories: steaming insert, steaming insert holder

9ⁱⁿ₁


4-way safety system

Incl. steaming insert



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SKT 1071	501 071	900 / 2000 / 2200
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 715	380 x 220 x 230 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 033 571	425 x 220 x 285 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SKT 1072	501 072	800 / 1800 / 2000
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 101 720	380 x 235 x 230 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 033 588	425 x 245 x 285 mm



4 006160 110715



4 006160 101720

Suitable for all stove types

Induction



Electric



Ceramic



Halogen



Gas



Both lids are suitable for both pots



6 litre pot

3 litre pot

9ⁱⁿ₁**PC-SKT 1101****Pressure cooker set**

Stainless steel 18/10

Variable pressure setting

22 cm Ø, 6 litre + 3 litre pot

- > Pressure cooker, 22 cm Ø, 6 litre + 3 litre pot
- > 9-in-1 cooking, pressure cooking, roasting, braising, steaming, stewing, defrosting, heating or simmering
- > Incl. additional glass lid
- > Pressure cooker for healthy and quick preparation of food
- > Energy-saving – up to 70 % shorter cooking times
- > Additional steaming insert for vitamin-saving steam cooking
- > Flavour, vitamins, and mineral nutrients are retained
- > Stainless steel 18/10
- > High-gloss finish (outside and inside)
- > Capacity scale
- > Cylindrical shape with wide pouring rim



4-way safety system



Incl. steaming insert

- > Encapsulated sandwich base
- > Suitable for all stove types (gas, electric, glass ceramic, induction, halogen)
- > 4-point safety system
- > Variable pressure setting from approx. 0.4 to 1 bar
- > Pressure indicator
- > Accessories: steaming insert, steaming insert holder, glass lid

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SKT 1101	501 101	690 / 1390 / 1600
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 012	470 x 255 x 290 mm; 4.9 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 659 337	425 x 295 x 285 mm; 6.46 kg



4 006160 011012




PC-MBS 1054
Knife block

5-piece stainless steel knife set

Knife block made of solid wood

Knife blades made of special stainless steel (rustproof)

- > Hygienic stainless steel handles, seamless (rustproof)
- > Knife blades made of special stainless steel
- > High cutting ability and long-lasting sharpness over the entire blade
- > Knife block made of solid wood
- > Knife set consisting of:
 - Paring knife (85 mm)
 - All-purpose knife (125 mm)
 - Fillet knife (195 mm)
 - Bread knife (200 mm)
 - Kitchen knife (210 mm)



*Paring knife (85 mm);
 all-purpose knife (125 mm);
 fillet knife (195 mm);
 bread knife (200 mm);
 kitchen knife (210 mm)*

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MBS 1054	501 054	2895 / 6000 / 7032
Colour: Wood /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 105 414	135 x 336 x 148 mm
PU:	Export carton EAN:	Packaging (W x H x D):
3	4 006 160 037 821	138 x 355 x 195 mm







4 006 160 105 414













Product overview






For sophistication at breakfast

				
PC-ES 1109 Espresso machine <ul style="list-style-type: none"> – Espresso and cappuccino pump machine – Stainless steel housing – Cup warming function 	PC-MS 1042 Milk frother <ul style="list-style-type: none"> – Stainless steel housing – Incl. stainless steel stand – LED indicator light (blue illuminated) 	PC-MS 1032 Milk frother <ul style="list-style-type: none"> – Stainless steel housing and stainless steel mixing vessel – 6 functions – Hot and cold function 	PC-KSW 1093 Electric coffee mill <ul style="list-style-type: none"> – Stainless steel housing – Stainless steel lid with viewing window – 160 Watt 	PC-KSW 1021 Electric coffee mill <ul style="list-style-type: none"> – Coffee mill and chopper – 2 extra large stainless steel container – 200 Watt
				
PC-WKS 1106 Jug kettle <ul style="list-style-type: none"> – Stainless steel housing – 360° rotatable plug connection – Stainless steel base station with cord storage 	PC-WKS 1083 Jug kettle <ul style="list-style-type: none"> – Stainless steel housing – 360° rotatable plug connection – Base station with cord storage (stainless steel sheathed) 	PC-WKS 1108 Jug kettle <ul style="list-style-type: none"> – Stainless steel housing – 360° rotatable plug connection – Stainless steel base station with cord storage 	PC-WKS 1107 G Glass kettle <ul style="list-style-type: none"> – Glass / stainless steel housing – 360° rotatable plug connection – Stainless steel base station with cord storage 	PC-WKS 1020 G Glass tea kettle <ul style="list-style-type: none"> – 2 in 1 – tea and water heater – Incl. stainless steel tea filter raised and lowered – Temperature individually preselectable
				
PC-TKS 1056 Tea/Coffee station <ul style="list-style-type: none"> – 3 in 1 – Glass kettle, tea and coffee maker – Stainless steel housing – Scratch-resistant glass plate 	PC-ZP 1018 Citrus juicer <ul style="list-style-type: none"> – Stainless steel housing – Long-life professional motor – Incl. stainless steel sieve 	PC-ST 1092 Sandwich toaster <ul style="list-style-type: none"> – Extra large sandwich plates for american XXL toast slices – Suitable for toast slices of approx. 9 to 14,5 cm – Stainless steel insert 	PC-TAZ 1110 Toaster with sandwich tongs <ul style="list-style-type: none"> – Stainless steel housing – „Wide-Slot“ – extra wide toast slots (40 mm) – 2 stainless steel tongs for removing the slices of toast 	PC-TA 1082 Toaster <ul style="list-style-type: none"> – Stainless steel housing – „Wide-Slot“ – extra wide toast slots (40 mm) – Centring function
				
PC-TA 1073 Toaster <ul style="list-style-type: none"> – Stainless steel housing – „Wide-Slot“ – extra wide toast slots (40 mm) – 2x bun warmer (removable) 	PC-EK 1084 Egg boiler <ul style="list-style-type: none"> – Stainless steel housing – Electronic hardness adjuster – Omelette-/poaching function 			

Kebbe or cocktail – ProfiCook for every culinary taste

				
PC-KM 1004 Kneading machine <ul style="list-style-type: none"> – Massive aluminum die-cast body – Long-life professional motor (1400 Watt max.) – Kneading/stirring machine, mixing equipment, pasta maker 	PC-KM 1096 Kneading machine <ul style="list-style-type: none"> – Massive aluminum die-cast body – Long-life professional motor (1500 Watt) – Powerful and robust metal gear 	PC-KM 1063 Compact food processor <ul style="list-style-type: none"> – Food processor, mixer and citrus juicer – Powerful 1200 Watt max. – Continuously adjustable speed control 	PC-FW 1003 Professional mincer <ul style="list-style-type: none"> – Long-life professional motor (1500 Watt max.) – Robust professional gear – Forward and reverse function 	PC-FW 1060 Professional mincer <ul style="list-style-type: none"> – Stainless steel housing – Forward and reverse function – 1000 Watt max.
				
PC-SM 1094 Hand blender <ul style="list-style-type: none"> – Stainless steel housing and 4-fold stainless steel blade – Long-life professional motor (1000 Watt) – Extra-long mixing rod (27 cm) 	PC-SMS 1095 Hand blender set <ul style="list-style-type: none"> – Stainless steel housing – High-quality stainless steel 4-blade system (removable) – Long-life professional motor (600 Watt) 	PC-HM 1026 Hand mixer <ul style="list-style-type: none"> – 2 in 1 – Hand mixer and hand blender – Stainless steel housing – 300 Watt 	PC-MZ 1027 Multi chopper <ul style="list-style-type: none"> – 3 in 1 – Multi chopper, ice crusher and stirrer – Stainless steel housing – Combination knife for 2 or 4 blade operation 	PC-AE 1069 Automatic juicer <ul style="list-style-type: none"> – Long-life professional motor (800 Watt) – 18.000 rpm max. – Stainless steel housing











Kebbe or cocktail – ProfiCook for every culinary taste

				
PC-AE 1070 Automatic juicer <ul style="list-style-type: none"> – Long-life professional motor (800 Watt) – 18.000 rpm max. – Stainless steel housing 	PC-SM 1078 Smoothie maker <ul style="list-style-type: none"> – Ideal for pureeing, beating, chopping up, shaking and mixing – Stainless steel blade – Incl. 2 removable mixing cups (600 ml) 	PC-UMS 1085 Universal mixer set <ul style="list-style-type: none"> – 2 in 1 – Universal mixer and smoothie maker – 4-fold stainless steel blade with „piranha“ cut (rustproof) – 4 level switch (0-1-2 + pulse/ turbo function) 	PC-UM 1086 Universal mixer <ul style="list-style-type: none"> – Long-life professional motor (1250 Watt) – 6-fold stainless steel blade with „piranha“ cut (rustproof) – Stainless steel housing 	PC-UM 1006 Universal mixer <ul style="list-style-type: none"> – Long-life professional motor (1200 Watt max.) – 6-fold stainless steel blade with „piranha“ cut (rustproof) – Stainless steel housing
				
PC-SM 1103 Profi mixer / Smoothie maker <ul style="list-style-type: none"> – Long-life professional motor (2000 Watt) – Stepless speed control for perfect smoothies – Stainless steel housing 	PC-MKM 1074 Multi cooking mixer <ul style="list-style-type: none"> – 9 speed levels + turbo function – Ice crush function – 4-fold stainless steel blade (removable) 	PC-MKM 1104 / PC-MKM 1104 w Multi cooking mixer <ul style="list-style-type: none"> – 9 speed levels + turbo function – Ice crush function – 4-fold stainless steel blade (removable) 	PC-MKM 1105 Multi cooking mixer <ul style="list-style-type: none"> – 9 speed levels + turbo function – Extra large stainless steel bowl (3 litre) – Stainless steel housing / Incl. stainless steel kitchen scale 	PC-BBA 1077 Automatic bread baking machine <ul style="list-style-type: none"> – 13 baking programs / 43 possible combinations – Stainless steel housing and handle – 13 hour timer
				
PC-KW 1040 Digital kitchen scale <ul style="list-style-type: none"> – Stainless steel housing – Measuring range up to 5000 g (in 1 g steps) – Tare function (additive weighing function) 	PC-KW 1061 Kitchen scale <ul style="list-style-type: none"> – Weighing surface made of stainless steel – Extra large LCD display (black/white) – On/off switch 	PC-DHT 1039 Digital household thermometer <ul style="list-style-type: none"> – Stainless steel – Temperature range: –45°C–200°C – Storage function of the last measured temperature 	PC-PSM 1031 Electric pepper and salt mill <ul style="list-style-type: none"> – High quality precision ceramic grinder – Stainless steel housing – Incl. light for optimum dosing 	PC-MS 1090 Knife grinder <ul style="list-style-type: none"> – Stainless steel housing – 3 grade knife sharpener – Diamond chip studded grinding stone









Perfect timing, impressive performance

				
PC-EKA 1066 Preserving boiler <ul style="list-style-type: none"> – Preserving boiler and hot drinks machine – Stainless steel housing – 27 litre tank capacity for up to 14 jars 	PC-HGA 1111 Hot drinks machine <ul style="list-style-type: none"> – Hot drinks and mulled wine machine (16 litre) – Stainless steel housing – Solid metal tap, chrome-plated (removable) 	PC-SV 1112 Sous Vide Cooker <ul style="list-style-type: none"> – Precise cooking of food – Stainless steel housing – 8,5 litre capacity 	PC-VK 1080 Vacuum sealer <ul style="list-style-type: none"> – Stainless steel housing – Suction power: 12 litre / min. – Vacuum cooking – extremely careful preparation 	PC-DDK 1076 Pressure cooker <ul style="list-style-type: none"> – 5 automatic cooking programs – Up to 70 % shorter cooking times – 5 litre capacity
				
PC-MWG 1044 Microwave with grill <ul style="list-style-type: none"> – 20 litre capacity – 1000 Watt grill / 800 Watt microwave – Stainless steel interior 	PC-MWG 1045 H Microwave with grill / convection <ul style="list-style-type: none"> – 23 litre capacity – 1950 Watt convection / 1950 Watt grill / 900 Watt microwave – Stainless steel interior 	PC-MWG 1049 H Microwave with grill / convection <ul style="list-style-type: none"> – 25 litre capacity – 1950 Watt convection / 1950 Watt grill / 900 Watt microwave – Stainless steel interior 	PC-EKI 1062 Single induction cooking plate <ul style="list-style-type: none"> – Heating takes only seconds thanks to induction technology – Eco-friendly glass-ceramic-surface – 2000 Watt 	PC-DKI 1067 Double induction cooking plate <ul style="list-style-type: none"> – 2x 6 power and 10 temperature levels – Eco-friendly glass-ceramic-surface – 3500 Watt max.
				
PC-TG 1017 Table grill <ul style="list-style-type: none"> – Eco-friendly Schott-Ceran-glass-ceramic-surface – Continuously adjustable thermostat – Stainless steel housing 	PC-KG 1029 Contact grill <ul style="list-style-type: none"> – 2000 Watt – Stainless steel housing – Continuously adjustable thermostat 	PC-GG 1057 Gas grill <ul style="list-style-type: none"> – 3x stainless steel burners – High-quality stainless steel front and hood – Continuous temperature setting 	PC-GG 1058 Gas grill <ul style="list-style-type: none"> – 3x stainless steel burners + additional cooking area (3+1) – High-quality stainless steel front and hood – Large grill area: 64 x 44 cm 	PC-GG 1059 Gas grill <ul style="list-style-type: none"> – 4x stainless steel burners + additional cooking area (4+1) – High-quality stainless steel front and hood – Large grill area: 64 x 44 cm

Perfect timing, impressive performance

				
PC-FR 1038 Double deep fat fryer <ul style="list-style-type: none"> – Stainless steel housing – 5 litre capacity – 3000 Watt 	PC-FR 1087 Deep fat fryer <ul style="list-style-type: none"> – Stainless steel housing – 3 litre capacity – 6 programs for frying + variable time program + variable temperature program 	PC-FR 1088 Deep fat fryer <ul style="list-style-type: none"> – Stainless steel housing – 4 litre capacity – 6 programs for frying + variable time program + variable temperature program 	PC-ICM 1091 Ice cream maker <ul style="list-style-type: none"> – For up to 1500 ml ice cream – Compressor cooling – Stainless steel housing 	PC-EWB 1007 Ice cube maker <ul style="list-style-type: none"> – Multifunction touch panel – Extremely low noise during operation – Approx. 10–15 kg ice cubes in 24 h
				
PC-EWB 1079 Ice cube maker <ul style="list-style-type: none"> – Stainless steel housing – Low noise – Approx. 10–15 kg ice cubes in 24 h 	PC-WC 1046 Wine cooler <ul style="list-style-type: none"> – Bottle capacity: 8 à 0,75 litre – Net capacity: 23 litre – Electronical temperature setting and -control 	PC-WC 1047 Wine cooler <ul style="list-style-type: none"> – Bottle capacity: 16 à 0,75 litre – Net capacity: 46 litre – Electronical temperature setting and -control 	PC-WC 1064 Wine cooler <ul style="list-style-type: none"> – Bottle capacity: 71 à 0,75 litre – Net capacity: 195 litre – Electronical temperature setting and -control 	PC-WC 1065 Wine cooler <ul style="list-style-type: none"> – Bottle capacity: 160 à 0,75 litre – Net capacity: 418 litre – Electronical temperature setting and -control

Specialty of the house: Hot and spicy

				
PC-KTS 1097 6-piece cooking pot-set <ul style="list-style-type: none"> – High grade steel 18/10 (rustproof) – Inside high-gloss polished with litre scale – Suitable for all stove types 	PC-KTS 1098 7-piece cooking pot-set <ul style="list-style-type: none"> – High grade steel 18/10 (rustproof) – Inside high-gloss polished with litre scale – Suitable for all stove types 	PC-KTS 1099 8-piece cooking pot-set <ul style="list-style-type: none"> – High grade steel 18/10 (rustproof) – Inside high-gloss polished with litre scale – Suitable for all stove types 	PC-KTS 1100 10-piece cooking pot-set <ul style="list-style-type: none"> – High grade steel 18/10 (rustproof) – Inside high-gloss polished with litre scale – Suitable for all stove types 	PC-SKT 1071 Pressure cooker <ul style="list-style-type: none"> – Stainless steel 18/10 – Variable pressure setting – 22 cm Ø, 5 litre
				
PC-SKT 1072 Pressure cooker <ul style="list-style-type: none"> – Stainless steel 18/10 – Variable pressure setting – 22 cm Ø, 6 litre 	PC-SKT 1101 Pressure cooker set <ul style="list-style-type: none"> – Stainless steel 18/10 – Variable pressure setting – 22 cm Ø, 6 litre + 3 litre pot 	PC-MBS 1054 Knife block <ul style="list-style-type: none"> – 5-piece stainless steel knife set – Knife block made of solid wood – Knife blades made of special stainless steel 		

Accessories

	
Spare bags for: PC-VK 1080 and PC-VK 1015 <ul style="list-style-type: none"> – 50 pcs. à 22 x 30 cm Art. no.: 8910151 Art. EAN: 4 006 160 101 515 – 50 pcs. à 28 x 40 cm Art. no.: 8910152 Art. EAN: 4 006 160 101 522 	Foil rolls for: PC-VK 1080 and PC-VK 1015 <ul style="list-style-type: none"> – 2 rolls à 28 cm x 6 m Art. no.: 8910155 Art. EAN: 4 006 160 101 553

PRODUCT DATA SHEET FOR HOUSEHOLD REFRIGERATORS Commission Delegated Regulation (EU) No. 1060/2010

ProfiCook						
Model		PC-WC 1046	PC-WC 1047	PC-WC 1064	PC-WC 1065	
Category ¹⁾		10	10	2	2	
Energy efficiency class ²⁾		A+	A	C	C	
Annual energy consumption ³⁾ kWh/year		104	131	249	296	
Net capacity cooling total		L	23	46	195	418
– thereof cold storage compartment		L	–	–	–	–
– thereof wine storage compartment		L	–	–	195	418
– thereof cellar compartment		L	–	–	–	–
– thereof storage compartment for fresh-food		L	–	–	–	–
Net capacity freezing total		L	–	–	–	–
Star rating ⁴⁾			–	–	–	–
Design temperature of other compartments		°C	11 – 18	11 – 18	–	–
Coldest storage temperature of wine storage compartment		°C	–	–	5	5
Frost-free			–	–	–	–
Temperature rise time		h	–	–	–	–
Freezing capacity		kg / 24 h	–	–	–	–
Climate class ⁵⁾		N	N	N/SN/ST	N/SN/ST	
Noise emission		dB(A) re 1pW	35	43	42	44
Built-in / integrable			-/-	-/-	-/-	-/-
Wine storage appliance		This appliance is intended to be used exclusively for the storage of wine.				

1) Category: 1 = Refrigerator with one or more fresh-food storage compartments; 2 = Refrigerator-cellar, cellar and wine storage appliances; 3 = Refrigerator-chiller and Refrigerator with a 0-star compartment; 4 = Refrigerator with a one-star compartment; 5 = Refrigerator with a two-star compartment; 6 = Refrigerator with a three-star compartment; 7 = Refrigerator freezer; 8 = Upright freezer; 9 = Chest freezer; 10 = Multi-use and other refrigerating appliances.

2) A+++ (highest efficiency) to G (lowest efficiency).

3) Annual energy consumption „XYZ“ kWh per year based on standard test results for 24 h. Actual energy consumption will depend on how the appliance is used and where is located.

4) * ____ = compartment: a frozen-food storage compartment in which the temperature is not warmer than –6 °C.

+++ = compartment: a frozen-food storage compartment in which the temperature is not warmer than –12 °C.

*+++ = compartment: a frozen-food storage compartment in which the temperature is not warmer than –18 °C.

5) Climate class SN: ambient temperature of +10 °C up to +32 °C.

Climate class N: ambient temperature of +16 °C up to +32 °C.

Climate class ST: ambient temperature of +16 °C up to +38 °C.

Climate class T: ambient temperature of +16 °C up to +43 °C.

NOTES

[illegible]

[illegible]



ProfiCook

Industriering Ost 40 | D-47906 Kempen/Germany | www.proficook.de
Phone +49.(0)2152.2006-0 | Fax +49.(0)2152.2006-1999 | www.proficook.de/service