

PROFI COOK®

Supreme quality meets innovative design



Product catalogue 2018



Where quality meets innovative design

Do you know why you start to have fun in your kitchen with ProfiCook?

Because from the very beginning you can rely on everything that has to do with technology, functionality and quality. Here a timeless stainless steel look is combined with robust workmanship and elegant design.

With ProfiCook your kitchen becomes a room in which you not only work effectively, but also with a great deal of pleasure. A room in which you will still enjoy the functional equipment and durable quality even after many years.

PROFI  **COOK**[®]

Supreme quality meets innovative design

For sophisticated singles



There is something in the air. Start your day with a tasty and full-bodied coffee. Together with cross baked, fragrant rolls or rather crispy toast?

And then a fresh smoothie from the ProfiCook universal mixer and the day can hardly get any better!



PC-KA 1121

Coffee machine

Ideal for single households

4 cups

Stainless steel front





PC-TA 1122	Toaster
Ideal for single households	
1-slice toaster	
Stainless steel housing	

PC-WKS 1123	Jug kettle
Ideal for single households	
Stainless steel housing	
0.8 litre	



PC-UMS 1125	Universal mixer set
2 in 1 – Universal mixer with smoothie maker	
Ideal for single households	
6-fold stainless steel blade with „piranha“ cut (rustproof)	



PC-EK 1124	Egg boiler
Ideal for single households	
Stainless steel housing	
Up to 3 eggs	



PC-KA 1120 Coffee machine

Stainless steel front
1000 watt
Programmable 24 hour LCD digital timer

ROBUST & noble

PC-WKS 1119 Jug kettle

Stainless steel housing
360° rotatable plug connection
Stainless steel base station with cord storage



PC-TAZ 1110 Toaster with sandwich tongs

Stainless steel housing
„Wide slot“ – extra wide toast slots (40 mm)
2 stainless steel tongs for removing the slices of toast





PC-ES 1109	Espresso machine
Espresso and cappuccino pump machine	
Stainless steel housing	
Cup warming function	



- > Espresso and cappuccino pump machine
- > Stainless steel housing
- > Original italian professional espresso pump
- > Constant pump pressure (15 bar)
- > Height adjustable stainless steel steam nozzle with foaming function
- > Steam nozzle tip removable for easy cleaning
- > Cup warming function
- > 1.5 litre water tank (removable)
- > External water level indicator
- > Collection cup (removable)
- > 2 indicator lights
- > Ready status indicator
- > Accessories: 2 filter holders (1 and 2 cups), coffee measure, tamper
- > 220–240 V, 50 Hz, 1050 W



Cup warming function



Height adjustable stainless steel steam nozzle with foaming function

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ES 1109	501 109	900 / 1800 / 2000
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 098	200 x 290 x 295 mm; 4.6 kg
PU:	Export carton:	Packaging (W x H x D):
2	4 006 160 012 545	330 x 330 x 246 mm




PC-KA 1121 Coffee machine

Ideal for single households

4 cups

Stainless steel front

- > Stainless steel front
- > For 4 cups of coffee (approx. 0.6 litre)
- > Anti-drip protection
- > Filter holder (removable)
- > On/off switch
- > Indicator light (blue illuminated)
- > Heating plate with automatic switch-off
- > Water tank
- > Water level indicator
- > 220–240 V, 50/60 Hz, 600 W

PC-KA 1120 Coffee machine

Stainless steel front

1000 watt

Programmable 24 hour LCD digital timer

- > For 15 cups of coffee (approx. 1.7 litre)
- > Stainless steel front
- > Programmable 24 hour LCD digital timer (blue illuminated)
- > Anti-drip protection
- > 4 control buttons
- > 2-color indicator light
- > Heating plate with automatic switch-off
- > Water level indicator
- > 220–240 V, 50/60 Hz, 1000 W



Can also be combined as a suitable breakfast set



Can also be combined as a suitable breakfast set

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KA 1121	501 121	2284 / 4588 / 5252
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 501 124	165 x 275 x 220 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 623 697	250 x 282 x 144 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KA 1120	501 120	940 / 1940 / 2264
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 200	230 x 340 x 200 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 473 476	280 x 380 x 250 mm



4 006160 501124



4 006160 111200





PC-KA 1138	Coffee machine with grinder
2 in 1 – Coffee grinding and brewing	
Stainless steel front	
Programmable 24 hour LCD digital timer (2 timer)	

PC-KA 1137	Coffee machine with grinder
2 in 1 – Coffee grinding and brewing	
Stainless steel front + stainless steel thermo coffee pot	
Programmable 24 hour LCD digital timer	


- > Coffee maker with grinder; freshly ground coffee for perfect coffee flavor every day
- > Filling capacity: approx. 1.25 litre for 8–10 cups
- > Non-stop filling – re-filling of coffee beans during grinding possible
- > Coffee bean hopper for approx. 150 g of coffeebeans
- > Coffee strength is regulated by the adjustable grinder (1–14 grades); the finer the grinding degree, the stronger the coffee)
- > Dismountable grinder for easy cleaning
- > 5-grade coffee powder preselection for 2–10 cups to vary the intensity of the coffee taste
- > Also usable with pre-ground coffee powder
- > Stainless steel front
- > Removable filter insert with anti-drip protection
- > Electronic sensor touch control panel
- > High-quality LED display (blue illuminated)
- > Programmable 24-hour LED digital timer switch with two programmable timers
- > External water level display
- > Hot plate with automatic switch-off function (programmable, 5-40 minutes)
- > Integrated cable collector
- > Rubberized feet for non-slip stand
- > Accessories: cleaning brush
- > 220–240 V, 50/60 Hz, 900 W max.*



Incl. adjustable grinder (1–14 grades)



Sensor touch control panel with LED display (blue illuminated)



Dismountable grinder for easy cleaning

* Total power of all components

- > Coffee maker with grinder; freshly ground coffee for perfect coffee flavor every day
- > Filling capacity: approx. 1.0 litre for 8 cups
- > Non-stop filling – re-filling of coffee beans during grinding possible
- > Coffee bean hopper for approx. 200 g of coffeebeans
- > Coffee strength is regulated by the adjustable grinder (1–8 grades); the finer the grinding degree, the stronger the coffee)
- > 3-grade coffee powder preselection for 2–8 cups to vary the intensity of the coffee taste
- > Also usable with pre-ground coffee powder
- > Stainless steel front
- > Stainless steel thermo coffee pot (double-walled) with flavor seal – no temperature loss
- > High-quality LCD display (blue illuminated)
- > Programmable 24-hour LCD digital timer switch
- > 4 indicator lights (blue illuminated)
- > External water level display
- > Swivel filter with removable filter insert
- > Anti-drip protection
- > Rubberized feet for non-slip stand
- > 220–240 V, 50/60 Hz, 900–1050 W



Incl. adjustable grinder (1–8 grades)



Programmable 24 hour LCD digital timer

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KA 1138	501 138	758 / 1568 / 1700
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 211 382	175 x 390 x 320 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 348 156	363 x 440 x 213 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KA 1137	501 137	442 / 886 / 1036
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 113 716	195 x 420 x 270 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 597 349	350 x 500 x 270 mm




PC-MS 1135 Milk frother

Stainless steel

Electronic – 2 function switches

Hot and cold function

- > No preheating of the milk thanks to the integrated heating function
- > Creates foamed milk in seconds
- > Also suitable for hot and cold chocolate
- > Concealed heating element
- > Electronic – 2 function switches (illuminated)
 - Frothing the milk warm
 - Frothing the milk cold – ideal for iced coffee
- > 4 functions:
 - cold / warm foaming
 - cold / warm mixing
- > Automatic switch-off function
- > Stainless steel container (550 ml)
- > Amount of milk foam: approx. 350 ml
- > Stainless steel stirrer (magnetic lock)
- > Heat-insulated soft touch casing
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Incl. lid with splash guard function
- > Additional stirrer (magnetic lock) for hot drinks without foaming (e.g. cacao)
- > Stainless steel container and lid removable for easy cleaning
- > 220–240 V, 50 Hz, 550–650 W

PC-MS 1032 Milk frother

Stainless steel housing and stainless steel mixing vessel

6 functions

Hot and cold function

- > No preheating of the milk thanks to the integrated heating function
- > Creates foamed milk in seconds
- > Also suitable for hot and cold chocolate
- > Concealed heating element
- > 3 illuminated function switches:
 - Frothing the milk warm
 - Frothing the milk cold – ideal for iced coffee
 - Heating the milk
- > Automatic switch-off function
- > Stainless steel mixing vessel (900 ml max.)
- > Amount of milk foam: approx. 500 ml
- > 6 functions:
 - cold / warm / hot foaming
 - cold / warm / hot mixing
- > Incl. lid with splash guard function and extra whisk/mixing attachment integrated in the housing
- > Mixing vessel and lid removable for easy cleaning (dishwasher-safe)
- > 230–240 V, 50 Hz, 600–650 W



Mixing vessel and lid removable for easy cleaning

3 illuminated function switches



Product:	Art. no:	20" / 40" / HQ-Container:
PC-MS 1135	501 135	7832 / 15936 / 18680
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 357	105 x 200 x 105 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 063 813	140 x 192 x 110 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-MS 1032	501 033	4268 / 8800 / 9600
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 678 635	170 x 130 x 150 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 035 018	205 x 190 x 142 mm



4 006 160 011 357



4 006 160 678 635



2 in
1




PC-KSW 1093	Electric coffee mill
Stainless steel housing	
Stainless steel lid with viewing window	
160 watt	

- > Stainless steel housing
- > Capacity for up to 60 g coffee beans
- > 2-fold stainless steel beater blade for coffee beans
- > Stainless steel bean container (hygienic and with aroma protection)
- > Safety circuit – operation only possible with attached lid
- > Stainless steel lid with viewing window
- > On/Off switch (safety button also for pulse mode)
- > Grinding degree can be selected by the length of operation
- > 220–240 V, 50/60 Hz, 160 W

PC-KSW 1021	Electric coffee mill
Coffee mill and chopper	
2 extra large stainless steel container	
200 watt	

- > 2 in 1 – coffee mill and chopper
- > Stainless steel housing
- > 2 extra large stainless steel container
- > Capacity for up to 85 g coffee beans
- > 2-fold stainless steel beater blade for coffee beans and 4-fold stainless steel chopping knife e.g. for condiment, nuts or herbs
- > Transparent lid
- > Powerful 200 watt motor
- > Safety circuit – operation only possible with attached lid
- > Safety button also for pulse function
- > Grinding degree can be selected by the length of operation
- > Cord storage
- > 220–240 V, 50/60 Hz, 200 W



Stainless steel lid with viewing window

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KSW 1093	501 093	10488 / 21744 / 27936
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 930	H: 180 mm; Ø 100 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 589 696	107 x 188 x 107 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KSW 1021	501 021	4064 / 8416 / 9868
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 123	H: 200 mm; Ø 115 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 589 832	220 x 210 x 120 mm



4 006160 010930



4 006160 102123




PC-WKS 1123 Jug kettle

Ideal for single households

Stainless steel housing

0.8 litre

- > Stainless steel housing
- > Up to 0.8 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (blue illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > Internal water level indicator
- > Base station with cord storage (stainless steel sheathed)
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1680–2000 W

PC-WKS 1106 Jug kettle

Stainless steel housing

360° rotatable plug connection

Stainless steel base station with cord storage

- > Stainless steel housing
- > Stainless steel base station with cord storage
- > Up to 1.0 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (blue illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W



Can also be combined as a suitable breakfast set



External water level indicator

Product:	Art. no:	20° / 40° / HQ-Container:
PC-WKS 1123	501 123	3184 / 6540 / 7360
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 541 274	210 x 195 x 150 mm, 0.845 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 038 743	216 x 196 x 168 mm; 1.13 kg



Product:	Art. no:	20° / 40° / HQ-Container:
PC-WKS 1106	501 106	3840 / 8160 / 9580
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 067	210 x 185 x 145 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 227 482	220 x 198 x 160 mm



4 006160 541274



4 006160 011067





PC-WKS 1083	Jug kettle
Stainless steel housing	
360° rotatable plug connection	
Base station with cord storage (stainless steel sheathed)	

- > Stainless steel housing
- > Base station with cord storage (stainless steel sheathed)
- > Up to 1.7 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (blue illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > Large, external water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

PC-WKS 1107 G	Glass kettle
Glass/stainless steel housing	
360° rotatable plug connection	
Stainless steel base station with cord storage	

- > Glass/stainless steel housing
- > Stainless steel base station with cord storage
- > Up to 1.5 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > Water level indicator
- > Water container made of heat resistant safety glass
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W



Large, external water level indicator



Water container made of heat resistant safety glass

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1083	501 083	2300 / 4710 / 5460
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 323	215 x 250 x 160 mm; 1.1 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 227 284	212 x 250 x 203 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1107 G	501 107	3000 / 5700 / 6660
Colour:	Art. EAN:	Device (W x H x D):
Glass / Stainless steel	4 006 160 011 074	225 x 210 x 152 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 227 154	205 x 210 x 160 mm



4 006160 108323



4 006160 011074




PC-WKS 1119 Jug kettle

- | |
|--|
| Stainless steel housing |
| 360° rotatable plug connection |
| Stainless steel base station with cord storage |

- > Stainless steel housing
- > Stainless steel base station with cord storage
- > Up to 1.7 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (blue illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

PC-WKS 1148 T Thermo jug kettle

- | |
|--|
| 2 in 1 – Thermo flask and water boiler |
| Stainless steel thermo housing (double-walled) |
| 360° rotatable plug connection |


- > 2 in 1 – Thermo flask and water boiler
- > Stainless steel thermo housing (double-walled)
- > Hot water, up to 4 hours
- > Base station with cord storage (stainless steel sheathed)
- > Capacity 1.5 litre max.
- > Simple handling due to cable-free technology and 360° rotatable plug connection
- > Lockable safety lid (over-pressure protected)
- > On/off switch
- > Concealed stainless steel heating element
- > Automatic/manual switch off
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1360–1630 W



Can also be combined as a suitable breakfast set



External water level indicator



Double-walled stainless steel thermo housing / Hot water up to approx. 4 hours

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1119	501 119	2500 / 5200 / 6000
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 194	215 x 235 x 155 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 231 212	210 x 205 x 160 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1148 T	501 148	2940 / 6076 / 6944
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 898	200 x 285 x 145 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 341 157	159 x 297 x 176 mm



4 006160 111194



4 006160 114898



2
in
1



PC-WKS 1108	Jug kettle
Stainless steel housing	
360° rotatable plug connection	
Stainless steel base station with cord storage	

PC-WKS 1020 G	Glass tea and water kettle
2 in 1 – combined tea and water kettle	
Incl. raised and lowered stainless steel tea filter	
Electronic temperature setting (selectable)	

- > Stainless steel housing
- > Stainless steel base station with cord storage
- > Up to 1.5 litre capacity
- > Temperature can be set electronically between 70°C and 100°C or quick start function without preset temperature (100°C)
- > Heat-retaining function (temperature can be set between 70°C and 90°C in 10°C steps)
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid with one-handed operation
- > On/off switch (blue illuminated)
- > Concealed stainless steel heating element
- > Automatic/manual switch-off
- > External water level indicator
- > Evaporation/overheating protection
- > 220–240 V, 50/60 Hz, 1850–2200 W

- > Incl. raised and lowered stainless steel tea filter
- > Up to 1.7 litre capacity
- > Temperature can be set electronically between 70°C and 100°C or quick start function without preset temperature (100°C)
- > Heat-retaining function (temperature can be set between 70°C and 90°C in 10° steps)
- > Signal when reaching the preselected temperature
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Safety lid, opens at the push of a button
- > Concealed stainless steel heating element
- > Non-slip rubberized handle
- > Glass/stainless steel housing, stainless steel base station with cord storage
- > Water container made of heat resistant glass
- > Evaporation/overheating protection
- > 220–240 V, 50 Hz, 3000 W max.

ETM TESTMAGAZIN - URTEIL	
Proficook Glas-Tee-Wasserkocher 2 in 1 PC-WKS 1020 G	
GUT	90,15 %
Im Test: 7 Teebereiter Testurteile: 1x sehr gut, 6x gut www.etm-testmagazin.de	
Heft 02/2017	



External water level indicator



Electronic temperature setting



Electronic temperature setting



Incl. raised and lowered stainless steel tea filter

Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1108	501 108	2160 / 4640 / 5440
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 081	210 x 220 x 175 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 227 413	240 x 225 x 185 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WKS 1020 G	501 020	2336 / 4774 / 5448
Colour:	Art. EAN:	Device (W x H x D):
Glass / Stainless steel	4 006 160 102 017	210 x 230 mm, Ø 140 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 227 833	230 x 235 x 187 mm



4 006 160 011 081



4 006 160 102 017



3 in
1

PC-TKS 1056
Tea/Coffee station

3 in 1 – Glass kettle, tea and coffee maker

Stainless steel housing

Scratch-resistant glass plate

Jug kettle:

- > Up to 1.7 litre capacity
- > Simple handling due to cable free technology and 360° rotatable plug connection
- > Lockable safety stainless steel lid
- > Glass water kettle with integrated heating element and lime filter
- > Automatic and manual switch-off, external water level indicator
- > Evaporation/overheating protection, On/off switch

Glass jug:

- > For tea and coffee making (up to 0.8 litre capacity)
- > Heat-resistant glass, removable stainless steel tea filter

Base:

- > Electronic keep warm function (250 watt)
- > Heating plate (non-stick coated), scratch-resistant glass plate
- > Electronic sensor touch control panel with display for comfortable operation
- > Automatic and manual temperature setting (automatic setting for coffee mode: 85 °C, automatic setting tea mode: 80 °C, manual setting adjustable in 1 °C steps from 70–90 °C)
- > Heat insulated handles, non-slip stand
- > 220–240 V, 50 Hz, 1850–2200 W

 Electronic sensor touch control panel
 with display

PC-HWS 1145
Hot water dispenser

Stainless steel housing

Hot water at your fingertips

Up to 4 litre capacity

- > Stainless steel housing
- > High speed water dispenser – Hot water at your fingertips
- > ECO-Save – 50% time savings compared to conventional kettles (energy-saving)
- > 100 °C in approx. 3 seconds
- > 5 temperature levels (55 °C / 65 °C / 75 °C / 85 °C / 100 °C)
- > Up to 4 litre capacity
- > Water level indicator (blue illuminated)
- > Adjustable amount of water 100 ml / 200 ml / 300 ml / 400 ml / 500 ml / continuous
- > LED display (blue illuminated)
- > Water spout / shelf (blue illuminated)
- > Sensor touch operation
- > 4 indicator lights (blue illuminated)
- > Lock function / Child lock
- > Incl. insert for low cups
- > High stability due to suction feet
- > 220–240 V, 50/60 Hz, 2200–2600 W

 LED display/
 Sensor touch
 operation

 Hot water in
 approx. 3 seconds


Product:	Art. no:	20" / 40" / HQ-Container:
PC-TKS 1056	501 056	800 / 1564 / 1764
Colour: Glass /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 105 698	385 x 265 x 220 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 708	480 x 280 x 280 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-HWS 1145	501 145	900 / 1842 / 2116
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 522	190 x 340 x 280 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 215 342	216 x 370 x 290 mm





PC-ZP 1018	Citrus juicer
Stainless steel housing	
Long-life professional motor	
Incl. stainless steel sieve	

PC-ST 1092	Sandwich toaster
Extra large sandwich plates for american XXL toast slices (approx. 14.5 x 14.5 cm)	
Suitable for toast slices of approx. 9 to 14.5 cm	
Stainless steel insert	

- > Citrus juicer in high quality stainless steel housing
- > High performance, long-life professional motor (100 watt max.)
- > Automatic start/stop function by pressing the juicing cone
- > Open stainless steel juice spout
- > Drip stop function (no splashing and no wiping)
- > Stainless steel sieve
- > Can be fully disassembled for quick and easy cleaning (dishwasher-safe)
- > High stability due to suction feet
- > 220–240 V, 50/60 Hz, 100 W max.

- > Stainless steel insert
- > Extra large sandwich plates for american XXL toast slices (approx. 14.5 x 14.5 cm)
- > Suitable for toast slices of approx. 9 to 14.5 cm
- > Non-stick coating
- > Heat insulated handle
- > Automatic temperature controller
- > 2 indicator lights for power and heating (baking lights)
- > High stability due to rubberized feet
- > Locking system
- > Overheating protection
- > Cord storage
- > 220–240 V, 50/60 Hz, 900 W




Drip stop function



Stainless steel sieve



Triangle XXL sandwich plates



Suitable for toast slices of approx. 9 (standard) to 14.5 cm (XXL)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ZP 1018	501 018	1632 / 3340 / 3780
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 101 812	215 x 260 x 215 mm; 1.9 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 012 743	235 x 285 x 235 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-ST 1092	501 092	2360 / 4900 / 5760
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 923	300 x 105 x 245 mm; 1.6 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 683 196	314 x 265 x 122 mm



4 006160 101812



4 006160 010923



Bun warmer
(removable)**PC-TA 1122** Toaster

Ideal for single households

1-slice toaster

Stainless steel housing

- > Stainless steel housing
- > Bun warmer (removable)
- > Defrost/reheat/quick-stop function (blue illuminated)
- > Continuously adjustable thermostat
- > Automatic/manual switch-off
- > Crumb drawer
- > Cord storage
- > 220–240 V, 50/60 Hz, 550 W

PC-TA 1082 Toaster

Stainless steel housing

„Wide slot“ – extra wide toast slots (40 mm)

Centring function

- > 2-slice toaster
- > Stainless steel housing
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Bun warmer (removable)
- > Defrost/reheat/quick-stop function (blue illuminated)
- > Continuously adjustable thermostat
- > Centring function
- > Automatic and manual switch-off
- > Crumb drawer
- > Cord storage
- > 220–240 V, 50/60 Hz, 750–850 W



Can also be combined as a suitable breakfast set

Defrost/reheat/
quick-stop function„Wide slot“ – extra wide
toast slots (40 mm)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-TA 1122	501 122	2648 / 5440 / 6232
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 665 567	285 x 155 x 115 mm; 0.97 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 556 612	292 x 220 x 140 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-TA 1082	501 082	1896 / 3908 / 4440
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 217	282 x 182 x 162 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 224 481	308 x 233 x 190 mm



4 006160 665567



4 006160 108217





PC-TA 1073	Toaster
Stainless steel housing	
„Wide slot“ – extra wide toast slots (40 mm)	
2x bun warmer (removable)	

PC-TAZ 1110	Toaster with sandwich tongs
Stainless steel housing	
„Wide slot“ – extra wide toast slots (40 mm)	
2 stainless steel tongs for removing the slices of toast	

- > 4 slice toaster
- > Stainless steel housing
- > „Wide slot“ – extra wide toast slots (40 mm)
- > Automatic and manual switch-off
- > 2 continuously adjustable toasting controllers
- > 2x centring function for even browning
- > 2x defrosting function (blue illuminated)
- > 2x reheating function (blue illuminated)
- > 2x quick stop function (blue illuminated)
- > 2x bun warmer (removable)
- > 2x crumb drawer (removable)
- > Cord storage
- > 220–240 V, 50/60 Hz, 1260–1500 W max.

- > 2-slice toaster with sandwich tongs
- > Stainless steel housing
- > „Wide slot“ – extra wide toast slots (40 mm)
- > 2 stainless steel tongs for removing the slices of toast
- > Cool touch housing tong handles
- > Bun warmer (integrated)
- > Defrost/reheat/quick-stop function (blue illuminated)
- > Continuously adjustable thermostat
- > Centring function
- > Automatic and manual switch-off
- > Crumb drawer
- > Cord storage
- > 220–240 V, 50/60 Hz, 860–1050 W



Can also be combined as a suitable breakfast set



2x bun warmer (removable)



„Wide slot“ – extra wide toast slots (40 mm)



2 stainless steel tongs – „Cool touch“



Incl. bun warmer (integrated)



Can also be used as a conventional toaster

Product:	Art. no:	20" / 40" / HQ-Container:
PC-TA 1073	501 073	1130 / 2268 / 2520
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 107 302	285 x 185 x 285 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 224 160	308 x 233 x 308 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-TAZ 1110	501 110	1512 / 3088 / 3544
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 026	275 x 185 x 155 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 224 412	320 x 185 x 300 mm



4 006160 107302



4 006160 111026



ETM TESTMAGAZIN • URTEIL	
ProfiCook Eierkocher PC-EK 1084	
GUT	85,2 %
Im Test: 4 Eierkocher mit Härtegradregulierung Testurteile: 1x sehr gut, 3x gut www.etm-testmagazin.de	
Heft 04/2016	



PC-EK 1124	Egg boiler
Ideal for single households	
Stainless steel housing	
Up to 3 eggs	

- > Preparation of up to 3 eggs
- > Stainless steel housing
- > On/off switch (blue illuminated)
- > Acoustic finish signal (buzzer)
- > Egg holder (removable)
- > Measuring beaker with egg pricker
- > Stainless steel heating plate
- > 220–240 V, 50/60 Hz, 300 W



PC-EK 1139	Egg boiler
Stainless steel housing	
Omelette-/poaching function	
Non-stick coated heating plate	

- > Preparation of up to 8 eggs
- > Omelette-/poaching function (removable tray)
- > Stainless steel housing
- > On/off switch
- > Indicator light
- > Acoustic signal (buzzer)
- > Egg holder (removable)
- > Transparent lid made of tritan (BPA free)
- > Measuring beaker with egg pricker and cap
- > Non-stick coated heating plate
- > 230 V, 50/60 Hz, 400 W

PC-EK 1084	Egg boiler
Stainless steel housing	
Electronic hardness adjuster	
Omelette-/poaching function	

- > Preparation of up to 8 eggs
- > Omelette-/poaching function (2 removable trays)
- > Stainless steel housing
- > Electronic hardness adjuster
- > On/off switch
- > Indicator light (blue illuminated)
- > Acoustic signal (buzzer)
- > Egg holder (removable)
- > Measuring beaker with egg pricker
- > Stainless steel heating plate
- > Cord storage
- > 220–240 V, 50/60 Hz, 400 W



Can also be combined as a suitable breakfast set



Omelette-/poaching function



Omelette-/poaching function



Product:	Art. no:	20" / 40" / HQ-Container:
PC-EK 1124	501 124	8768 / 17968 / 20128
Colour: Black	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 541 250	180 x 140 x 70 mm; 0.41 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 223 613	190 x 150 x 95 mm

Product:	Art. no:	20" / 40" / HQ-Container:
PC-EK 1139	501 139	2300 / 4744 / 5360
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 501 131	225 x 185 x 130 mm; 0.71 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 558 234	275 x 223 x 178 mm; 1.1 kg

Product:	Art. no:	20" / 40" / HQ-Container:
PC-EK 1084	501 084	2480 / 5180 / 5700
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 848	180 x 160 x 190 mm; 0.86 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 555 424	220 x 207 x 220 mm



4 006160 541250



4 006160 501131



4 006160 010848





Today the chef recommends:

Kneading, cooking or mixing –
ProfiCook for every culinary
taste



TESTMAGAZIN - URTEIL

ProfiCook PC-KM 1063 Kompaktküchenmaschine

GUT

82,0 %

 Im Test: 11 Kompakt-Küchenmaschinen
 Testurteile: 2x sehr gut, 8x gut,
 1x befriedigend
 www.etm-testmagazin.de

Heft 02/2016

3ⁱⁿ
1

PC-KM 1063 **Compact food processor**

Food processor, mixer and citrus juicer

Powerful 1200 watt max.

Continuously speed control

- > High-performance food processor with max. 1200 watt
- > Stainless steel housing
- > Continuously speed control
- > Turbo function
- > Safety circuit
- > Work bowl: 1.2 litre capacity with scale and refill opening
- > Mixing bowl: 1.75 litre capacity with scale and refill opening
- > Cover for refill used as a measuring cup (3 cl)
- > High quality, changeable stainless steel inserts and discs



1.75 litre mixing bowl



Citrus juicer application

- > 11 accessories: citrus juicer application, 2x grating and cutting discs (fine & coarse), potato grating disc, chipping/julienne disc, stainless steel beater blade, special kneading/stirring attachment, stainless steel metal whisk, dough scraper
- > High stability due to suction feet
- > 220–240 V, 50/60 Hz, 1200 W max.

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1063	501 063	596 / 1226 / 1436
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 312	250 x 370 x 230 mm; 4.1 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 784	460 x 365 x 250 mm



XXXL-Bowl

10 litre capacity for max.
7–7.5 kg dough preparation



PC-KM 1096	Kneading machine
Massive aluminum die-cast housing	
Long-life professional motor (1500 watt)	
Powerful and robust metal gears	

- > Robust multi-purpose food processor with aluminium die-cast housing
- > Powerful long-life professional motor (1500 watt)
- > Powerful and robust metal gears
- > Electronic timer function / LCD display
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse)
- > Soft start for slow mixing
- > Extra-large 10 litre stainless steel bowl with 2 handles for max. 7–7.5 kg dough preparation
- > Swivelling multi-purpose arm with unlocking mechanism
- > Splash guard lid with replenishing aperture
- > Safety circuit – machine stops when lifting the arm
- > Special double kneading hooks for heavy dough like yeast dough, bread dough or pasta dough
- > Aluminum die-cast stirring hook for light dough like short pastry dough, crumble dough or sponge mixture
- > Stainless steel whisk with splash guard for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean / High stability due to suction feet
- > 220–240 V, 50/60 Hz, 1500 W



Special double kneading hook Aluminum die-cast stirring hook Stainless steel whisk LCD display

XXL stainless steel bowl

6,5 litre capacity



PC-KM 1151	Kneading machine
2 in 1 – Kneading machine and mincer	
Massive aluminum die-cast housing	
Robust metal gears	

- > Robust multi-purpose food processor with aluminium die-cast housing and robust metal gears
- > Powerful long-life professional motor (1200 watt)
- > Consistent performance due to load-dependent electronic rotation speed control
- > 8 speed levels (0/1/2/3/4/5/6 + pulse) / Soft start for slow mixing
- > Large 6.5 litre stainless steel bowl for max. 3–3.5 kg dough preparation
- > Swivelling multi-purpose arm with unlocking mechanism
- > Transparent splash guard lid with replenishing aperture (removable)
- > Safety circuit – machine stops when lifting the arm
- > Aluminum die-cast kneading hook for heavy dough like yeast dough or bread dough
- > Aluminum die-cast stirring hook for light dough like short pastry dough, crumble dough or sponge mixture
- > Stainless steel whisk for whipping of egg white, cream, meringue and many others
- > Easy to operate and to clean / High stability due to suction feet
- > Quick-action chuck for holding the tools

Mincer

- > Stainless steel cutter, metal tube, metal cutter, 3 stainless steel mincing disks, metal refill tray, sausage filler accessory, biscuit attachment, attachment for oriental dumplings
- > 220–240 V, 50/60 Hz, 1200 W



Mincer



Aluminum die-cast kneading hook Aluminum die-cast stirring hook Stainless steel whisk Incl. accessories

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1096	501 096	310 / 640 / 750
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 961	437 x 420 x 167 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 659 221	475 x 515 x 340 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1151	501 151	530 / 1090 / 1230
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 115 109	350 x 365 x 240 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 038 798	408 x 403 x 286 mm



4
in
1


ETM TESTMAGAZIN · URTEIL	
Profi Cook PC-FW 1060	
GUT	88,8 %
Im Test: 13 Fleischwölfe Testurteile: 1x sehr gut, 12x gut www.etm-testmagazin.de	
Heft 11/2015	


PC-KM 1004 Kneading machine

Massive aluminum die-cast body
Long-life professional motor (1400 watt max.)
Kneading/stirring machine, mixing equipment and pasta maker

- > Solid multi-food-processor with aluminum die-cast body and special solid gear machine
- > Powerful long-life professional motor (1400 watt max.)
- > Constant performance through load-dependent electronic rotation speed control
- > 4 electronic speed programs
- > Continuous speed control
- > Soft start for slow mixing
- > Extra large 6 litre stainless steel bowl with grip for max. 3 kg mixture preparation
- > Swiveling multifunction arm with unlocking mechanism
- > Splash guard cover with refill opening
- > Safety circuit – machine stops when lifting the arm
- > Easy to operate and to clean
- > High stability due to suction feet
- > Incl. 13 professional accessories
- > 220–240 V, 50/60 Hz, 1400 W max.



Mincer with stainless steel cutter and 3 steel mincing disks



Glass mixing jug with scale (1.5 litre)

PC-FW 1060 Professional mincer

Stainless steel housing
Forward and reverse function
1000 watt max.

- > Stainless steel housing
- > Forward and reverse function
- > Stainless steel refill tray
- > Metal neck
- > Metal snail
- > 3 steel mincing disks
- > Stainless steel blade
- > Kebbe maker for the oriental cuisine
- > Biscuit/cookies attachment
- > Sausage filler accessory
- > On/off switch
- > High stability due to suction feet
- > 220–240 V, 50 Hz, 1000 W max.



Incl. sausage filler accessory



Incl. cookies attachment



Incl. kebbe maker

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KM 1004	501 004	310 / 640 / 720
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 100 433	420 x 400 x 240 mm; 11.0 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 534 603	610 x 530 x 260 mm; 13.0 kg



Product:	Art. no:	20" / 40" / HQ-Container:
PC-FW 1060	501 060	1038 / 2230 / 2516
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 015	340 x 315 x 160 mm; 2.55 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 777	435 x 265 x 205 mm



4 006 160 1004 33



4 006 160 1060 15



Room for creativity





3
in
1



Variable speed control



PC-SM 1094 Hand blender


- Stainless steel housing and 4-fold stainless steel blade
- Long-life professional motor (1000 watt)
- Extra-long stainless steel mixing rod (approx. 27 cm)

- > Stainless steel housing with ergonomic soft-touch handle
- > Powerful long-life professional motor (1000 watt)
- > 4-fold stainless steel blade for easy, quick mixing, mincing and pureeing
- > Extra-long stainless steel mixing rod, for high and narrow mixing vessels (approx. 27 cm)
- > Extra-wide mixing head for safe mincing without splashing
- > Variable speed control
- > Push-button switch (blue illuminated)
- > Also usable in a hot pot
- > Extra-long coiled cable (space-saving)
- > Removable stainless steel mixing rod (easy to clean)
- > 220–240 V, 50/60 Hz, 1000 W

PC-SMS 1095 Hand blender set

- Stainless steel housing
- High-quality stainless steel 4-blade system (removable)
- Long-life professional motor (600 watt)

- > Stainless steel housing with ergonomic soft-touch recessed grip
- > Powerful long-life professional motor (600 watt)
- > Variable speed control (blue illuminated)
- > Incl. mixing bowl with scale (0.7 litre)
- > High-quality stainless-steel 4-blade system (removable)
- > Incl. stainless steel whisk
- > Turbo stage
- > Soft-touch key switch
- > Also usable in a hot pot
- > Removable stainless steel mixing rod (easy to clean)
- > Hanging loop
- > 220–240 V, 50/60 Hz, 600 W



Extra-long stainless steel mixing rod (approx. 27 cm)



4-fold stainless steel blade



Incl. extra-long coiled cable (space-saving)



Mixing bowl with scale (0.7 litre)



Stainless steel whisk



Removable stainless steel mixing rod

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SM 1094	501 094	6000 / 12400 / 15000
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 947	63 x 465 x 63 mm; 1.01 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 659 238	140 x 370 x 70 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SMS 1095	501 095	3520 / 7300 / 8120
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 954	132 x 375 x 132 mm; 1.25 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 659 245	195 x 225 x 150 mm



4 006160 010947



4 006160 010954





PC-ME 1132 Spiral cutter

Stainless steel housing

Changeable high-quality drum attachments

Powerful 100 watt motor

- > Stainless steel housing
- > Electric spiral cutter for decorative cutting of e.g. carrots, cucumbers, zucchini
- > Changeable high-quality drum attachments with stainless steel blade, for quick and easy spiral cutting
- > Easy and safe handling thanks to internal cutting unit
- > 4 functions
 - fine: 5 mm
 - medium: 10 mm
 - big: 55 mm
 - waveform: 55 mm
- > Powerful 100 watt motor
- > Large refill opening (ca. Ø 60 mm)
- > On/off switch
- > Transparent collecting container (dishwasher safe)
- > Cable tray
- > High stability due to rubberized feet
- > Accessories: 4 drum attachments (fine/medium/big/waveform), collecting container
- > 220–240 V, 50/60 Hz, 100 W



4 drum attachments
with stainless steel blade
(5/10/55 mm / waveform)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ME 1132	501 132	1600 / 3316 / 3884
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 326	238 x 380 x 138 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 063 844	288 x 333 x 180 mm



4 006160 011326



2 in 1



3 in 1

**PC-MZ 1150 Multi chopper**

2 in 1 – Multi chopper and ice crusher

Stainless steel housing

Combination knife for 2 or 4 blade operation

- > Mixing bowl made of glass (1 litre)
- > 2 removable stainless steel blades (rustproof)
- > Combination knife for 2 or 4 blade operation
- > 2 speed levels
- > Incl. ice crush function
- > Easy to clean
- > High stability
- > Accessories: stainless steel combination knife
- > 220–240 V, 50 Hz, 400 W

PC-MZ 1027 Multi chopper

3 in 1 – Multi chopper, ice crusher and stirrer

Stainless steel housing

Combination knife for 2 or 4 blade operation

- > Mixing bowl made of glass (1 litre)
- > 2 removable stainless steel blades (rustproof)
- > Combination knife for 2 or 4 blade operation
- > 1 speed level
- > Incl. ice crush function
- > Easy to clean
- > High stability
- > Accessories: stainless steel combination knife, stirring disc, stirrer
- > 220–240 V, 50 Hz, 500 W




Combination knife for
2 or 4 blade operation



Stirring tool e.g.
for milk shakes



Stirring disc e.g.
for salad dressing



Combination knife for
2 or 4 blade operation

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MZ 1150	501 150	1868 / 3872 / 4540
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 115 000	195 x 245 x 160 mm
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 038 804	196 x 255 x 196 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-MZ 1027	501 027	3252 / 6504 / 7896
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 710	190 x 245 x 170 mm; 1.8 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 036 190	175 x 250 x 175 mm



4 006160 115000



4 006160 102710





PC-AE 1069	Automatic juicer
Long-life professional motor (800 watt)	
18.000 rpm max.	
Stainless steel housing	

PC-AE 1070	Automatic juicer
Long-life professional motor (800 watt)	
18.000 rpm max.	
Stainless steel housing	

- > Professional automatic juicer with high quality stainless steel housing
- > Fruit and vegetable juices freshly prepared in seconds.
Rich in minerals vital to well-being, health and fitness
- > Juice whole apples, carrots and other fruit in seconds without chopping
- > Powerful long-life professional motor
- > Extra large filler spout (75 mm Ø)
- > High volume pulp container (approx 1.6 litre)
- > Open spout
- > 4 step switch (0-1-2 + puls/turbo function) can be selected for hard and soft fruits for optimum juicing
- > Stainless steel strainer/centrifuge for very high quality juice
- > Can be fully disassembled, quick and easy cleaning
- > Selector knob (blue illuminated)
- > Lock with safety switch
- > High stability
- > 220–240 V, 50/60 Hz, 800 W; 18.000 rpm max.

- > Professional automatic juicer with high quality stainless steel housing
- > Fruit and vegetable juices freshly prepared in seconds.
Rich in minerals vital to well-being, health and fitness
- > Juice whole apples, carrots and other fruit in seconds without chopping
- > Powerful long-life professional motor
- > Extra large filler spout (75 mm Ø)
- > Juice container (approx. 1 litre) with foam remover, pour opening, measuring scale, handle and lid
- > Open spout
- > High volume pulp container (approx. 1,6 litre)
- > 5 step, electronic speed control can be selected for hard and soft fruits for optimum juicing
- > Incl. turbo function
- > LED multifunction display (blue illuminated)
- > Stainless steel strainer/centrifuge for very high quality juice
- > Can be fully disassembled, quick and easy cleaning
- > Lock with safety switch
- > High stability
- > 220–240 V, 50/60 Hz, 800 W; 18.000 rpm max.



Selector knob (blue illuminated)

Extra large filler spout (75 mm Ø)



ELECTRONIC – LED multifunction display (blue illuminated)

Extra large filler spout (75 mm Ø)



Product:	Art. no:	20" / 40" / HQ-Container:
PC-AE 1069	501 069	660 / 1320 / 1570
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 947	340 x 390 x 230 mm; 4.06 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 033 557	375 x 430 x 270 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-AE 1070	501 070	660 / 1320 / 1570
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 107 043	340 x 390 x 230 mm; 4.3 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 033 564	375 x 430 x 270 mm



4 006160 106947



4 006160 107043



**PC-SJ 1141****Slow juicer**

Stainless steel housing

Optimal, vitamin-preserving juice yield by low rotation speed

Reverse function

- > Vitamin-preserving juice extractor with high-quality stainless steel housing
- > Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- > Optimal, vitamin-preserving juice yield by low rotation speed
- > Long-life, energy-saving motor
- > On/off switch
- > Reverse function
- > Juice container (approx. 1.0 litre) with handle. Well suitable for storage in a refrigerator
- > Incl. pulp container (approx. 1.25 litre)
- > Free juice spout
- > Drip stop function
- > Can be fully disassembled for quick and easy cleaning
- > Lock with safety switch
- > High stability
- > Incl. cleaning brush
- > 220–240 V, 50/60 Hz, 150 W



Juice container (approx. 1.0 litre) with handle

Pulp container (approx. 1.25 litre)



ETM TESTMAGAZIN - URTEIL	
ProfiCook PC-SM 1078 Smoothie Maker	
GUT	86,5 %
Im Test: 16 Smoothie-Maker Testurteile: 2x sehr gut, 10x gut, 3x befriedigend, 1x ausreichend www.etm-testmagazin.de	
Heft 08/2015	



Incl. 2 removable mixing cups à 600 ml

PC-SM 1078**Smoothie maker**

Ideal for pureeing, beating, chopping up, shaking and mixing

Stainless steel blade

Incl. 2 removable mixing cups (600 ml)

- > Smoothie maker for pureeing, beating, chopping up, shaking and mixing, consisting of base, mixing cup and lid with drinking aperture
- > „Mix & Go“ – Mix your favorite shake in a few minutes. With the practical drinking aperture, you can take your freshly prepared shake with you to work, school or sports
- > Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- > Incl. recipe suggestions
- > Mixing cup also suitable as drinking cup
- > Incl. lid with drinking aperture
- > Ideal for kitchen, bar and on the road
- > Powerful 250 watt motor
- > 1 speed level (pulse)
- > 2 removable mixing cups (600 ml)
- > Stainless steel blade (rustproof)
- > Safety circuit – operation only possible with attached vessel
- > All accessories dishwasher safe
- > High stability due to rubberized suction feet
- > 220–240 V, 50/60 Hz, 250 W



Mixing cup also suitable as drinking cup

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SJ 1141	501 141	900 / 1860 / 1960
Colour: Black/	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 102	186 x 426 x 188 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 063 837	344 x 353 x 222 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SM 1078	501 078	1968 / 4128 / 4680
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 107 821	114 x 368 x 116 mm; 1.4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
6	4 006 160 558 722	165 x 445 x 165 mm





2 in 1



Smoothie cup (0,5 l) also suitable as drinking cup



2 in 1



6-fold stainless steel blade with „piranha“ cut



Smoothie cup (0,6 litre / BPA-free) also suitable as drinking cup



PC-UMS 1085	Universal mixer set
2 in 1 – Universal mixer with smoothie maker	
4-fold stainless steel blade with „piranha“ cut (rustproof)	
4 speed levels (0-1-2 + pulse/turbo function)	

PC-UMS 1125	Universal mixer set
2 in 1 – Universal mixer with smoothie maker	
Ideal for single households	
6-fold stainless steel blade with „piranha“ cut (rustproof)	

- > Universal mixer with smoothie maker
- > Smoothie maker for pureeing, beating, chopping up, shaking and mixing, consisting of base, mixing cup and lid with drinking aperture
- > „Mix & Go“ – Mix your favorite shake in a few minutes. With the practical drinking aperture, you can take your freshly prepared shake with you to work, school or sports
- > Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- > Incl. recipe suggestions
- > Smoothie cup also suitable as drinking cup
- > Incl. lid with drinking aperture
- > Universal mixer function
- > Lid with filler opening (Universal mixer)
- > Ideal for kitchen, bar and on the road
- > 4 speed levels (0-1-2 + pulse/turbo function)
- > Smoothie cup (0,5 litre)
- > Mixing cup (1 litre)
- > 4-fold stainless steel blade with „piranha“ cut (rustproof)
- > Safety circuit – operation only possible with attached vessel
- > High stability due to rubberized feet
- > Base station with cord storage
- > 220–240 V, 50/60 Hz, 350 W



4-fold stainless steel blade with „piranha“ cut (rustproof)



Smoothie cup (0,5 l) also suitable as drinking cup

- > Stainless steel universal mixer with smoothie maker
- > Smoothie maker for pureeing, beating, chopping up, shaking and mixing, consisting of base, mixing cup and lid with drinking aperture
- > „Mix & Go“ – Mix your favorite shake in a few minutes. With the practical drinking aperture, you can take your freshly prepared shake with you to school, work or sports
- > Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- > Incl. recipe suggestions
- > Smoothie cup also suitable as drinking cup
- > Incl. lid with drinking aperture
- > Universal mixer function / Lid with filler opening (Universal mixer)
- > Ideal for kitchen, bar and on the road
- > 4 speed levels (0-1-2 + pulse/turbo function)
- > Smoothie cup (0,6 litre / BPA-free) / Glass mixing cup (1 litre)
- > 6-fold stainless steel blade with „piranha“ cut (rustproof)
- > Safety circuit – operation only possible with attached vessel
- > High stability due to rubberized feet
- > 220–240 V, 50/60 Hz, 600 W, max. 18.000 rpm



Can also be combined as a suitable breakfast set

Product:	Art. no:	20" / 40" / HQ-Container:
PC-UMS 1085	501 085	2346 / 4860 / 5697
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 538	125 x 395 x 135 mm; 1,7 kg
PU:	Export carton EAN:	Packaging (W x H x D):
3	4 006 160 555 417	165 x 395 x 165 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-UMS 1125	501 125	1710 / 3480 / 4080
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 258	163 x 348 x 150 mm
PU:	Export carton EAN:	Packaging (W x H x D):
3	4 006 160 223 620	195 x 370 x 195 mm



4 006160 108538



4 006160 011258




PC-UM 1086 Universal mixer

- | |
|---|
| Long-life professional motor (1250 watt) |
| 6-fold stainless steel blade with „piranha“ cut (rustproof) |
| Stainless steel housing |

- > Robust universal mixer with stainless steel housing for pureeing, beating, chopping, shaking, mixing
- > Powerful long-life professional motor (1250 watt)
- > Ice crush- and turbo function
- > 4 speed levels (0-1-2 + pulse/turbo function)
- > Removable solid glass mixing jug with scale (1.5 litre)
- > Lid with refill opening (approx. 50 mm Ø)
- > Cover for refill opening can be used as a measuring cup (6 cl)
- > 6-fold stainless steel blade with „piranha“ cut for easy mixing, removable for easy cleaning (rustproof)
- > Stainless steel rotary switch (blue illuminated)
- > Safety circuit – operation only possible with attached container
- > Cord storage
- > High stability due to rubberized feet
- > 220–240 V, 50/60 Hz, 1250 W, 21.000 rpm max.



6-fold stainless steel blade with „piranha“ cut (rustproof)

PC-UM 1113 Universal mixer

- | |
|---|
| Long-life professional motor (1400 watt) |
| 6-fold stainless steel blade with „piranha“ cut (rustproof) |
| Stainless steel housing |

- > Robust universal mixer with stainless steel housing for pureeing, beating, chopping, shaking, mixing
- > Powerful long-life professional motor (1400 watt)
- > Ice crush and turbo function
- > 4 speed levels (0-1-2 + pulse/turbo function)
- > Removable solid glass mixing jug with scale (1.8 litre)
- > Lid with refill opening (approx. 50 mm Ø)
- > Cover for refill opening can be used as a measuring cup (6 cl)
- > 6-fold stainless steel blade with „piranha“ cut for easy mixing, removable for easy cleaning (rustproof)
- > Stainless steel rotary switch (blue illuminated)
- > Safety circuit – operation only possible with attached vessel
- > Cord storage
- > High stability due to rubberized feet
- > 220–240 V, 50/60 Hz, 1400 W, 23.000 rpm max.



6-fold stainless steel blade with „piranha“ cut

Product:	Art. no:	20" / 40" / HQ-Container:
PC-UM 1086	501 086	1150 / 2300 / 2750
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 637	198 x 425 x 172 mm; 3.79 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 555 431	230 x 450 x 215 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-UM 1113	501 113	1030 / 2170 / 2500
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 354	198 x 455 x 172 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 234	195 x 515 x 195 mm





PC-UM 1006

Universal mixer

- Long-life professional motor (1200 watt max.)
- 6-fold stainless steel blade with „piranha“ cut (rustproof)
- Stainless steel housing

- > Robust universal mixer with stainless steel housing for pureeing, beating, chopping, shaking, mixing
- > Powerful long-life professional motor (1200 watt max.)
- > 5 electronic speed levels plus ice crush and turbo function
- > Removable solid glass mixing jug with scale (1.8 litre)
- > Lid with refill opening (approx. 50 mm Ø)
- > Cover for refill opening can be used as a measuring cup (2 cl)
- > 6-fold stainless steel blade with „piranha“ cut for easy mixing, removable for easy cleaning (rustproof)
- > LCD display (blue illuminated)
- > Easy-to-clean soft-touch panel
- > Safety circuit – operation only possible with attached vessel
- > Acoustic finish signal
- > Base station with cord storage
- > High stability due to rubberized feet
- > 220–240 V, 50/60 Hz, 1200 W max., 20.000 rpm max.



6-fold stainless steel blade with „piranha“ cut (rustproof)

Electronic



XL mixing bowl

2,0 litre capacity (BPA free)



6-fold stainless steel cross knife



Electronic power adjustment + 3 program buttons (illuminated)



PC-SM 1103

Profi mixer / Smoothie maker

- Long-life professional motor (2000 watt)
- Stepless speed control for perfect smoothies
- Stainless steel housing

- > Robust professional mixer/smoothie maker with stainless steel housing for pureeing, beating, chopping up, shaking, mixing
- > Fruit and especially green vegetable juices prepared quickly and freshly. Rich in essential minerals for well-being, fitness and health
- > Mix and puree fruits and vegetables in seconds without crushing, also well suited for soups
- > Ideal for the preparation of vegan recipes – quick and fine shredding of the mixture like leaf green for healthy, easily digested and wholesome food
- > Powerful long-life professional motor (2000 watt) for high speeds and a flexible speed range (max. 4,000–32,000 rpm)
- > 3 program buttons (illuminated) for: pulse function, ice crushing function, mixing function
- > Stepless speed control for perfect smoothies
- > Removable XL mixing bowl (BPA free) with scale (2.0 litre)
- > Lid with refill opening (approx. 50 mm Ø)
- > The refill opening cover can be used as a measuring cup (6.5 cl)
- > Soft touch handle on the mixing bowl
- > Robust, specially ground 6-fold stainless steel cross knife for mixing/pureeing without problems
- > Incl. professional tamper (25 cm) for optimal filling of the mixing bowl
- > High stability due to suction feet
- > Accessories: Tamper, recipe suggestions
- > 220–240 V, 50/60 Hz, 2000 W; 32,000 rpm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-UM 1006	501 006	1008 / 2100 / 2340
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 100 655	210 x 400 x 200 mm; 4.4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 534 658	245 x 485 x 215 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SM 1103	501 103	900 / 1868 / 2180
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 036	186 x 520 x 195 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 659 504	223 x 548 x 223 mm



4 006160 100655



4 006160 011036



XL mixing bowl



8-fold stainless steel cross knife



Electronic – High-quality multifunction display



XL mixing bowl – 2,0 litre (BPA free)



PC-UM 1127

Profi mixer / Smoothie maker

Long-life professional motor (2000 Watt)
Electronic speed control (8 speed levels)
9 functions

- > Robust professional mixer/smoothie maker with aluminium die-cast housing for pureeing, beating, chopping up, shaking, mixing
- > Fruit and especially green vegetable juices prepared quickly and freshly. Rich in essential minerals for well-being, fitness and health
- > Mix and puree fruits and vegetables in seconds without crushing, also well suited for soups
- > Ideal for the preparation of vegan recipes – quick and fine shredding of the mixture like leaf green for healthy, easily digested and wholesome food
- > Powerful long-life professional motor (2000 W) for high speeds and a flexible speed range
- > Electronic – High-quality multifunctional display
- > Electronic sensor touch control panel with multifunctional display for easy operation
- > 9 functions: timer function, smoothie function (ideal for green smoothies), ice crush function, start/stop function, shake function, chop function (grinding/crushing), cleaning function, pulse function, speed
- > Electronic speed control (8 speed levels)
- > Removable XL mixing bowl made of tritan (BPA free) with scale (2.0 litre)
- > Lid with refill opening (approx. 50 mm Ø)
- > Robust, specially ground 8-fold stainless steel cross knife for mixing/pureeing without problems
- > High stability due to rubberized feet
- > Incl. recipe suggestions
- > 220–240 V, 50/60 Hz, 2000 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-UM 1127	501 127	660 / 1340 / 1570
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 272	190 x 470 x 210 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 885 699	290 x 505 x 260 mm



10 in **1**

Incl. recipe book

**ETM TESTMAGAZIN - URTEIL**

Profi Cook PC-MKM 1074

GUT**84,0 %**Im Test: 11 Kochsysteme
Testurteile: 4x sehr gut, 7x gut
www.etm-testmagazin.de


Heft 12/2015

**PC-MKM 1074 Multi cooking mixer**

9 speed levels + turbo function

Ice crush function

4-fold stainless steel blade (removable)



High-quality LCD display



Steaming top



Cooking basket

- > Multi-function kitchen machine with a large selection of functions like:
 - Cooking of pasta, rice, soups/sauces
 - Steam-cooking of fresh vegetables and fish
 - Preparing of sandwich spreads, dips, jam
 - Pureeing of baby food
 - Chopping of vegetables and fruits
 - Kneading and stirring of dough
 - Mixing of smoothies and cocktails
 - Ice crush function
 - Grinding of nuts
 - Emulsifying of mayonnaise
- > 9 speed levels + turbo function
- > 90 minute timer
- > Stainless steel bowl incl. lid with filler opening (2.5 litre), dishwasher-safe
- > The lid with filler opening can be used as a measuring cup (100 ml)

- > Temperature setting (30 °C–120 °C)
- > 3 automatic programs (soup, jam, sauce)
- > Electronic thermostat
- > High-quality LCD display with display of temperature, speed and time (blue illuminated)
- > User-friendly and easy to clean
- > 4-fold stainless steel blade (removable)
- > Safety circuit – operation is possible only with attached lid
- > Acoustic signal at the end of the cooking process
- > High stability due to suction feet
- > Cord storage
- > Accessories: 3-piece steaming top, stainless steel bowl, cooking basket, stirring tool, blade protection, heat-resistant spatula, including recipe book
- > 220–240 V, 50/60 Hz, 600 W motor, 1300 W heater

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MKM 1074	501 074	368 / 758 / 898
Colour:	Art. EAN:	Device (W x H x D):
Silver	4 006 160 107 432	350 x 320 x 300 mm; 6.0 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 224 177	548 x 379 x 320 mm



ETM TESTMAGAZIN · URTEIL

ProfiCook PC-BBA 1077

GUT**87,21 %**
 Im Test: 9 Brotbackautomaten
 Testurteile: 1× sehr gut, 8× gut
 www.etm-testmagazin.de

Heft 10/2016

**PC-BBA 1077****Automatic bread baking machine**

13 baking programs / 43 possible combinations

Stainless steel housing and handle

13 hour timer

- > Stainless steel housing and handle
- > Fully automatic dough and bread preparation (kneading, rising, baking)
- > Nonstick coated baking form (removable)
- > 2 litre capacity (corresponds to about 1000 g bread)
- > 13 baking programs / 43 possible combinations
- > Programs: basic, fast bake, french, ultra fast bake, wholemeal, cake, dough, baking, sandwich, jam, mixing, gluten-free, home made
- > Warming function
- > After baking function
- > Memory function for 10 minutes during power failure
- > Electronic control panel with LCD display and audible signal (blue illuminated)
- > 13 hour timer


 Electronic control panel with
 LCD display (blue illuminated)

 Ingredient dispenser is adding nuts, corns
 a.s.o. at the right time

- > Variably settable dough quantity
- > Ingredient dispenser is adding nuts, corns a.s.o. at the right time
- > Variable crust browning control (light, medium, dark)
- > Lid with viewing window
- > Accessories: measuring cup, measuring spoon, kneading hook, hook spit
- > 220–240 V, 50 Hz, 550 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-BBA 1077	501 077	510 / 1050 / 1185
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 777	360 x 313 x 290 mm; 6.4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 224 214	430 x 388 x 430 mm; 7.8 kg





PC-KW 1040	Digital kitchen scale
Stainless steel housing	
Measuring range up to 5000 g (in 1 g steps)	
Tare function (additive weighing function)	

PC-KW 1061	Kitchen scale
Weighing surface made of stainless steel	
Extra large LCD display (black/white)	
On/off switch	

- > Stainless steel housing, bowl and weighing area
- > Bowl with ca. 2 litre capacity
- > Easy to read, high-quality multifunction LCD display (5-digit, blue illuminated)
- > Measuring range up to 5000 g (in 1 g steps)
- > Adjustable measuring units: gr, ml, lb.oz, fl.oz
- > Tare function (additive weighing function)
- > Automatic switch-off for weighing function
- > On/off switch
- > High stability
- > Battery operation: 2x 1.5 V (AA) (batteries not included)

- > Extra-flat digital kitchen scale
- > Weighing surface made of stainless steel
- > Extra large LCD display (black/white)
- > Measuring range up to 5000 g (in 1 g steps)
- > Adjustable measuring units: kg, g, lb, oz
- > Automatic switch-off
- > On/off switch
- > Tare function (additive weighed function)
- > Low battery indicator
- > Battery operation: 2x CR2032 (batteries included)



Multifunction LCD display (5-digit, blue illuminated)



Extra large LCD display (black/white)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-KW 1040	501 040	5200 / 9900 / 11000
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 104 011	205 x 130 x 210 mm; 0.6 kg
PU:	Export carton EAN:	Packaging (W x H x D):
4	4 006 160 036 350	210 x 100 x 210 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KW 1061	501 061	21996 / 43992 / 60000
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 114	165 x 15 x 220 mm; 0.39 kg
PU:	Export carton EAN:	Packaging (W x H x D):
6	4 006 160 225 464	168 x 25 x 225 mm



PC-DHT 1039 Digital household thermometer

Stainless steel

Temperature range: -45 °C–200 °C

Storage function of the last measured temperature

- > Digital household thermometer, ideal for testing cooked foods, such as roasts, meat fish and drinks such as wine, champagne, sparkling wine
- > Stainless steel
- > Temperature range: -45 °C–200 °C
- > Quick reaction and measuring time
- > High measurement accuracy
- > Temperature can be shown in °C and in F°
- > Storage function of the last measured temperature
- > LCD display (blue illuminated)
- > Incl. silicone protection cover
- > Incl. practical hanging loop
- > Battery operation: button cell (LR44) (battery included)



Promotional packaging



LCD display (blue illuminated)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-DHT 1039	501 039	40200 / 88800 / 104400
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 103 915	H: 230 mm; Ø 16,5 mm; 51 g
PU:	Export carton EAN:	Packaging (W x H x D):
12	4 006 160 036 343	62 x 250 x 30 mm



4 006160 103915

**PC-MS 1090** Knife grinder

Stainless steel housing

3 grade knife sharpener

Diamond chip studded grinding stone



- > Stainless steel housing
- > Optimum grinding angle
- > 3 grade knife sharpener
- > Diamond chip studded grinding stone
- > Separate grinding slots for: pre-grinding (coarse grinder), medium grade grinding and fine grinding

Separate grinding slots for:
pre-grinding (coarse grinder), medium
grade grinding, fine grinding

2ⁱⁿ
1**PC-PSM 1031** Electric pepper and salt mill

High quality precision ceramic grinder

Stainless steel housing

Incl. light for optimum dosing

- > High-quality precision ceramic grinder (adjustable from coarse to fine)
- > Consistent grinding quality
- > Simple refilling
- > Single-handed operating
- > Stainless steel housing
- > Incl. light for optimum dosing of the condiment
- > Battery operation: 4x 1.5 V AA/Mignon/LR/AM3 (batteries not included)



Incl. light for optimum dosing

Product:	Art. no:	20" / 40" / HQ-Container:
PC-MS 1090	501 090	26610 / 53226 / 60900
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 501 094	H: 181 mm; Ø 58 mm; 34 g
PU:	Export carton EAN:	Packaging (W x H x D):
6	4 006 160 225 426	188 x 65 x 58 mm



4 006160 501094



Product:	Art. no:	20" / 40" / HQ-Container:
PC-PSM 1031	501 032	11712 / 24480 / 28860
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 329	H: 310 mm; Ø 53 mm
PU:	Export carton EAN:	Packaging (W x H x D):
6	4 006 160 227 589	110 x 55 x 310 mm



4 006160 010329



Relaxed throughout the day



> Perfect timing, impressive performance

Sometimes things have to happen quickly. Cooking is (often) a case of time management. If you have to reach the finishing line quickly, the hot plates, microwaves and table grills made by ProfiCook are the right sprinters for the starting line-up. With impressive performances which are available to you without any long warming-up period. And if you prefer to precook items or a few portions are left over, the ProfiCook vacuum sealer will help you as well to store your creations quickly and safely.



2 in **1****PC-EKA 1066 Preserving boiler**

Preserving boiler and hot drinks machine
Stainless steel housing
27 litre tank capacity for up to 14 jars

- > 1800 watt
- > 27 litre tank capacity for up to 14 jars
- > Stainless steel housing
- > Concealed stainless steel heating element
- > Variable, electronic temperatur control (30 °C–100 °C)
- > LCD display (blue illuminated)
- > Display the preset timer, set temperature and actual temperature
- > Integrated drain tap for practical filling of mulled wine, punch or other hot drinks, for example
- > Grid insert
- > Plastic handles (heat-insulated)
- > Overheating protection
- > 230 V, 50 Hz, 1800 W



LCD display (blue illuminated)

PC-HGA 1111 Hot drinks machine

Hot drinks and mulled wine machine (16 litre)
Stainless steel housing
Solid metal tap, chrome-plated (removable)

- > 1500 watt
- > 16 litre tank capacity
- > Stainless steel housing
- > Lockable safety stainless steel container
- > Concealed stainless steel heating element
- > Variable, electronic temperatur control (30 °C–100 °C)
- > Solid metal tap, chrome-plated (removable)
- > External level indicator
- > Tap + level indicator removable for easy cleaning
- > Plastic handles (heat-insulated)
- > Keep warm function
- > 2 indicator lights
- > On/off switch
- > Overheating protection
- > 230 V, 50 Hz, 1500 W



Solid metal tap, chrome-plated (removable)

Level indicator removable for easy cleaning



Product:	Art. no:	20" / 40" / HQ-Container:
PC-EKA 1066	501 066	330 / 725 / 740
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 602	460 x 545 x 380 mm; 5.2 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 037 951	407 x 455 x 407 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-HGA 1111	501 111	479 / 1120 / 1220
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 125	340 x 470 x 335 mm; 2.7 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 225 570	335 x 515 x 335 mm



Sous Vide

*The new trend in five star cuisine – precise vacuum cooking
Gentle method of food preparation for rich flavoured results.
Nutrients and ingredients are retained. The food is tender and juicy and
retains its natural taste.*

INCL.

Yogurt maker function

Keep warm function

Defrost function



For all heat-resistant vessels from approx. 15 cm height



LED multifunction display



PC-SV 1126

Sous Vide Cooker

Precise cooking of food

Stainless steel housing

Sensor touch control panel

- > Stainless steel housing with ergonomic soft touch handle
- > Precise cooking of food by electronic temperature control (max. deviation +/- 0.5 °C)
- > Vitamins, nutrients and flavors are retained
- > Incl. yoghurt maker function, keep warm function and defrost function
- > Water circulation: 7–8 l/min.
- > LED multifunction display for:
 - Selected temperature
 - Actual temperature
 - Timer
- > Sensor touch control panel
- > Temperature setting 0 °C–90 °C (in 0,5 °C steps)
- > Automatic switch off at low water level
- > 99 hour timer
- > For all heat-resistant vessels from approx. 15 cm height
- > Integrated mounting clip
- > User-friendly and easy to clean
- > 220–240 V, 50/60 Hz, 800 W



Fitting accessories: see pages 43–46 – not included

Vacuum sealer
PC-VK 1080 | PC-VK 1133 | PC-VK 1134 | PC-VK 1146

Product:	Art. no:	20" / 40" / HQ-Container:
PC-SV 1126	501 126	3644 / 7288 / 8156
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 265	390 x 70 x 105 mm; 1.24 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 874 372	450 x 130 x 110 mm



Spare bags PC-VK 1015/1080/1133/1134

- 50 pcs. à 22 x 30 cm
Art. no.: 8910151
Art. EAN: 4 006 160 101 515
- 50 pcs. à 28 x 40 cm
Art. no.: 8910152
Art. EAN: 4 006 160 101 522

Foilrolls PC-VK 1015/1080/1133/1134

- 2 rolls à 28 cm x 6 m
Art. no.: 8910155
Art. EAN: 4 006 160 101 553



4 006160 011265



Sous Vide

The new trend in five star cuisine – precise vacuum cooking

Gentle method of food preparation for rich flavoured results.

Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.

INCL.

Gentle cooking function

Yogurt maker function

Keep warm function



Incl. stainless steel rack and tong


PC-SV 1112 **Sous Vide Cooker**

Precise cooking of food

Stainless steel housing

8,5 litre capacity

- > Stainless steel housing
- > Precise cooking of food by electronic temperature control (max. deviation +/- 0.5°C)
- > Vitamins, nutrients and flavors are retained
- > Incl. gentle cooking function, yoghurt maker function and keep warm function
- > LCD display (blue illuminated)
- > Temperature setting 45°C–90°C
- > 72 h timer
- > 8.5 litre capacity
- > Cooking tray (non-stick coated)
- > Large viewing window in the lid
- > Incl. tong and stainless steel rack to insert the food
- > 220–240 V, 50/60 Hz, 520 W



LCD display (blue illuminated)



Incl. stainless steel rack to insert the food

Fitting accessories:

see pages 43–46 – not included

Vacuum sealer

PC-VK 1080 | PC-VK 1133 | PC-VK 1134 | PC-VK 1146



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SV 1112	501 112	716 / 1472 / 1656
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 224	410 x 210 x 300 mm; 2.85 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 037 210	452 x 230 x 332 mm


Spare bags PC-VK 1015/1080/1133/1134

		– 50 pcs. à 22 x 30 cm Art. no.: 8910151 Art. EAN: 4 006 160 101 515
		– 50 pcs. à 28 x 40 cm Art. no.: 8910152 Art. EAN: 4 006 160 101 522

Foilrolls PC-VK 1015/1080/1133/1134

		– 2 rolls à 28 cm x 6 m Art. no.: 8910155 Art. EAN: 4 006 160 101 553
--	--	---



4 006 160 111 224





Preservation and freshness without preservatives

Sous Vide

The new trend in five star cuisine – vacuum cooking

Gentle method of food preparation for rich flavoured results. Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.

PC-VK 1146

Vacuum sealer

Stainless steel housing

Suction power: 12 litre / min.

Vacuum cooking – extremely careful preparation

Sealing:

- > Shelf life and freshness without preserving agent
- > Space saving storage
- > No freezer burn
- > Rich aroma
- > Vacuum cooking

- > Fully automatic and powerful vacuum sealer with stainless steel housing
- > Ideal for dividing large quantities of food into smaller portions
- > Space saving, safe storage without preservatives
- > When sealed, food remains fresh up to 8x times longer. Vitamins and nutrients are retained
- > Vacuum guards against freezer burn when deep freezing
- > Perfect also for seasoned and marinated food – vacuum sealing creates a rich aroma
- > Vacuum cooking (Sous Vide) allows food to be preserved in its own juices. No drying out and no loss of nutrients during preparation
- > Extra wide, durable seal for reliable storage
- > Electronic sensor touch control panel
- > Electronic vacuum regulation (4 steps) perfectly suitable for delicate food items
- > Suction power: 12 litre / min.
- > Approx. 90% vacuum, –0.8 bar
- > Can be used with commercially available structured plastic wrap rolls and structured plastic bags (max. 30 cm wide, length as required)



Accessories: additional spare bags and foil roll (see page 68)

- > Includes 18 professional airtight bags with diagonally corrugated structure for optimum sealing results (10 pieces at 22 cm x 30 cm / 8 pieces at 28 cm x 40 cm, also available as accessories)
- > Space-saving foil reel with integrated cutting knife for cutting the foil to size
- > Suitable for cooking and microwaving
- > 4 indicator lights
- > Drip tray for residual moisture (removable)
- > Safe base
- > 220–240 V, 50 Hz, 120 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-VK 1146	501 146	2646 / 5384 / 6298
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 607	375 x 75 x 160 mm; 1.5 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 552 317	412 x 190 x 115 mm



Drip tray for residual moisture (removable)



Electronic sensor touch control panel



4 006 160 114 607



Sous Vide

The new trend in five star cuisine – vacuum cooking

Gentle method of food preparation for rich flavoured results. Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.



Preservation and freshness
without preservatives



PC-VK 1080

Vacuum sealer

Stainless steel housing

Suction power: 12 litre / min.

Vacuum cooking – extremely careful preparation

- > Fully automatic and powerful vacuum sealer with stainless steel housing
- > Ideal for dividing large quantities of food into smaller portions
- > Space saving, safe storage without preservatives
- > When sealed, food remains fresh up to 8x times longer. Vitamins and nutrients are retained
- > Vacuum guards against freezer burn when deep freezing
- > Perfect also for seasoned and marinated food – vacuum sealing creates a rich aroma
- > Vacuum cooking (Sous Vide) allows food to be preserved in its own juices. No drying out and no loss of nutrients during preparation
- > Extra wide, durable seal for reliable storage
- > Electronic vacuum regulation (4 steps) perfectly suitable for delicate food items
- > Suction power: 12 litre / min.
- > Approx. 90% vacuum, –0.8 bar
- > Can be used with commercially available structured plastic wrap rolls and structured plastic bags (max. 30 cm wide, length as required)

Sealing:

- > Shelf life and freshness without preserving agent
- > Space saving storage
- > No freezer burn
- > Rich aroma
- > Vacuum cooking



Accessories:
additional spare bags and
foil roll (see page 68)

- > Includes 18 professional airtight bags with diagonally corrugated structure for optimum sealing results (10 pieces at 22 cm x 30 cm / 8 pieces at 28 cm x 40 cm, also available as accessories)
- > Suitable for cooking and microwaving
- > 6 indicator lights
- > Catch channel for residual moisture
- > Cord storage
- > Safe base
- > 220–240 V, 50 Hz, 120 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-VK 1080	501 080	3840 / 7800 / 8920
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 010 800	380 x 63 x 155 mm; 1.55 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 558 357	385 x 210 x 75 mm



4 006160 010800



Sous Vide

The new trend in five star cuisine – vacuum cooking

Gentle method of food preparation for rich flavoured results. Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.



Preservation and freshness without preservatives



PC-VK 1133	Vacuum sealer
Stainless steel housing	
Suction power: 12 litre / min.	
Vacuum cooking – extremely careful preparation	

- Sealing:**
- > Shelf life and freshness without preserving agent
 - > Space saving storage
 - > No freezer burn
 - > Rich aroma
 - > Vacuum cooking

- > Fully automatic and powerful vacuum sealer with stainless steel housing (vertical design)
- > Ideal for dividing large quantities of food into smaller portions
- > Space saving, safe storage without preservatives
- > When sealed, food remains fresh up to 8x times longer. Vitamins and nutrients are retained
- > Vacuum guards against freezer burn when deep freezing
- > Perfect also for seasoned and marinated food – vacuum sealing creates a rich aroma
- > Vacuum cooking (Sous Vide) allows food to be preserved in its own juices. No drying out and no loss of nutrients during preparation
- > Extra wide, durable seal for reliable storage
- > Electronic sensor touch control panel
- > Electronic vacuum regulation (4 steps) perfectly suitable for delicate food items
- > Suction power: 12 litre / min.
- > Approx. 90% vacuum, –0.8 bar
- > Can be used with commercially available structured plastic wrap rolls and structured plastic bags (max. 30 cm wide, length as required)



Accessories: additional spare bags and foil roll (see page 68)

- > Includes 10 professional airtight bags with diagonally corrugated structure for optimum sealing results (5 pieces at 22 cm x 30 cm / 5 pieces at 28 cm x 40 cm + 1x foil roll 20 x 200 cm, also available as accessories)
- > Suitable for cooking and microwaving
- > 4 indicator lights
- > Drip tray for residual moisture (removable)
- > Cord storage
- > Safe base
- > 220–240 V, 50/60 Hz, 110 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-VK 1133	501 133	1870 / 3870 / 4240
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 113 303	450 x 170 x 85 mm; 1.9 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 573 190	470 x 220 x 120 mm; 2.6 kg



Catch container for residual moisture (removable)



Electronic sensor touch control panel



**PC-VK 1134****Vacuum sealer**

Stainless steel housing

Suction power: 24 litre / min.

Vacuum cooking – extremely careful preparation

- > Fully automatic and powerful vacuum sealer with stainless steel housing
- > Ideal for dividing large quantities of food into smaller portions
- > Space saving, safe storage without preservatives
- > When sealed, food remains fresh up to 5 x times longer. Vitamins and nutrients are retained
- > Vacuum guards against freezer burn when deep freezing
- > Perfect also for seasoned and marinated food – vacuum sealing creates a rich aroma
- > Vacuum cooking (Sous Vide) allows food to be preserved in its own juices. No drying out and no loss of nutrients during preparation
- > Extra wide, durable seal for reliable storage
- > Electronic sensor touch control panel
- > Electronic vacuum regulation (4 steps) perfectly suitable for delicate food items
- > Suction power: 24 litre / min.
- > Approx. 90% vacuum, –0.8 bar
- > Can be used with commercially available structured plastic wrap rolls and structured plastic bags (max. 30 cm wide, length as required)
- > Includes 10 professional airtight bags with diagonally corrugated structure for optimum sealing results (5 pieces at 22 cm x 30 cm /

Sous Vide*The new trend in five star cuisine – vacuum cooking**Gentle method of food preparation for rich flavoured results.**Nutrients and ingredients are retained. The food is tender and juicy and retains its natural taste.***Sealing:**


- > Shelf life and freshness without preserving agent
- > Space saving storage
- > No freezer burn
- > Rich aroma
- > Vacuum cooking



Accessories:
additional spare bags and
foil roll (see page 66)

- 5 pieces at 28 cm x 40 cm + 1x foil roll 20 x 200 cm, also available as accessories)
- > Space-saving foil reel with integrated cutting knife for cutting the foil to size
- > Suitable for cooking and microwaving
- > 8 indicator lights
- > Catch channel for residual moisture
- > Cord storage
- > Safe base
- > 220–240 V, 50/60 Hz, 120 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-VK 1134	501 134	1400 / 2900 / 3276
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 340	430 x 100 x 210 mm; 2.4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 223 705	460 x 255 x 140 mm; 3.2 kg



Catch channel for residual moisture

Space-saving foil reel with integrated cutting knife for cutting the foil to size

Electronic sensor touch control panel



4 006160 011340



4ⁱⁿ
1



PC-DR 1116	Food dryer
Stainless steel housing	
7-step, electronic temperature setting	
Circulation fan, air circulation function	

PC-DDK 1076	Pressure cooker
5 automatic cooking programs	
Up to 70 % shorter cooking times	
5 litre capacity	

- > Food dryer dries fruit, vegetables, herbs, meat etc.
Rich in essential minerals for well-being, fitness and health
- > 7 step, electronic temperature setting (40–70 °C)
- > Electronic temperature display (switchable °C / °F)
- > Electronic timer (1–48 hours) with time remaining indicator
- > LCD display
- > Variable use by 4 large (32 x 25 cm), transparent and stackable level (easy cleaning)
- > Circulation fan, air circulation function
- > Overheating protection
- > High stability due to rubberized feet
- > 230 V, 50/60 Hz, 350 W

- > 4 in 1 – cooking, roasting, steaming, and keep warm function
- > Electronic steam pressure cooker for healthy and quick preparation of food
- > Additional steaming insert for vitamin-friendly steam cooking
- > Taste, vitamins and mineral nutrients are retained
- > Energy-saving – up to 70 % shorter cooking times
- > Versatile use: steam pressure cooker, cooking, roasting, keep warm
- > 5 automatic cooking programs (rice, meat, vegetables, soup, stew)
- > Non-stick coated inner pot (removable)
- > 5 litre capacity
- > Cool touch housing
- > 5-point safety system
- > 120 minute timer with ready signal
- > Multifunction LED display (blue illuminated)
- > Removable power cable
- > Very user-friendly and easy to clean
- > Accessories: spoon, detachable condensate pan, aluminium steaming insert, steaming insert holder, ladle, measuring cup
- > 230 V, 50 Hz, 900 W

**Food dryer dries fruit, vegetables, herbs, meat etc.
Rich in essential minerals for well-being, fitness and health.**



Variable use by 4 large and stackable level



LCD display (Temperature and time remaining indicator)



Non-stick coated inner pot (removable)



Cooking, baking, steaming, keep warm



Multifunction LED display (blue illuminated)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-DR 1116	501 116	798 / 1634 / 1852
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 501 117	340 x 260 x 260 mm; 2.4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 874 365	373 x 300 x 293 mm; 3.2 kg



Product:	Art. no:	20" / 40" / HQ-Container:
PC-DDK 1076	501 076	576 / 1188 / 1386
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 760	315 x 305 x 315 mm; 5.5 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 224 191	320 x 310 x 320 mm



4 006160 501117



4 006160 110760



2ⁱⁿ
1

3ⁱⁿ
1

PC-MWG 1117 Microwave with grill

20 litre capacity

1000 watt grill / 800 watt microwave

Stainless steel housing and interior

- > Large 20 litre oven capacity
- > 1000 watt grill power, 800 watt microwave power
- > Stainless steel housing
- > Stainless steel interior
- > Reflecting glass front
- > Quick start function
- > 2 combination power levels grill / microwave
- > 11 microwave power settings
- > 1 grill setting
- > 10 automatic programs incl. defrost program
- > 60 minute timer with end signal
- > Turntable plate Ø approx. 24.5 cm
- > Grilling grid Ø approx. 20.0 cm
- > Digital clock
- > LED display
- > Child lock
- > Oven compartment light
- > 230–240 V, 50 Hz, 1200 W

LED display


PC-MWG 1118 H Microwave with grill and convection

23 litre capacity

1950 watt convection / 1950 watt grill / 900 watt microwave

Stainless steel housing and interior

- > Large 23 litre oven capacity
- > 1950 watt convection, 1950 watt grill power, 900 watt microwave power
- > Stainless steel housing
- > Stainless steel interior
- > Reflecting glass front
- > Quick start function
- > 10 microwave power settings
- > 10 convection temperature settings
- > 1 grill setting
- > 2 combination power levels grill / microwave
- > 4 combination power levels microwave / convection oven
- > 16 automatic programs incl. defrost program
- > 95 minute timer with end signal
- > Turntable plate Ø approx. 27.0 cm
- > Baking sheet Ø approx. 28.0 cm
- > Digital clock
- > LED display
- > Child lock
- > Oven compartment light
- > 230–240 V, 50 Hz, 1950 W

LED display



Product:	Art. no:	20" / 40" / HQ-Container:
PC-MWG 1117	501 117	392 / 826 / 944
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 170	457 x 262 x 415 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 885 668	498 x 297 x 436 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-MWG 1118 H	501 118	324 / 672 / 784
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 187	490 x 280 x 435 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 885 675	538 x 325 x 450 mm



4 006160 111170



4 006160 111187




Suitable for all stove types



PC-SKT 1071	Pressure cooker
Stainless steel 18/10	
Variable pressure setting	
22 cm Ø, 5 litre	

PC-EKI 1062	Single induction cooking plate
Heating takes only seconds thanks to induction technology	
Eco-friendly glass-ceramic-surface	
2000 watt	

- > Pressure cooker, 22 cm Ø, 5 litre
- > 9 in 1 – cooking, pressurecooking, roasting, braising, steaming, stewing, defrosting, heating or simmering
- > Pressure cooker for healthy and quick preparation of food
- > Energy-saving – up to 70 % shorter cooking times
- > Additional steaming insert for vitamin-saving steam cooking
- > Flavour, vitamins, and mineral nutrients are retained
- > Stainless steel 18/10
- > High-gloss finish (outside and inside)
- > Capacity scale
- > Cylindrical shape with wide pouring rim
- > Encapsulated sandwich base
- > Suitable for all stove types (gas, electric, glass ceramic, induction, halogen)
- > 4-point safety system
- > Variable pressure setting from approx. 0.4 to 1 bar
- > Pressure indicator
- > Accessories: steaming insert, steaming insert holder



- > Induction hotplate with high-quality, eco friendly glass-ceramic-surface
- > Scratch-resistant smooth cooking area (very easy to clean)
- > Heating takes only seconds thanks to induction technology
- > ECO-Save – 55 % time savings compared to conventional cooking plates, no preheating phase, energy saving
- > Automatic pot detection – automatic switch-off in the case of non-induction pots
- > 10 power levels and 10 temperature levels with LED indication (60 °C–240 °C)
- > Electronic sensor touch control panel with display for comfortable operation
- > 3 LED indicator lights
- > 180 minute timer with automatic switch-off and end signal
- > Countdown indication on the LED display
- > Automatic switch-off after 120 min. without operation
- > Automatic switch-off after removal of the pot
- > Child lock
- > High stability due to non-slip feet
- > 220–240 V, 50/60 Hz, 2000 W



Incl. steaming insert
4-way safety system



Scratch-resistant smooth cooking area (very easy to clean)



Product:	Art. no:	20" / 40" / HQ-Container:
PC-SKT 1071	501 071	900 / 2000 / 2200
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 715	380 x 220 x 230 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 033 571	425 x 220 x 285 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-EKI 1062	501 062	1900 / 3900 / 4920
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 206	290 x 65 x 370 mm; 2.5 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 087 982	320 x 413 x 90 mm



4 006160 110715



4 006160 106206



2
in
1

PC-DKI 1067 Double induction cooking plate

- > 2x 6 power levels and 10 temperature levels
- > High quality, eco-friendly glass-ceramic-surface
- > 3500 watt max.

- > Induction double hotplate with high-quality, eco-friendly glass-ceramic-surface
- > Scratch-resistant smooth cooking area (very easy to clean)
- > Heating only takes seconds thanks to induction technology
- > ECO-Save – 55% time savings compared to conventional cooking plates, no preheating phase, energy saving
- > Automatic pot detection – automatic switch-off in the case of non-induction pots
- > LED display
- > Each hob with 16 function levels – 6 power levels and 10 temperature levels (60°C–240°C)
- > Electronic sensor touch control panel with display for comfortable operation
- > 2x 3 LED indicator lights
- > 180 minute timer with automatic switch-off and end signal
- > Countdown indication on the LED display
- > Automatic switch-off after 120 min. without operation
- > Automatic switch-off after removal of the pot
- > High stability due to non-slip feet
- > 220–240 V, 50/60 Hz, 3500 W max.


PC-ITG 1130 Induction table grill

- > 2 in 1 – Induction table grill and single induction hotplate
- > High-quality, eco-friendly glass-ceramic-surface
- > 2000 watt

Single induction hotplate:

- > High-quality, eco-friendly glass-ceramic-surface
- > Scratch-resistant smooth cooking area (very easy to clean)
- > Automatic pot detection – automatic switch-off in the case of non-induction pots

General:

- > 2 in 1 – Induction table grill and single induction hotplate
- > Heating only takes seconds thanks to induction technology
- > ECO-Save – 55% time savings compared to conventional cooking plates, no preheating phase, energy saving
- > 10 power levels and 10 temperature levels with LED display (60°C–240°C)
- > Electronic sensor touch control panel with display for comfortable operation
- > 3 LED indicator lights
- > 180 minute timer with automatic switch-off and end signal
- > Countdown indication on the LED display
- > Automatic switch-off after 120 min. without operation
- > Automatic switch-off after removal of the pot/plate
- > Child lock
- > High stability due to non-slip feet
- > 220–240 V, 50/60 Hz, 2000 W max.

Grill plate:

- > Scratch-resistant, ceramic coated aluminum grill plate with extra deep grooves for strong grill pattern and optimal fat drain – retains and distributes the heat perfectly (easy to clean)
- > Fat-free, odourless and clean
- > Ideal for roasting, cooking and braising fish, meat and vegetables
- > Grill area: approx. 25 x 23 cm



Scratch-resistant smooth cooking area (very easy to clean)



Single induction hotplate

Scratch-resistant, ceramic coated grill aluminum plate with extra deep grooves for strong grill pattern and optimal fat drain



Product:	Art. no:	20" / 40" / HQ-Container:
PC-DKI 1067	501 067	1000 / 1900 / 2380
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 106 701	605 x 65 x 365 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 038 064	615 x 70 x 415 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-ITG 1130	501 130	1240 / 2580 / 3096
Colour:	Art. EAN:	Device (W x H x D):
Black	4 006 160 011 302	290 x 65 x 370 mm; 2.5 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 224 900	390 x 45 x 260 mm; 1.23 kg



4 006160 106701



4 006160 011302





PC-TG 1017	Table grill
Eco-friendly Schott-Ceran-glass-ceramic-surface	
Stainless steel housing	
Continuously adjustable thermostat	

PC-KG 1029	Contact grill
2000 watt	
Stainless steel housing	
Continuously adjustable thermostat	

- > Table grill with high-quality, eco-friendly Schott-Ceran-glass-ceramic-surface and stainless steel frame
- > Size: 38 cm x 28.5 cm
- > Scratch-resistant smooth surface (very easy to clean)
- > Versatile for frying, cooking and braising of fish, meat and vegetables
- > Perfect taste and clean and odourless cooking without oil
- > Heats up swiftly and provides perfect heat distribution and stable temperature
- > Heat-insulated handles made of stainless steel
- > Continuously adjustable thermostat
- > Removable grease collector made from stainless steel (easy to clean)
- > Indicator light
- > Incl. cleaning scraper
- > High stability due to non-slip feet
- > 220–240 V, 50/60 Hz, 1200 W

- > Contact grill for double-sided, fat-free grilling
- > Barbecue grill – 180° opening enables grilling on a double surface
- > 2000 watt
- > Stainless steel housing
- > Central fat drainage channel and drip pan (tray removable for easy cleaning)
- > Continuously adjustable thermostat
- > Short cooking times
- > Non-stick grill plates with extra deep grooves for strong grill pattern and optimal fat drain
- > Grill plates removable for easy cleaning
- > Large, heat-insulated handle with soft touch insert
- > On/off switch
- > 2 indicator lights for power supply and heating
- > Temperature „ready“ display
- > Large grilling surfaces: 23 x 29 cm
- > Versatile, can be used for e.g. panini, steaks, fish, vegetables, eggs or desserts
- > 220–240 V, 50/60 Hz, 2000 W



Continuously adjustable thermostat



Continuously adjustable thermostat

180° opening enables grilling on a double surface



Product:	Art. no:	20" / 40" / HQ-Container:
PC-TG 1017	501 017	800 / 1700 / 2040
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 101 768	640 x 375 x 70 mm; 4 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 012 422	690 x 406 x 100 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-KG 1029	501 029	916 / 1900 / 2230
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 102 918	340 x 145 x 320 mm; 3.6 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 227 840	400 x 375 x 176 mm



4 006 160 101 768



4 006 160 102 918




PC-TYG 1143 Grill / Teppanyaki grill

High-quality and environmentally-friendly bamboo frame

Removable stainless steel drip tray (easy to clean)

Continuously adjustable thermostat

- > High quality, environmentally-friendly bamboo frame connects a natural appearance and traditional Japanese cuisine
- > Grill/Teppanyaki grill with appealing bamboo design
- > Japanese barbecue on the table (healthy and low in calories)
- > Combination grill plate for grilling fish (smooth surface) or meat (extra deep grooves for an intense grill pattern)
- > Grill area: approx. 51 x 25 cm
- > Fat-free, odor-neutral and clean
- > Continuously adjustable thermostat (detachable)
- > Scratch-resistant, ceramic-coated grill plate – stores and distributes the heat in an optimal way
- > Grill plate removable (easy to clean)
- > Innovative fat drain system – different-height fluting for better fat draining
- > Drainage channel for excess fat
- > Removable stainless steel drip tray (easy to clean)
- > High stability
- > 220–230 V, 50/60 Hz, 2000–2200 W



Continuously adjustable thermostat (detachable)

Removable stainless steel drip tray (easy to clean)



Product:	Art. no:	20" / 40" / HQ-Container:
PC-TYG 1143	501 143	1240 / 2500 / 2730
Colour:	Art. EAN:	Device (W x H x D):
Wood / Black	4 006 160 114 300	580 x 60 x 300 mm; 3,8 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 063 875	625 x 330 x 92 mm






PC-RG 1144	2 in 1 – Raclette grill
2 in 1 – Hot stone and raclette grill for up to 10 persons	
Natural grill stone for a healthy, low-fat grilling	
Continuously adjustable thermostat	

PC-RG 1131	Raclette grill
Raclette grill for up to 8 persons	
Natural grill stone for a healthy, low-fat grilling	
1100 watt	

- > 2 in 1 – Raclette grill with hot stone and turning iron plate
- > For grilling and browning
- > Turning iron plate – Combination grill area for grilling fish (smooth surface) or meat (extra deep grooves for an intense grill pattern)
- > Natural grill stone for a healthy, low-fat grilling
- > Total grill area: ca. 48.5 x 24 cm (2x approx. 24 x 24 cm)
- > 10 pans, 10 wooden spatula
- > Stainless steel handles (heat insulated)
- > Continuously adjustable thermostat
- > Indicator light (blue illuminated)
- > Non-stick coating on the grill plates and pans (easy to clean)
- > 220–240 V, 50/60 Hz, 1700 W

- > Stainless steel housing
- > Natural grill stone for a healthy, low-fat grilling
- > For grilling and browning
- > Grill area: approx. 27 x 27 cm
- > Stainless steel handles (heat insulated)
- > 8 wooden spatula
- > 8 non-stick coating pans (easy to clean)
- > On/off switch (blue illuminated)
- > 220–240 V, 50/60 Hz, 1100 W



Natural grill stone for a healthy, low-fat grilling

Product:	Art. no:	20" / 40" / HQ-Container:
PC-RG 1144	501 144	772 / 1564 / 1850
Colour:	Art. EAN:	Device (W x H x D):
Edelstahl	4 006 160 114 409	622 x 133 x 241 mm; 5.31 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 013 412	640 x 273 x 186 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-RG 1131	501 131	1274 / 2618 / 2992
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 319	400 x 120 x 270 mm; 4.5 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 224 917	430 x 310 x 142 mm



**PC-GG 1129****Table gas grill**

Double-walled stainless steel grill hood and stainless steel handle

Continuously adjustable thermostat

Approx. 49 x 36.5 cm grilling area

- > Sturdy, double-walled stainless steel grill hood with integrated temperature display and stainless steel handle
- > Continuously adjustable thermostat
- > Approx. 49 x 36.5 cm grilling area, consisting of two cast iron grilling grids
- > Removable grease collector for easy cleaning
- > Removable side trays (space-saving)
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria
- > Easy final assembly
- > Enamelled fire pan

Specifications

Burner: 12,000 BTU / 3.15 kW | Gas consumption: 229 gr/h | Operating pressure: 50 mbar
 Ignition: Piezo ignition system | Gas category: I3B/P(50) | Gas type: butane, propane or their mixtures | Target destinations: D, A, CH, CZ | CE certification: ITS institute, certification number: 0359CR01482



Side trays removable (space-saving)



High quality stainless steel grill hood (double-wall) + stainless steel handle



2 grilling grids (cast iron)



Incl. temperature display



Incl. gas pressure reduction valve and gas tube

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1129	501 129	258 / 540 / 600
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 296	1027 x 385 x 455 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	655 x 390 x 450 mm





High-quality stainless steel front and hood



Foldable, space-saving side tables – also ideal for balcony (about 61 cm wide)

PC-GG 1128	Gas grill
2x stainless steel burners	
High-quality stainless steel front and hood	
Folding side tables	

- > 2x heating zones for separate temperature control
- > Stainless steel control panel
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > Massive control knobs for continuous temperature setting
- > 43 x 39 cm grill area comprising of two enameled grill racks
- > 43 cm stainless steel warming rack
- > Large, extractable grease collection tray for easy cleaning
- > The operating height of 85 cm allows for easy and ergonomic operation
- > Large cabinet (suitable to fit a 5 kg gas cylinder)
- > 2x stainless steel burners
- > Enamelled steel burner cover
- > Cabinet and side trays made of powder-coated steel
- > Side tables (foldable)
- > 2x wheels for easy and fast movement
- > Including gas pressure reduction valve and gas tube for Germany and Austria



Incl. temperature display



Separated grill area:
2x enameled grill racks

Specifications	
Burners: 2	Main burner: 2x 12,000 BTU / 3.15 kW; 24,000 BTU / 6.3 kW
Gas consumption: 450 gr/h	Operating pressure: 50 mbar Ignition: Piezo ignition system
Gas category: I3B/P(50)	Gas type: butane, propane or their mixtures
Target destinations: D, A, CH, CZ CE certification: ITS institute, certification number: 0359CQ00220	

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1128	501 128	168 / 354 / 413
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 289	1120x1110x570 mm; 24.05 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	502 x 895 x 367 mm



4 006160 011289



High-quality stainless steel front and hood

PC-GG 1057 Gas grill

3x stainless steel burners

High-quality stainless steel front and hood

Continuous temperature setting



Stainless steel inside tray
+ separated grill area:
2x enameled grill racks

- > 3x heating zones for separate temperature control
- > Stainless steel control panel and side tray fronts
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > Massive control knobs for continuous temperature setting
- > 54 x 40 cm grill area comprising of two enameled grill racks
- > 54 cm stainless steel warming rack
- > Large, extractable grease collection tray for easy cleaning
- > The operating height of 85 cm allows for easy and ergonomic operation
- > Large cabinet with two doors and magnetic lock (suitable to fit a 5 kg gas cylinder)
- > 3x stainless steel burners
- > Stainless steel burner cover
- > Cabinet and side trays made of powder-coated steel
- > 4x wheels for easy and fast movement
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria



Large storage capacity for storage/
transport of 5 kg cylinders



Incl. temperature display

Specifications

Burners: 3 | Main burner: 3 x 12,000 BTU / 3.15 kW; 36,000 BTU / 9.45 kW
 Gas consumption: 675 gr/h | Operating pressure: 50 mbar | Ignition: Piezo ignition system
 Gas category: I3B/P(50) | Gas type: butane, propane or their mixtures
 Target destinations: D, A, CH, CZ | CE certification: ITS institute, certification number: 0359CQ00220

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1057	501 057	120 / 248 / 310
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 105 711	1220 x 1120 x 530 mm; 30 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	770 x 485 x 575 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1057	501 102	120 / 248 / 310
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 029	1220 x 1120 x 530 mm; 30 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	770 x 485 x 575 mm



4 006160 105711



CE 0359



4 006160 011029



CE 0359



High-quality stainless steel front and hood



PC-GG 1058	Gas grill
3x stainless steel burners + additional cooking area (3+1)	
High-quality stainless steel front and hood	
Large grill area: 64 x 44 cm	



Stainless steel inside tray + separated grill area: 3x enameled grill racks

- > 3x heating zones for separate temperature control
- > Additional cooking area
- > Stainless steel control panel
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > Stainless steel cabinet door
- > Chrome-plated control knobs for continuous temperature setting
- > 64 x 44 cm grill area comprising of two enameled grill racks
- > 64 cm stainless steel warming rack
- > Large, extractable grease collection tray for easy cleaning
- > The operating height of 90 cm allows for easy and ergonomic operation
- > Large cabinet with door and magnetic lock (suitable to fit 5 kg gas cylinder)
- > Incl. 5 functional stainless steel hooks for grill accessories such as pliers, towels etc.
- > 3x stainless steel burners + additional cooking area (3+1)
- > Stainless steel burner cover
- > 4x wheels for easy and fast movement
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria



Large storage capacity for storage/transport of 5 kg gas cylinders



Incl. temperature display

Specifications

Burners: 4 | Main burner: 3x 12,000 BTU / 3.5 kW; 36,000 BTU / 10.5 kW
 Main burner: 1x 12,000 BTU / 3.15 kW | Gas consumption: main burner: 993 gr/h, cooking area: 229 gr/h
 Operating pressure: 50 mbar | Ignition: Piezo ignition system | Gas category: I3B/P(50)
 Gas type: butane, propane or their mixtures | Target destinations: D, A, CH, CZ
 CE certification: ITS institute, certification number: 0359CQ00453

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1058	501 058	124 / 256 / 319
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 105 810	1335 x 1145 x 520 mm; 36 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	745 x 535 x 575 mm



4 006 160 105 810



High-quality stainless steel front and hood

PC-GG 1059 Gas grill

4x stainless steel burners + additional cooking area (4+1)

High-quality stainless steel front and hood

Large grill area: 64 x 44 cm

- > 4x heating zones for separate temperature control
- > Additional cooking area
- > Stainless steel control panel
- > Sturdy, dual-wall stainless steel grill hood with integrated temperature display
- > Stainless steel cabinet door
- > Chrome-plated control knobs for continuous temperature setting
- > Large grilling surface of 64 x 44 cm, consisting of two enameled grill grates and one turn-over cast plate
- > Including turn-over cast plate (1x smooth + 1x smooth/ribbed): SMOOTH for example for vegetables, fish, eggs or desserts, and RIBBED for example for Panini or steaks
- > 64 cm stainless steel warming rack
- > Large, extractable grease collection tray for easy cleaning
- > The operating height of 90 cm allows for easy and ergonomic operation
- > Large cabinet with door and magnetic lock (suitable to fit 5 kg gas cylinder)
- > Incl. 5 functional stainless steel hooks for grill accessories such as pliers, towels etc.
- > 4x stainless steel burners + additional cooking area (4+1)
- > Stainless steel burner cover
- > 4x wheels for easy and fast movement
- > Incl. gas pressure reduction valve and gas tube for Germany and Austria

Stainless steel inside tray
+ separated grill area:
3x enameled grill racks,
1x turn-over cast plate



Large storage capacity for storage/
transport of 5 kg gas cylinders



Incl. temperature display

Specifications

Burners: 5 | Main burner: 4x 12,000 BTU / 3.15 kW; 48,000 BTU / 12.6 kW
Main burner: 1x 12,000 BTU / 3.15 kW | Gas consumption: main burner: 1146 gr/h, cooking area: 229 gr/h
Operating pressure: 50 mbar | Ignition: Piezo ignition system | Gas category: I3B/P(50)
Gas type: butane, propane or their mixtures | Target destinations: D, A, CH, CZ
CE certification: ITS institute, certification number: 0359CQ00453

Product:	Art. no:	20" / 40" / HQ-Container:
PC-GG 1059	501 059	124 / 256 / 319
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 593	1335 x 1145 x 520 mm; 37 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	745 x 535 x 575 mm



4 006160 110593

ETM TESTMAGAZIN - URTEIL	
Profii Cook PC-FR 1038	
GUT	90,7 %
Im Test: 8 Kaltzonen-Fritteusen Testurteile: 1× sehr gut, 7× gut www.etm-testmagazin.de	Heft 03/2016



PC-FR 1038	Double deep fat fryer
Stainless steel housing	
5 litre capacity	
3000 watt	

- > Professional double deep fat fryer with 2 baskets and one large frying basket for various types of food
- > Housing, lid, heating coil and fat container made of stainless steel
- > Cold zone technology – heating coil directly immersed in the oil for rapid heating and odorless frying
- > Capacity: 5 litre oil/frying fat
- > Continuously adjustable thermostat (130 °C–190 °C)
- > Incl. 30 minute timer
- > Removable stainless steel container for easy cleaning
- > Lid with viewing window
- > Permanent odor and fumes filter
- > 2 indicator lights for power and heating
- > Overheating protection
- > Cable tray
- > 230 V, 50/60 Hz, 3000 W

PC-FR 1087	Deep fat fryer
Stainless steel housing	
3 litre capacity	
6 progr. for frying + var. time program + var. temperature program	

- > Stainless steel housing
- > 6 programs for frying + variable time program + variable temperature program
- > High-quality negative LCD display (black/white)
- > Housing, lid, heating coil and fat container made of stainless steel
- > Cold zone technology – heating coil directly immersed in the oil for rapid heating and odorless frying
- > Capacity: 3 litre oil/frying fat
- > Fat container and heating coil (removable)
- > Lid with viewing window
- > Odor and fumes filter
- > Drip tray
- > Carrying handles (heat-insulated)
- > Overheating protection
- > Cord storage
- > 230 V, 50/60 Hz, 2000 W



Incl. large frying basket



Incl. 2 small frying baskets for various types of food



High-quality negative LCD display (black/white)



6 programs for frying + variable time program + variable temperature program

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1038	501 038	630 / 1290 / 1500
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 011 203	350 x 250 x 450 mm; 3.2 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 036 237	377 x 266 x 379 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1087	501 087	950 / 1942 / 2226
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 750	220 x 240 x 390 mm; 2.35 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 558 753	240 x 260 x 415 mm



4 006160 011203



4 006160 108750



**PC-FR 1088****Deep fat fryer**

Stainless steel housing

4 litre capacity

6 progr. for frying + var. time program + var. temperature program

- > Stainless steel housing
- > 6 programs for frying + variable time program + variable temperature program
- > High-quality negative LCD display (black/white)
- > Housing, lid, heating coil and fat container made of stainless steel
- > Cold zone technology – heating coil directly immersed in the oil for rapid heating and odorless frying
- > Capacity: 4 litre oil/frying fat
- > Fat container and heating coil (removable)
- > Lid with viewing window
- > Odor and fumes filter
- > Drip tray
- > Carrying handles (heat-insulated) with stainless steel application
- > Overheating protection
- > Cord storage
- > 230 V, 50/60 Hz, 2500 W



High-quality negative LCD display (black/white)



6 programs for frying + variable time program + variable temperature program

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1088	501 088	560 / 1150 / 1308
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 108 866	280 x 265 x 435 mm; 3.15 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 558 777	312 x 320 x 470 mm



4 006160 108866



XL – 3.5 litre capacity



PC-FR 1115 H Hot air fryer

Stainless steel front

3.5 litre capacity

Time and energy-saving cooking

- > Oil and fat free hot air fryer
- > Stainless steel front
- > Low smoke or odors
- > Time and energy-saving cooking
- > Cool touch handle
- > Capacity: 3.5 litre
- > Removable container (non-stick coated) with safety switch
- > Continuously adjustable thermostat (80 °C–200 °C)
- > 60 minute timer with end signal
- > 2 indicator lights for temperature/operation
- > Overheating protection
- > 220–240 V, 50/60 Hz, 1500 W



Capacity: 3.5 litre



Continuously adjustable thermostat
(80 °C–200 °C)

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1115 H	501 115	504 / 1044 / 1218
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 111 156	320 x 330 x 380 mm
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 885 651	390 x 355 x 350 mm



**PC-FR 1147 H****Hot air fryer**

Stainless steel front

7 programs for frying + var. time program + var. temperature program

Time and energy-saving cooking

- > Oil and fat free hot air fryer
- > Stainless steel front
- > 7 programs for frying + variable time program + variable temperature program
- > Low smoke or odors
- > Time and energy-saving cooking
- > Cool touch handle
- > Capacity: 2.5 litre
- > LCD display
- > Removable container (non-stick coated) with safety switch
- > Continuously adjustable thermostat (80°C–200°C)
- > Overheating protection
- > 220–240 V, 50/60 Hz, 1500 W



Capacity: 2.5 litre



LCD display

Product:	Art. no:	20" / 40" / HQ-Container:
PC-FR 1147 H	501 147	700 / 1440 / 1728
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 706	304 x 263 x 330 mm
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 552 324	320 x 333 x 320 mm



4 006160 114706





PC-ICM 1140 Ice cream maker

For up to 1800 ml ice cream

Stainless steel housing

Electronic sensor touch control panel

- > Ice cream maker for preparation of ice cream, frozen yoghurt and sorbet
- > Stainless steel housing
- > LED display
- > Digital timer with automatic switch-off
- > Variable time setting (5–45 min.)
- > Preparation time (ice cream): 20–45 min.
- > Electronic sensor touch control panel
- > Lid with refill opening
- > Incl. recipe suggestions
- > For up to 1800 ml ice cream
- > Double-walled ice cream maker with cold storage, removable for easy cleaning (H: 14.3 cm; Ø 19.2 cm)
- > Stirring element with powerful, quiet motor
- > High stability due to rubberized feet
- > 220–240 V, 50 Hz, 12 W



Lid with refill opening and LED display



For up to 1800 ml ice cream

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ICM 1140	501 140	1454 / 2950 / 3376
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 114 010	210 x 235 x 210 mm; 2.95 kg
PU:	Export carton EAN:	Packaging (W x H x D):
2	4 006 160 063 820	240 x 310 x 236 mm



ETM TESTMAGAZIN · URTEIL

ProfiCook PC-ICM 1091

GUT**90,6 %**

Im Test: 8 Eismaschinen mit Kompressor
 Testurteile: 2× sehr gut, 5× gut,
 1× befriedigend
 www.etm-testmagazin.de

Heft 08/2017


PC-ICM 1091 Ice cream maker

For up to 1500 ml ice cream


Compressor cooling

Stainless steel housing

- > Ice cream maker for preparation of ice cream, frozen yoghurt and sorbet
- > Stainless steel housing
- > High-quality LCD display (black/white) with temperature display
- > Digital timer
- > Variable time setting (1–60 min.)
- > Preparation time: 20–25 min.
- > Electronic control system (START/STOP)
- > Automatic cooling through integrated compressor
- > Transparent lid with refill opening
- > Incl. recipe suggestions
- > For up to 1500 ml ice cream
- > Removable ice cream maker for easy cleaning (H: 14.5 cm; Ø 13.5 cm)



High-quality LCD display



Transparent lid with refill opening

- > Stirring element with powerful, quiet motor
- > High stability due to rubberized feet
- > Incl. spoon and measuring cup
- > 220-240 V, 50 Hz, 150 W

Product:	Art. no:	20" / 40" / HQ-Container:
PC-ICM 1091	501 091	495 / 1010 / 1180
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 501 100	275 x 255 x 400 mm; 10.2 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 225 556	334 x 335 x 455 mm



4 006160 501100





PC-EWB 1007	Ice cube maker
Multifunction touch panel	
Extremely low noise during operation	
Approx. 10–15 kg ice cubes in 24 h	

PC-EWB 1079	Ice cube maker
Stainless steel housing	
Low noise	
Approx. 10–15 kg ice cubes in 24 h	

- > Compact ice cube machine with high quality stainless steel insert
- > Fast and easy preparation of ice cubes with electronic control START / STOP
- > Water tank can be filled with drinking water (1.8 litre) – incl. water refiller
- > Approx. 10–15 kg ice cubes in 24 h (approx. 85–125 g in 12 min. – corresponds to approx. 12 ice cubes)
- > Extremely low noise during operation
- > Acoustic signal when ice cube container is full or water tank is empty
- > Easy handling – drawer for taking out the ice cubes
- > ECO-Save energy saving mode – automatic switch-off after the program has finished
- > High-quality LCD display with clock display
- > Multifunction touch panel
- > Programmable digital 24 hour LCD timer
- > 220–240 V, 50 Hz, 180 W

- > Compact ice cube maker without complicated installation for producing ice cubes quickly and simply at the press of a button
- > Ideal for camping, the office, at home or for small bars
- > No water supply required, just fill the tank with water (1.7 litre water tank)
- > Approx. 10–15 kg of ice cubes in 24 hours (approx. 90 g in 10 min. – corresponding to approx. 9 ice cubes)
- > LED indicator lights and acoustic signal when ice cube container is full or water tank is empty
- > Energy-saving mode – automatic switch-off at the end of the program
- > Electronic control (START/STOP)
- > 3 indicator lights (ice full, water empty, power)
- > Visual check through viewing window in the lid
- > Low noise
- > 220–240 V, 50 Hz, 150 W



Incl. ice scoop



Ice cube drawer



Incl. ice scoop



For approx. 10–15 kg of ice cubes in 24 h

Product:	Art. no:	20" / 40" / HQ-Container:
PC-EWB 1007	501 007	735 / 1519 / 1736
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 100 761	300 x 300 x 360 mm; 10.85 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 584 837	375 x 325 x 325 mm



Product:	Art. no:	20" / 40" / HQ-Container:
PC-EWB 1079	501 079	690 / 1400 / 1649
Colour:	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 110 791	245 x 340 x 350 mm; 9.6 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	4 006 160 224 221	285 x 365 x 395 mm



4 006160 100761



4 006160 110791



A⁺**PC-WC 1046****Wine cooler**

Bottle capacity: 8 à 0,75 litre

Net capacity: 23 litre

Electronical temperature setting and -control

General

- > Wine storage cabinet
- > Thermoelectric cooling
- > Climate class N (+16°C to +32°C)
- > Low-noise (without vibration)
- > Without compressor

Features


- > Digital temperature settings and display (blue illuminated)
- > Temperature settings from +11°C to +18°C, max. 14°C below ambient temperature
- > LED interior light (separate switchable)
- > 2 removable wooden trays (approx. W 35.0 x D 29.4 cm)
- > Double glass door with stainless steel frame and stainless steel handle
- > Adjustable feet

Consumption data

- > Energy class: A⁺
- > Energy consumption/24 h: 0.284 kWh
- > Energy consumption/year: 104 kWh
- > 230 V, 70 W



Control panel with LED display (blue illuminated)



A

PC-WC 1047**Wine cooler**

Bottle capacity: 16 à 0,75 litre

Net capacity: 46 litre

Electronical temperature setting and -control

General

- > Wine storage cabinet
- > Thermoelectric cooling
- > Climate class N (+16°C to +32°C)
- > Low-noise (without vibration)
- > Without compressor

Features


- > Digital temperature settings and display (blue illuminated)
- > Temperature settings from +11°C to +18°C, max. 14°C below ambient temperature
- > LED interior light (separate switchable)
- > 3 removable wooden trays (W 35.0 x D 29.4 cm)
- > Double glass door with stainless steel frame and stainless steel handle
- > Adjustable feet

Consumption data

- > Energy class: A
- > Energy consumption/24 h: 0.36 kWh
- > Energy consumption/year: 131 kWh
- > 230 V, 70 W



Control panel with LED display (blue illuminated)



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WC 1046	501 046	723
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 104 639	420 x 280 x 480 mm; 8.8 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	477 x 359 x 549 mm; 11.4 kg



Product:	Art. no:	20" / 40" / HQ-Container:
PC-WC 1047	501 047	450
Colour: Black /	Art. EAN:	Device (W x H x D):
Stainless steel	4 006 160 104 721	420 x 520 x 480 mm; 13.8 kg
PU:	Export carton EAN:	Packaging (W x H x D):
1	-	477 x 579 x 549 mm; 16.5 kg



4 006 160 104 639



4 006 160 104 721



Product overview

For sophistication at breakfast

					
PC-ES 1109 Espresso machine	PC-KA 1121 Coffee machine	PC-KA 1120 Coffee machine	PC-KA 1138 Coffee machine with grinder	PC-KA 1137 Coffee machine with grinder	PC-MS 1135 Milk frother
<ul style="list-style-type: none"> – Espresso and cappuccino pump machine – Stainless steel housing – Cup warming function 	<ul style="list-style-type: none"> – Ideal for single households – 4 cups – Stainless steel front 	<ul style="list-style-type: none"> – Stainless steel front – 1000 watt – Programmable 24 hour LCD digital timer 	<ul style="list-style-type: none"> – 2 in 1 – Coffee grinding and brewing – Stainless steel front – 10–12 cups 	<ul style="list-style-type: none"> – 2 in 1 – Coffee grinding and brewing – Stainless steel front – Stainless steel thermo jug 	<ul style="list-style-type: none"> – Stainless steel – Electronic – 2 function switches / 4 functions – Hot and cold function
					
PC-MS 1032 Milk frother	PC-KSW 1093 Electric coffee mill	PC-KSW 1021 Electric coffee mill	PC-WKS 1123 Jug kettle	PC-WKS 1106 Jug kettle	PC-WKS 1083 Jug kettle
<ul style="list-style-type: none"> – Stainless steel housing and mixing vessel – 6 functions – Hot and cold function 	<ul style="list-style-type: none"> – Stainless steel housing – Stainless steel lid with viewing window – 160 watt 	<ul style="list-style-type: none"> – Coffee mill and chopper – 2 extra large stainless steel container – 200 watt 	<ul style="list-style-type: none"> – Ideal for single households – Stainless steel housing – 0.8 litre 	<ul style="list-style-type: none"> – Stainless steel housing – 360° rotatable plug connection – Stainless steel base station with cord storage 	<ul style="list-style-type: none"> – Stainless steel housing – 360° rotatable plug connection – Base station with cord storage (stainless steel sheathed)
					
PC-WKS 1107 G Glass kettle	PC-WKS 1119 Jug kettle	PC-WKS 1148 Thermo jug kettle	PC-WKS 1108 Jug kettle	PC-WKS 1020 G Glass tea kettle	
<ul style="list-style-type: none"> – Glass/stainless steel housing – 360° rotatable plug connection – Stainless steel base station with cord storage 	<ul style="list-style-type: none"> – Stainless steel housing – 360° rotatable plug connection – Stainless steel base station with cord storage 	<ul style="list-style-type: none"> – Stainless steel container – 360° rotatable plug connection – Base station with cord storage (stainless steel sheathed) 	<ul style="list-style-type: none"> – Stainless steel housing – 360° rotatable plug connection – Stainless steel base station with cord storage 	<ul style="list-style-type: none"> – 2 in 1 – tea and water heater – Incl. raised and lowered stainless steel tea filter – Electronic temperature setting (selectable) 	
					
PC-TKS 1056 Tea/Coffee station	PC-HWS 1145 Hot water dispenser	PC-ZP 1018 Citrus juicer	PC-ST 1092 Sandwich toaster	PC-TA 1122 Toaster	PC-TA 1082 Toaster
<ul style="list-style-type: none"> – 3 in 1 – Glass kettle, tea and coffee maker – Stainless steel housing – Scratch-resistant glass plate 	<ul style="list-style-type: none"> – Stainless steel housing – Hot water at your fingertips – Up to 4 litre capacity 	<ul style="list-style-type: none"> – Stainless steel housing – Long-life professional motor – Incl. stainless steel sieve 	<ul style="list-style-type: none"> – Extra large sandwich plates for american XXL toast slices – Suitable for toast slices of approx. 9 to 14.5 cm – Stainless steel insert 	<ul style="list-style-type: none"> – Ideal for single households – 1-slice toaster – Stainless steel housing 	<ul style="list-style-type: none"> – Stainless steel housing – „Wide-Slot“ – extra wide toast slots (40 mm) – Centring function
					
PC-TA 1073 Toaster	PC-TAZ 1110 Toaster with sandwich tongs	PC-EK 1124 Egg boiler	PC-EK 1139 Egg boiler	PC-EK 1084 Egg boiler	
<ul style="list-style-type: none"> – Stainless steel housing – „Wide-Slot“ – extra wide toast slots (40 mm) – 2x bun warmer (removable) 	<ul style="list-style-type: none"> – Stainless steel housing – „Wide-Slot“ – extra wide toast slots (40 mm) – 2 stainless steel tongs for removing the slices of toast 	<ul style="list-style-type: none"> – Ideal for single households – Stainless steel housing – Up to 3 eggs 	<ul style="list-style-type: none"> – Stainless steel housing – Omelette-/poaching function – Non-stick coated heating plate 	<ul style="list-style-type: none"> – Stainless steel housing – Electronic hardness adjuster – Omelette-/poaching function 	

Kneading, cooking or mixing – ProfiCook for every culinary taste

				
PC-KM 1063 Compact food processor	PC-KM 1096 Kneading machine	PC-KM 1151 Kneading machine	PC-KM 1004 Kneading machine	PC-FW 1060 Professional mincer
<ul style="list-style-type: none"> – Food processor, mixer and citrus juicer – Powerful 1200 watt max. – Continuously speed control 	<ul style="list-style-type: none"> – Massive aluminum die-cast body – Long-life professional motor (1500 watt) – Powerful and robust metal gear 	<ul style="list-style-type: none"> – 2 in 1 – Kneading machine and mincer – Massive aluminum die-cast body – Long-life professional motor (1200 watt) 	<ul style="list-style-type: none"> – Massive aluminum die-cast body – Long-life professional motor (1400 watt max.) – Kneading/stirring machine, mixing equipment, pasta maker 	<ul style="list-style-type: none"> – Stainless steel housing – Forward and reverse function – 1000 watt max.

Kneading, cooking or mixing – ProfiCook for every culinary taste

				
PC-SM 1094 Hand blender <ul style="list-style-type: none"> – Stainless steel housing and 4-fold stainless steel blade – Long-life professional motor (1000 watt) – Extra-long mixing rod (27 cm) 	PC-SMS 1095 Hand blender set <ul style="list-style-type: none"> – Stainless steel housing – High-quality stainless steel 4-blade system (removable) – Long-life professional motor (600 watt) 	PC-ME 1132 Spiral cutter <ul style="list-style-type: none"> – Stainless steel housing – Changeable high-quality drum attachments – Powerful 100 watt max. motor 	PC-MZ 1150 Multi chopper <ul style="list-style-type: none"> – 2 in 1 – Multi chopper and ice crusher – Stainless steel housing – Combination knife for 2 or 4 blade operation 	PC-MZ 1027 Multi chopper <ul style="list-style-type: none"> – 3 in 1 – Multi chopper, ice crusher and stirrer – Stainless steel housing – Combination knife for 2 or 4 blade operation
				
PC-AE 1069 Automatic juicer <ul style="list-style-type: none"> – Long-life professional motor (800 watt) – 18.000 rpm max. – Stainless steel housing 	PC-AE 1070 Automatic juicer <ul style="list-style-type: none"> – Long-life professional motor (800 watt) – 18.000 rpm max. – Stainless steel housing 	PC-SJ 1141 Slow juicer <ul style="list-style-type: none"> – Stainless steel housing – Vitamin-preserving juice yield by low speed rotation – Reverse function 	PC-SM 1078 Smoothie maker <ul style="list-style-type: none"> – Ideal for pureeing, beating, chopping up, shaking and mixing – Stainless steel blade – Incl. 2 removable mixing cups (600 ml) 	PC-UMS 1085 Universal mixer set <ul style="list-style-type: none"> – 2 in 1 – Universal mixer with smoothie maker – 4-fold stainless steel blade with „piranha“ cut (rustproof) – 4 speed levels (0-1-2 + pulse/turbo function)
				
PC-UMS 1125 Universal mixer set <ul style="list-style-type: none"> – 2 in 1 – Universal mixer with smoothie maker – Ideal for single households – 6-fold stainless steel blade with „piranha“ cut (rustproof) 	PC-UM 1114 Universal mixer <ul style="list-style-type: none"> – Longlife-Profi-Motor (1400 watt) – 6-fold stainless steel blade with „piranha“ cut (rustproof) – Stainless steel housing 	PC-UM 1086 Universal mixer <ul style="list-style-type: none"> – Long-life professional motor (1250 watt) – 6-fold stainless steel blade with „piranha“ cut (rustproof) – Stainless steel housing 	PC-UM 1006 Universal mixer <ul style="list-style-type: none"> – Long-life professional motor (1200 watt max.) – 6-fold stainless steel blade with „piranha“ cut (rustproof) – Stainless steel housing 	PC-SM 1103 Profi mixer / Smoothie maker <ul style="list-style-type: none"> – Long-life professional motor (2000 watt) – Stepless speed control for perfect smoothies – Stainless steel housing
				
PC-UM 1127 Profi mixer / Smoothie maker <ul style="list-style-type: none"> – Long-life professional motor (2000 watt) – Electronic speed control (8 speeds) – 9 functions 	PC-MKM 1074 Multi cooking mixer <ul style="list-style-type: none"> – 9 speed levels + turbo function – Ice crush function – 4-fold stainless steel blade (removable) 	PC-BBA 1077 Automatic bread baking machine <ul style="list-style-type: none"> – 13 baking programs / 43 possible combinations – Stainless steel housing and handle – 13 hour timer 	PC-KW 1040 Digital kitchen scale <ul style="list-style-type: none"> – Stainless steel housing – Measuring range up to 5000 g (in 1 g steps) – Tare function (additive weighing function) 	
				
PC-KW 1061 Kitchen scale <ul style="list-style-type: none"> – Weighing surface made of stainless steel – Extra large LCD display (black/white) – On/off switch 	PC-DHT 1039 Digital household thermometer <ul style="list-style-type: none"> – Stainless steel – Temperature range: –45°C–200°C – Storage function of the last measured temperature 	PC-PSM 1031 Electric pepper and salt mill <ul style="list-style-type: none"> – High quality precision ceramic grinder – Stainless steel housing – Incl. light for optimum dosing 	PC-MS 1090 Knife grinder <ul style="list-style-type: none"> – Stainless steel housing – 3 grade knife sharpener – Diamond chip studded grinding stone 	PC-EKA 1066 Preserving boiler <ul style="list-style-type: none"> – Preserving boiler and hot drinks machine – Stainless steel housing – 27 litre tank capacity for up to 14 jars



Perfect timing, impressive performance

				
PC-HGA 1111 Hot drinks machine <ul style="list-style-type: none"> – Hot drinks and mulled wine machine (16 litre) – Stainless steel housing – Solid metal tap, chrome-plated (removable) 	PC-SV 1126 Sous Vide Cooker <ul style="list-style-type: none"> – Precise cooking of food – Stainless steel housing – Sensor touch control panel 	PC-SV 1112 Sous Vide Cooker <ul style="list-style-type: none"> – Precise cooking of food – Stainless steel housing – 8,5 litre capacity 	PC-VK 1146 Vacuum sealer <ul style="list-style-type: none"> – Stainless steel housing – Suction power: 12 litre / min. – Vacuum cooking – extremely careful preparation 	PC-VK 1080 Vacuum sealer <ul style="list-style-type: none"> – Stainless steel housing – Suction power: 12 litre / min. – Vacuum cooking – extremely careful preparation

Perfect timing, impressive performance

							
PC-VK 1133 Vacuum sealer <ul style="list-style-type: none"> – Stainless steel housing – Suction power: 12 litre / min. – Vacuum cooking – extremely careful preparation 	PC-VK 1134 Vacuum sealer <ul style="list-style-type: none"> – Stainless steel housing – Suction power: 24 litre / min. – Vacuum cooking – extremely careful preparation 	PC-DR 1116 Food dryer <ul style="list-style-type: none"> – Stainless steel housing – 7-step, electronic temperature setting – Circulation fan, air circulation function 	PC-DDK 1076 Pressure cooker <ul style="list-style-type: none"> – 5 automatic cooking programs – Up to 70 % shorter cooking times – 5 litre capacity 				
							
PC-MWG 1117 Microwave with grill <ul style="list-style-type: none"> – 20 litre capacity – 1000 watt grill / 800 watt microwave – Stainless steel housing and interior 	PC-MWG 1118 H Microwave with grill <ul style="list-style-type: none"> – 23 litre capacity – 1950 watt convection / 1950 watt grill / 900 watt microwave – Stainless steel housing and interior 	PC-SKT 1071 Pressure cooker <ul style="list-style-type: none"> – Stainless steel 18/10 – Variable pressure setting – 22 cm Ø, 5 litre 	PC-EKI 1062 Single induction cooking plate <ul style="list-style-type: none"> – Heating takes only seconds thanks to induction technology – Eco-friendly glass-ceramic-surface – 2000 watt 	PC-DKI 1067 Double induction cooking plate <ul style="list-style-type: none"> – 2x 6 power and 10 temperature levels – High-quality, eco-friendly glass-ceramic-surface – 3500 watt max 			
							
PC-ITG 1130 Induction table grill <ul style="list-style-type: none"> – 2 in 1 – Induction table grill and single induction hotplate – High quality, eco-friendly glass-ceramic-surface – 2000 watt 	PC-TG 1017 Table grill <ul style="list-style-type: none"> – Eco-friendly Schott-Ceran-glass-ceramic-surface – Stainless steel housing – Continuously adjustable thermostat 	PC-TYG 1143 Grill / Teppanyaki grill <ul style="list-style-type: none"> – High-quality and eco-friendly bamboo frame – Removable stainless steel drip tray (easy to clean) – Continuously adjustable thermostat 	PC-KG 1029 Contact grill <ul style="list-style-type: none"> – 2000 watt – Stainless steel housing – Continuously adjustable thermostat 	PC-RG 1144 2 in 1 Raclette-Grill <ul style="list-style-type: none"> – 2 in 1 – Hot stone and raclette grill for up to 10 persons – Natural grill stone for a healthy, low-fat grilling 	PC-RG 1131 Raclette-Grill <ul style="list-style-type: none"> – Raclette grill for up to 8 persons – Natural grill stone for a healthy, low-fat grilling 		
							
PC-GG 1129 Table gas grill <ul style="list-style-type: none"> – Double-walled stainless steel grill hood and stainless steel handle – Continuously adjustable thermostat – Approx. 49 x 36.5 cm grilling area 	PC-GG 1128 Gas grill <ul style="list-style-type: none"> – 2x stainless steel burners – High-quality stainless steel front and hood – Folding side tables 	PC-GG 1057 Gas grill <ul style="list-style-type: none"> – 3x stainless steel burners – High-quality stainless steel front and hood – Continuous temperature setting 	PC-GG 1058 Gas grill <ul style="list-style-type: none"> – 3x stainless steel burners + additional cooking area (3+1) – High-quality stainless steel front and hood – Large grill area: 64 x 44 cm 	PC-GG 1059 Gas grill <ul style="list-style-type: none"> – 4x stainless steel burners + additional cooking area (4+1) – High-quality stainless steel front and hood – Large grill area: 64 x 44 cm 			
							
PC-FR 1038 Double deep fat fryer <ul style="list-style-type: none"> – Stainless steel housing – 5 litre capacity – 3000 watt 	PC-FR 1087 Deep fat fryer <ul style="list-style-type: none"> – Stainless steel housing – 3 litre capacity – 6 programs for frying + var. time program + var. temperature program 	PC-FR 1088 Deep fat fryer <ul style="list-style-type: none"> – Stainless steel housing – 4 litre capacity – 6 programs for frying + var. time program + var. temperature program 	PC-FR 1115 H Hot air fryer <ul style="list-style-type: none"> – Stainless steel front – 3.5 litre capacity – Time and energy-saving cooking 	PC-FR 1147 H Hot air fryer <ul style="list-style-type: none"> – Stainless steel front – 7 programs for frying + var. time program + var. temperature program – Time and energy-saving cooking 	PC-ICM 1140 Ice cream maker <ul style="list-style-type: none"> – For up to 1800 ml ice cream – Stainless steel housing – Electronic sensor touch control panel 		
							
PC-ICM 1091 Ice cream maker <ul style="list-style-type: none"> – For up to 1500 ml ice cream – Compressor cooling – Stainless steel housing 	PC-EWB 1007 Ice cube maker <ul style="list-style-type: none"> – Multifunction touch panel – Extremely low noise during operation – Approx. 10–15 kg ice cubes in 24 h 	PC-EWB 1079 Ice cube maker <ul style="list-style-type: none"> – Stainless steel housing – Low noise – Approx. 10–15 kg ice cubes in 24 h 	PC-WC 1046 Wine cooler <ul style="list-style-type: none"> – Bottle capacity: 8 à 0,75 litre – Net capacity: 23 litre – Electronical temperature setting and -control 	PC-WC 1047 Wine cooler <ul style="list-style-type: none"> – Bottle capacity: 16 à 0,75 litre – Net capacity: 46 litre – Electronical temperature setting and -control 			

Accessories

		
Spare bags for: PC-VK 1015/1080/1133/1134/1146 – 50 pcs. à 22 x 30 cm Art. no.: 8910151 Art. EAN: 4 006 160 101 515 – 50 pcs. à 28 x 40 cm Art. no.: 8910152 Art. EAN: 4 006 160 101 522	Foil rolls for: PC-VK 1015/1080/1133/1134/1146 – 2 rolls à 28 cm x 6 m Art. no.: 8910155 Art. EAN: 4 006 160 101 553	

PRODUCT DATA SHEET FOR HOUSEHOLD REFRIGERATORS Commission Delegated Regulation (EU) No. 1060/2010

ProfiCook				
Model		PC-WC 1046	PC-WC 1047	
Category ¹⁾		10	10	
Energy efficiency class ²⁾		A+	A	
Annual energy consumption ³⁾	kWh/year	104	131	
Net capacity cooling total	L	23	46	
– thereof cold storage compartment	L	–	–	
– thereof wine storage compartment	L	–	–	
– thereof cellar compartment	L	–	–	
– thereof storage compartment for fresh-food	L	–	–	
Net capacity freezing total	L	–	–	
Star rating ⁴⁾		–	–	
Design temperature of other compartments	°C	11 – 18	11 – 18	
Coldest storage temperature of wine storage compartment	°C	–	–	
Frost-free		–	–	
Temperature rise time	h	–	–	
Freezing capacity	kg / 24 h	–	–	
Climate class ⁵⁾		N	N	
Noise emission	dB(A) re 1pW	35	43	
Built-in / integrable		-/-	-/-	
Wine storage appliance		This appliance is intended to be used exclusively for the storage of wine.		

1) Category: 1 = Refrigerator with one or more fresh-food storage compartments; 2 = Refrigerator-cellar, cellar and wine storage appliances; 3 = Refrigerator-chiller and Refrigerator with a 0-star compartment; 4 = Refrigerator with a one-star compartment; 5 = Refrigerator with a two-star compartment; 6 = Refrigerator with a three-star compartment; 7 = Refrigerator freezer; 8 = Upright freezer; 9 = Chest freezer; 10 = Multi-use and other refrigerating appliances.

2) A+++ (highest efficiency) to G (lowest efficiency).

3) Annual energy consumption „XYZ“ kWh per year based on standard test results for 24 h. Actual energy consumption will depend on how the appliance is used and where is located.

4) * ____ = compartment: a frozen-food storage compartment in which the temperature is not warmer than –6°C.

+++ = compartment: a frozen-food storage compartment in which the temperature is not warmer than –12°C.

*+++ = compartment: a frozen-food storage compartment in which the temperature is not warmer than –18°C.

5) Climate class SN: ambient temperature of +10°C up to +32°C.

Climate class N: ambient temperature of +16°C up to +32°C.

Climate class ST: ambient temperature of +16°C up to +38°C.

Climate class T: ambient temperature of +16°C up to +43°C.



ProfiCook

Industriering Ost 40 | D-47906 Kempen/Germany | www.proficook-germany.de
Phone +49.(0)2152.2006-0 | Fax +49.(0)2152.2006-1999 | www.proficook-germany.de/service